

WHAT'S NEW FOR 2024

Bath & Shower Doors	Shown on Page(s)
Finesse™ Peak₅ Frameless Sliding Bath Doors	74
Enclave _® Frameless Sliding Bath Doors	
Finesse™ Frameless Sliding Shower Doors	
Enclave. Frameless Sliding Shower Doors	81
Deluxe Framed Sliding Shower Doors	83
Finesse™ Frameless Pivot Shower Doors	
Deluxe Framed Pivot Shower Doors	88
Vista Pivot _™ II Framed Pivot Shower Doors	89
Kitchen Sinks	
Ludington _® Undermount Double-Bowl Kitchen Sinks	95
McAllister _® Undermount Double-Bowl Kitchen Sinks	96
Ludington _® Undermount Single-Bowl Kitchen Sinks	97
McAllister, Undermount Single-Bowl Kitchen Sinks	97



TABLE OF CONTENTS

Bathroom & Kitchen Faucets	
Bathroom Faucets	
KOHLER, Bath & Shower Valves	4
Kitchen Faucets	5
Two-Piece Toilets	
Matrix	
1.28 GPF (4.8 LPF) Toilets	
1.6 GPF (6.0 LPF) Toilets	12
Toilet Seats & Accessories	15
Replacement Parts – Toilets	17
Bathroom Sinks	
Matrix	18
Pedestal Bathroom Sinks – Vitreous China	18
Drop-In & Undermount Bathroom Sinks – Vitreous China	19
Dual-Mount Bathroom Sinks – Stainless Steel	
Replacement Parts – Bathroom Sinks	20
Baths & Showers Model Numbering System	
Product Numbering Guide	21
Baths & Bath/Showers	
Matrices	22 & 27
Drop-In & Alcove Baths – Vikrell _® Material	24
Freestanding Baths – Acrylic	27
Bath/Showers – Vikrell _® Material.	30
Bath & Bath/Shower Accessories	45
Shower Bases & Stalls	
Matrix	49
Shower Bases – Vikrell _® Material	
Shower Bases – Acrylic	54
Shower Stalls – Vikrell _® Material	55
Shower Base & Stall Accessories.	71



TABLE OF CONTENTS (Continued)

Bath & Shower Doors	
Matrix	
Sliding Bath Doors	74
Sliding Shower Doors	78
Pivot Shower Doors	
Top-Mount Stainless Steel Kitchen Sinks	
Matrix	91
Double-Bowl	92
Single-Bowl	93
Undermount Stainless Steel Kitchen Sinks	
Matrix	94
Double-Bowl	95
Single-Bowl	97
Stainless Steel Bar Sinks	
Matrix	99
Single-Bowl	100
Kitchen Sink Accessories	
Silicone Sink Mats	
Stainless Steel Sink Racks	101
Sponge Caddy	
Sink Drains and Strainers	102
Utility Sinks – Vikrell, Material	
Matrix	
Single-Bowl/Single-Bowl With Stand	104
Cleaners	
Bathroom Cleaners	105
Kitchen Cleaners	105



TERMS & CONDITIONS OF SALE

This list price catalog is not an offer to sell to any person who possesses it, nor to anyone else, the goods listed herein at the prices shown.

Prices apply to STERLING plumbing products illustrated in STERLING full line product catalogs. These prices supersede previous list price catalogs and quotations, and are subject to change without notice. All prices are in U.S. dollars.

These prices do not include freight or shipping.

TERMS AND CONDITIONS OF SALE: Buyer's acceptance of all or any part of goods ordered from Kohler Co. or its affiliates ("Seller") shall constitute Buyer's acceptance of Seller's terms and conditions of sale set forth on the sales order confirmation or invoice unless Buyer objects in writing prior to acceptance of said goods.

Seller's terms and conditions of sale set forth on the sales order confirmation or invoice will constitute the entire agreement between Seller and Buyer with respect to the subject matter of the sale and will supersede all prior agreements, negotiations, understandings, representations and warranties, whether written, oral or otherwise, and may not be modified except in writing signed by the parties. The terms and conditions of any document used by Buyer to communicate its order of goods and any terms or conditions that could be implied on the basis of course of performance, course of dealings, usage of trade or otherwise are expressly excluded.

All proposals, negotiations, and purchase orders, if any, will be merged into a sales order confirmation or invoice.

PRICES AND TITLE: All prices in this list price catalog shall be superceded by Seller's prices in effect at the time of order entry unless Seller has given a firm quotation in writing and Buyer has given an order and the goods are released for shipment within the time periods specified in the quotation. Prices are Ex Works (origin) loaded (Incoterm 2010) unless otherwise noted. With respect to shipments to destinations outside of the United States, title to the goods remains with the Seller until such goods are discharged from the carrier to the Buyer in the destination country. Freight allowance, if any, is subject to Seller's then current freight terms. All prices listed are in U.S. dollars.

RESIDENTIAL DELIVERY FEES: Additional shipping charges will apply on all Less than Truck Load (LTL) shipments delivered to residential addresses. The amount of the charges depends on the third party carrier used and the size of the shipment.

CREDIT APPROVAL: Acceptance of orders, shipments, or deliveries, shall at all times be subject to the approval of the Seller's Credit Department, Kohler, Wisconsin. Seller may at any time decline an order or decline to make any shipment or delivery. Seller reserves the right to ship C.O.D. or C.I.A.

TERMS OF PAYMENT: The cash payment terms, if any, will be set forth on the face of the sales order confirmation or invoice. Cash discount, if any, will be shown and may be deducted from invoice total if payment is made by discount date. Discount date may be extended by four days if Buyer pays by means of Electronic Fund Transfers ("EFT") with addenda records in accordance with Seller's then effective EFT agreement. A delinquency charge equal to the greater of 18% per annum or the prime rate plus 1% as stated by Citibank USA (but in no event in excess of the maximum amount permitted by law), computed on the unpaid balance shall be due on all accounts not paid in full when due. Interest shall be paid with Buyer's next remittance. In addition to late payment charges, Buyer agrees to pay any and all collection costs, including reasonable attorney fees, incurred by Seller in collecting balances not paid within the applicable payment terms.

EXPORT ADMINISTRATION: Buyer agrees to comply with all relevant export laws and regulations of the United States and any other applicable local law ("Export Laws") to assure that no portion of the goods nor any services are exported, directly or indirectly, in violation of Export Laws, or used for purposes prohibited by the Export Laws. Seller reserves the right to cancel any quote or order, at any time, even after payment, in its sole discretion, for any perceived, potential or actual failure to comply with such Export Laws.

ANTI-CORRUPTION COMPLIANCE: Buyer agrees to comply with, and to take all reasonable measures to ensure that its subcontractors, agents or other third parties, subject to its control or determining influence, comply with all applicable laws, statutes, directives and/or regulations relating to anti-bribery and anti-corruption, including but not limited to the US Foreign Corrupt Practices Act and other applicable laws.

TAXES: Any taxes which Seller may be required to pay or collect, under any existing or future law, upon or with respect to the sale, delivery, storage, processing, use or consumption of any of the material conveyed, including taxes upon or measured by the receipts from the sale thereof, shall be for the account of Buyer, who shall promptly pay the amount thereof to Seller upon demand. Where taxes do not apply upon sale or resale, Buyer shall provide Seller with appropriate exemption certificates prior to the sale.

DESIGN CHANGES: Seller reserves the right to make revisions, without notice, in the design of its products or in their packaging.

DELAY: If any shipping dates have been specified, they are approximate and Seller shall not be bound thereby, but every effort will be made to ship in accordance with them. All shipments are subject to contingencies of manufacture and other causes beyond Seller's control such as natural disasters, fires, strikes, delays in transportation, or governmental regulations.

CANCELLATION: Orders for modified, special order, or custom product, as well as those not listed in current list price catalogs, may not be cancelled or returned. Orders for all other product in current list price catalogs may be cancelled prior to shipment.

BUYER'S REMEDIES: If the goods furnished to the Buyer shall fail to conform to the contract or to any warranty, Seller shall replace such non-conforming goods at the original destination and shall furnish instructions for their disposition, provided Seller is notified of such non-conformity or defect within 60 days of shipment.

The Buyer's exclusive and sole remedy on account, or in respect, of any breach of the contract, or of any warranty, shall be to secure replacement thereof as aforesaid. Seller shall not be liable whether in contract or in tort or under any other legal theory for loss of revenue, use or profit or for the cost of any labor expended on any such goods or for any special, incidental or consequential damages to anyone by reason of any breach of this contract or of any warranty.



TERMS & CONDITIONS OF SALE (Continued)

WARRANTY: Seller's applicable respective limited warranty for the product in effect at the time of shipment shall apply. Buyer covenants and agrees that it will not remove any warranty, label, warning, tag, instruction, or manual from the goods and will ensure that all warranties, labels, warnings, tags, instructions, and manuals supplied with the goods or by Seller will be passed on to the original consumer purchaser. The warranty supplied with the goods is Seller's sole and exclusive warranty. EXCEPT TO THE EXTENT PROHIBITED BY APPLICABLE LAW, ANY IMPLIED WARRANTIES, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTY OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ARE EXCLUDED FROM THIS CONTRACT AND SELLER AND ANY OTHER SELLERS DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES.

DAMAGE IN TRANSIT/SHORTAGE: Every reasonable precaution is taken against breakage or other damage in transit. As all goods are shipped Ex Works (origin) loaded (Incoterm 2010), unless otherwise noted. Seller's risk of loss ceases at the time the goods are placed at Buyer's disposal. Claims against carriers are to be filed by the Buyer. It is Buyer's responsibility to inspect products upon delivery for transit damage and/or shortage. If damage or shortage is detected, it should be duly noted on the bill of lading before signing for merchandise. An inspection report should be requested by the Buyer of the carrier, followed by a settlement claim to the carrier.

CHOICE OF LAW: Except as expressly provided herein, the contract is subject to all the provisions of the Uniform Commercial Code of the state of Seller's principal place of business without variation, exclusion or limitation as effective and in force on the contract date. The United Nations Convention on Contracts for the International Sales of Goods ("CISG") shall not apply. Seller hereby elects to opt out of the CISG.

INVOICE MINIMUM: An order for items included in list price catalog for which invoice prices aggregate less than \$50.00 net for product will be billed at \$50.00 net.

RETURNED MERCHANDISE: Merchandise which has been shipped according to Buyer's specifications cannot be returned for credit without prior written approval by Seller, fully establishing the basis for the credit. Credit will be issued only for items which are found by Seller to be of standard manufacture and in salable condition. Return shipment is at Buyer's expense and risk. Buyer must prepay freight and may incur a restocking charge when no manufacturing defects or errors are involved.

Returned merchandise that has been discontinued will not be credited.

Returned merchandise that is not in A-1 condition will be scrapped immediately at Seller's facility.

Phase-down products will not be accepted under the return goods program.

Kohler Co. reserves the right to deny any product return request that puts Kohler in an unfavorable inventory position.

For complete returned merchandise policy details, contact your Kohler/Sterling Customer Care Representative.

SHIPPING WEIGHTS: Shipping weights are approximate and are not guaranteed, but are shown for customer convenience.

ELECTRONIC DATA INTERCHANGE (EDI): The terms and conditions at sale for EDI transactions shall be the same as set forth herein. Each party shall, at its own expense, provide and maintain the equipment, software, services, and testing necessary to effectively and reliably transmit and receive documents. No document shall give rise to any obligation until it is accessible and able to be read by the receiving party at its computer.

ADA COMPLIANCY



All products displaying this symbol or stating "ADA-compliant" will comply with the Americans with Disabilities Act of 1990 when installed per the appropriate sections of the 2010 ADA Standards for Accessible Design, as follows:

BATHTUBS: Baths will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 Bathtubs, of the Act.

SHOWER STALLS: Shower stalls will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 608 Shower Compartments, of the Act.

KITCHEN SINKS: Kitchen Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act. Bar sinks will comply when a parallel approach is allowed by these regulations.

TOILETS: Toilets will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 604 Water Closets and Toilet Compartments, of the Act.

Plumbing codes require elongated toilets and elongated, open-front toilet seats in public bathrooms.

Accessibility standards require controls to be located on the open side of the toilet.

BATHROOM SINKS: Bathroom Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act.



STERLING_® 2024 LIST PRICE CATALOG

STERLING ONE-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its products to be free of defects in material and workmanship for one (1) year from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING FAUCET LIFETIME LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its faucets* manufactured after January 1, 2020, to be leak- and drip-free during normal residential usage for as long as the original consumer owns their home. If the faucet should leak or drip during normal usage, Kohler Co. will, free of charge, mail the cartridge necessary to put the faucet in working condition. This warranty applies only to STERLING faucets purchased and installed in North America, Central America, the Caribbean and South America, excluding Brazil ("Americas").

Sterling also warrants all other aspects of the faucet or accessories and finishes* to be free of defects during normal residential use for as long as the original consumer owns their home. Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defect. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty. Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the faucet.

If the faucet is used in a public space, for commercial, industrial, or institutional purposes, or is installed outside of the Americas, Sterling warrants the faucet to be free from defects in material and workmanship for five (5) years from the date of purchase.

When used in a leased or rented residential single or multifamily unit, including duplexes, townhomes, condominiums, and apartments, Sterling warrants the faucet to be free from defects in material and workmanship for a period of ten (10) years to the original consumer who owns the property but does not live there. Excluded are installations in public, industrial, or for any business purpose, such as hospitality or healthcare, which would be considered commercial use, referenced above.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUTNOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*Excluded from this warranty are specialty or exclusive finishes and all faucets manufactured before January 1, 2020. Faucet and sink combination products are also excluded from this warranty.

[†]Never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes, alcohol, or solvents not recommended for STERLING finishes. This will void the warranty. See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING FAUCETS FIVE-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its faucets to be free of defects in material and workmanship for five (5) years from the date of purchase when installed in residential (owner-occupied) buildings or one (1) year from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING TOILET LIMITED WARRANTY

Kohler Co. provides a lifetime limited warranty on the vitreous china material on its STERLING toilets manufactured after July 1, 2021 ("Product") to be free of defects in material and workmanship during normal residential usage for as long as the original consumer owns their home. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

If the Product is used for commercial purposes, or is installed outside of the Americas, the vitreous china material is warranted for five (5) years

Kohler Co. also provides a five (5) year limited warranty on the mechanical components (flush valve and fill valves only) of the Product to be free of defects in material and workmanship during normal residential or commercial usage, respectively, to the original consumer for as long as they own their home. All other Product components, including toilet seats and toilet seals, are covered by the STERLING One-Year Limited Warranty.

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Kohler Co., either through your Dealer, Plumbing Contractor, Home Center or E-tailer, by calling 1-800-783-7546 or writing Kohler Co., Attn.: Customer Care

Center, 444 Highland Drive, Kohler, WI 53044, USA. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color, finish, the date the product was purchased and from whom the product was purchased.

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Norte 45 No. 772, Colonia Industrial Vallejo, Delegación Azcapotzalco, Ciudad de México, C.P. 02300. RFC KTM170118KW2.

KOHLER CO. PROVIDES THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. DISCLAIMS ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives you specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*Never use in-tank toilet cleaners. This will void the warranty. See Care and Cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING VITREOUS CHINA BATHROOM SINKS FIVE-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its vitreous china bathroom sinks to be free of defects in material and workmanship for five (5) years from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING STAINLESS STEEL BATHROOM SINKS FIVE-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its stainless steel bathroom sinks to be free of defects in material and workmanship for five (5) years from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING VIKRELL. OR ACRYLIC BATHS AND SHOWER BASES TEN-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its Vikrell or acrylic baths and shower bases to be free of defects in material and workmanship for ten (10) years from the date of purchase when installed in residential (owner-occupied) buildings, or three (3) years from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

When applicable, the pump/motor assembly is warranted to be free of manufacturing defects for one (1) year from the date of purchase.

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING NON-VIKRELL, BATHING & SHOWERING SEATS TEN-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its non-Vikrell bathing and showering seats to be free of defects in material and workmanship for ten (10) years from the date of purchase when seats are installed in residential (owner-occupied) buildings, or for three (3) years from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING GRAB BARS TEN-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its grab bars to be free of defects in material and workmanship for ten (10) years from the date of purchase when grab bars are installed in residential (owner-occupied) buildings, or for three (3) years from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING NON-VIKRELL. BATHING & SHOWERING ACCESSORIES THREE-YEAR LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its non-Vikrell bathing and showering accessories which are not permanently installed on a Vikrell fixture to be free of defects in material and workmanship for three (3) years from the date of purchase when installed in residential (owner-occupied) buildings, or for one (1) year from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING BATH AND SHOWER DOORS ONE-YEAR LIMITED WARRANTY

500 SERIES, 660 SERIES, 670 SERIES, 690 SERIES, AND 3100 SERIES.

Sterling, a division of Kohler Co., warrants its bath and shower doors to be free of defects in material and workmanship for one (1) year from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING BATH AND SHOWER DOORS THREE-YEAR LIMITED WARRANTY

1500 SERIES, 2200 SERIES, 4600 SERIES, 4700 SERIES, 4800 SERIES, 4900 SERIES, 5900 SERIES, AND 57000 SERIES.

Sterling, a division of Kohler Co., warrants its bath and shower doors to be free of defects in material and workmanship for three (3) year from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING BATH AND SHOWER DOORS FIVE-YEAR LIMITED WARRANTY

SP2375, 5300 SERIES, 5400 SERIES, 5600 SERIES, 6300 SERIES, 6500 SERIES, AND 58000 SERIES.

Sterling, a division of Kohler Co., warrants its bath and shower doors to be free of defects in material and workmanship for five (5) year from the date of purchase. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.

STERLING STAINLESS STEEL SINKS LIFETIME LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its stainless steel sinks to be free of defects in material and workmanship for as long as the original consumer owns their home. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



STERLING VIKRELL, OR ACRYLIC KITCHEN AND UTILITY SINKS LIFETIME LIMITED WARRANTY

Sterling, a division of Kohler Co., warrants its Vikrell or acrylic kitchen and utility sinks to be free of defects in material and workmanship for as long as the original consumer owns their home when installed in residential (owner-occupied) buildings, or for three (3) years from the date of purchase when installed in commercial (hotels, motels, rental property) buildings. This warranty applies only to STERLING products purchased and installed in North America, Central America, the Caribbean and South America excluding Brazil ("Americas").

Kohler Co. will, at its election, repair, replace, or make appropriate adjustment where Kohler Co. inspection discloses any such defects occurring in normal usage. Damage caused by accident, misuse, or abuse is not covered by this warranty. Improper care and cleaning will void the warranty.* Proof of purchase (original sales receipt) must be provided to Kohler Co. with all warranty claims. Kohler Co. is not responsible for removal, installation, labor charges, or other incidental or consequential costs. In no event shall the liability of Kohler Co. exceed the purchase price of the product.

If you believe that you have a warranty claim, contact Sterling, either through your dealer, plumbing contractor, home center, or e-tailer, or write or call Sterling Consumer Services, 444 Highland Drive, Kohler, WI 53044, USA, 1-800-783-7546. Please be sure to provide all pertinent information regarding your claim, including a complete description of the problem, the product, model number, color or finish, the date the product was purchased and from whom the product was purchased. Also include your proof of purchase (original sales receipt).

Kohler Co.'s sales organization in Mexico is Kohler Trading Mexico S. de R.L. de C.V., Autopista Monterrey-Cadereyta Km 19, Edificio 1, Interior B, Lomas del Sol, Cd. Benito Juárez, Nuevo León C.P. 67254 RFC KTM170118KW2.

KOHLER CO. AND/OR SELLER ARE PROVIDING THESE WARRANTIES IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. KOHLER CO. AND/OR SELLER DISCLAIM ALL LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES. Some jurisdictions do not allow limitations of how long an implied warranty lasts or the exclusion or limitation of such damages, so these limitations and exclusions may not apply to you. This warranty gives the consumer specific legal rights. You may also have other rights that vary from jurisdiction to jurisdiction.

This is Kohler Co.'s exclusive written warranty.

*See care and cleaning recommendations at sterlingplumbing.com/care-and-cleaning.



Model Number	List Price Per Unit (USD \$)	Page
40B2102	4.10	48, 72
111-0	143.05	20, 100
131-0	275.55	20, 100
995-0	385.35	104
996-0	541.60	104
1186-0	225.90	20, 100
1411-0	385.55	20, 100
1500D-26S	397.75	89
1500D-27S	385.20	89
1500D-31S	420.95	89
1500D-36S	448.95	90
1500D-42S	626.95	90
1500D-48S	660.00	90
		75
5405-59DR-G03	853.30	
5405-59DR-G05	779.90	75
5405-59N-G03	703.95	75
5405-59N-G05	636.40	75
5405-59S-G03	636.40	75
5405-59S-G05	568.95	75
5425-57DR-G05	701.10	75
5425-57S-G05	578.20	75
5425-59DR-G03	713.65	75
5425-59DR-G05	652.30	75
5425-59N-G03	639.90	75
5425-59N-G05	578.60	75
5425-59PBL-G03	743.45	75
5425-59PBL-G05	708.05	75
5425-59S-G03	578.60	75
5425-59S-G05	517.25	75
5475-48DR-G03	750.60	79
5475-48N-G03	676.85	79
5475-48N-G05	615.45	79
5475-48DR-G05	689.10	79
5475-48PBL-G05	740.55	79
5475-48S-G03	639.90	79
5475-48PBL-G03	777.65	79
5475-48S-G05	578.60	79
5475-59DR-G03	811.90	79
5475-59DR-G05	750.60	79
5475-59N-G03	738.15	79
5475-59PBL-G03	860.25	79
5475-59N-G05	676.85	79
5475-59PBL-G05	819.30	79
5475-59S-G03		
	676.85	79
5475-59S-G05	615.45	79
5690-30S-G05	471.80	87
5690-30N-G05	503.25	87
5690-30ADR-G05	531.90	87
5690-31ADR-G05	545.10	87
5690-31N-G05	513.70	87
5690-31S-G05	482.25	87
5690-33ADR-G03	549.15	87
5690-33N-G03	519.15	87

Model Number	List Price Per Unit (USD \$)	Page
5690-33S-G03	489.20	87
5690-33ADR-G05	555.65	87
5690-33N-G05	524.15	87
5690-33S-G05	492.70	87
5690-34ADR-G05	566.10	87
5690-34N-G03	546.35	87
5690-34N-G05		87
5690-34N-G05 5690-34S-G05	531.90 503.25	87
5690-36ADR-G05	576.55	87
5690-36N-G05	545.10	87
5690-36S-G05	513.70	87
5699-30ADR-G03	736.25	-
5699-30ADR-G05	730.23	85 85
5699-30N-G03	691.40	85
5699-30N-G05	658.55	85
5699-30S-G03	640.30	85
5699-30S-G05	609.75	85
5699-31ADR-G03	755.60	85
5699-31ADR-G05	719.65	85
5699-31N-G03	709.65	85
5699-31N-G05	675.80	85
5699-31S-G03	657.10	85
5699-31S-G05	625.80	85
5699-33ADR-G03	775.00	85
5699-33ADR-G05	738.05	85
5699-33N-G03	727.85	85
5699-33N-G05	693.20	85
5699-33S-G03	665.85	85
5699-33S-G05	641.90	85
5699-34ADR-G03	794.30	86
5699-34ADR-G05	756.55	86
5699-34N-G03	745.95	86
5699-34N-G05	710.50	86
5699-34S-G03	690.70	86
5699-34S-G05	657.85	86
5699-36ADR-G03	813.75	86
5699-36ADR-G05	775.00	86
5699-36N-G03	764.20	86
5699-36N-G05	727.85	86
5699-36S-G03	707.65	86
5699-36S-G05	665.85	86
5699-39ADR-G03	833.05	86
5699-39ADR-G05	793.35	86
5699-39N-G03	782.45	86
5699-39N-G05	745.15	86
5699-39S-G03	724.40	86
5699-39S-G05	690.00	86
5699-42ADR-G03	852.45	86
5699-42ADR-G05	811.90	86
5699-42N-G03	799.00	86
5699-42N-G05	762.45	86
5699-42S-G03	741.25	86
5699-42S-G05	706.00	86

Model Number	List Price Per Unit (USD \$)	Page
5900-59S	415.25	77
5905-59N-G06	459.75	77
5906-59S	415.20	77
5960-44S	551.70	84
5960-46S	557.20	84
5960-48S	562.65	84
5960-57S	579.55	84
5960-59S	585.30	84
5970-48S	475.05	83
5970-59S	489.40	83
5975-48N-G06	519.00	83
5975-59N-G06	585.60	83
5976-48S	444.85	83
5976-59S	504.20	83
7400	22.60	102
7466	12.60	102
11400-3-NA	260.00	92
11400-4-NA	260.00	92
11401-4-NA	284.50	92
11402-3-NA	405.00	92
11402-4-NA	405.00	92
11403-3-NA	200.00	93
11403-4-NA	200.00	93
11405-3-NA	338.00	93
11405-4-NA	338.00	93
11406-NA	471.85	96
11409-NA	567.50	96
11444-NA	524.20	96
11447-NA	461.95	97
11448-NA	328.20	100
11449-NA	347.30	100
11600-NA	524.20	97
11811-0	225.90	20, 100
11850-4-NA	587.35	92
11861-ST	47.75	101
11862-ST	47.75	101
11863-ST	51.30	101
14631-3-NA	161.60	93
14631-4-NA	161.60	93
14633-3-NA	191.80	92
14633-4-NA	191.80	92
14633-4F-NA	177.20	92
14707-4-NA	304.15	92
14708-3-NA	402.90	92
14708-4-NA	402.90	92
14711-3-NA	345.75	93
14711-4-NA	345.75	93
20022-NA	612.70	97
20022-PC-NA	650.00	97
20023-NA	535.60	97
20023-PC-NA	560.00	97
20024-NA	769.75	95
20024-PC-NA	874.80	95



Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page
20025-NA	769.75	95	27376-4N-BL	187.75	3	402396-RA-0	555.75	8
20025-PC-NA	874.80	95	32021-NA	513.90	96	403017-0	133.50	9, 10, 12
20078-ST	55.60	102	32022-NA	481.20	98	403217-0	162.00	9, 11, 13
20079-ST	52.60	102	32023-NA	513.90	97	403316-0	353.10	8
20243-NA	859.70	97	32024-NA	769.75	95	403317-0	210.00	10, 11, 14
20243-PC-NA	897.40	97	32025-NA	535.60	97	404558-0	202.65	8
20284-ASH	60.00	101	32026-NA	612.70	97	404558-RA-0	202.65	8
20285-ASH	105.85	101	32029-NA	535.60	97	26926-3G06-S	307.80	90
20286-ASH	53.00	101	37047-3-NA	559.50	93	26936-3G06-S	356.40	90
20287-ASH	48.85	101	37047-4-NA	559.50	93	5905-3G05-S	444.25	77
20288-ASH	48.05	101	50200-NA	496.35	98	441901-0	95.00	19
24272-CP	234.00	5	84537-0	21.00	17	441904-0	95.00	19
24272-VS	292.50	5	84625-0	2.00	17	441908-0	95.00	19
24273-CP	192.40	5	85073	26.50	17	442001-0	105.00	19
24273-VS	240.50	5	85448	4.70	20	442004-0	105.00	19
24274-CP	234.00	5	94555-0	332.70	48, 72	442008-0	105.00	19
24274-VS	292.50	5	95333-0	2338.00	27	442007-0	125.00	19
24274-BL	315.90	5	95334-0	2438.00	28	442007-U-0	128.80	19
24275-CP	192.40	5	95337-0	2238.00	28	442040-0	105.00	19
24275-VS	240.50	5	95338-0	2338.00	28	442050-0	110.00	19
24275-BL	259.75	5	96129-0	2717.40	27	442121-0	385.85	18
24276-CP	218.40	6	96130-0	2822.40	29	442124-0	385.85	18
24276-VS	273.00	6	96133-0	2717.40	27	442128-0	385.85	18
24276-BL	294.85	6	96134-0	2822.40	29	446121-0	212.30	18
24277-CP	174.75	6	96135-0	2717.40	27	446124-0	212.30	18
24277-VS	218.40	6	96136-0	2822.40	29	446128-0	212.30	18
24277-BL	235.90	6	97447-NA	481.20	98	448120-0	173.55	18
24278-CP	142.00	6	402095-0	599.00	8	542808-59DR-G03	1097.75	74
24279-CP	125.60	6	402095-RA	599.00	8	542808-59DR-G05	1037.73	74
24738-NA	481.20	98	402098-0	249.00	8	542808-59DN-G03	1073.20	74
24765-NA	513.90	96	402101-0	350.00	8	542808-59N-G05	975.95	74
24912-2-NA	378.75	93	402320-0	243.50	9	542808-59PBL-G05	1096.40	74 74
24912-4-NA	378.75	93	402320-RA-0	243.50	9	542808-59S-G03	877.40	
27371-4-BN	207.55	3	402321-0	272.00	9	542808-59S-G05	848.35	74
27371-4-CP	153.75	3	402321-RA-0	272.00	9	542808-59PBL-G03	1218.15	74
27371-4-BL	207.55	3	402322-0	320.00	10	542909-59S-G05	944.05	76
27371-4N-BN	207.55	3	402322-RA-0	320.00	10	542909-59BNK-G05	1019.60	76
27371-4N-CP	153.75	3	402323-0	243.50	12	542909-59BL-G05	1085.70	76
27371-4N-BL	207.55	3	402323-RA-0	243.50	12	547808-48DR-G03	1185.45	78
27373-4-BN	187.75	2	402324-0	272.00	13	547808-48DR-G05	1162.55	78
27373-4-CP	139.05	2	402324-RA-0	272.00	13	547808-48N-G03	1063.45	78
27373-4N-BN	187.75	2	402325-0	320.00	14	547808-48N-G05	1038.25	78
27373-4N-CP	139.05	2	402325-RA-0	320.00	14	547808-48PBL-G03	1210.40	78
27374-4-BN	207.55	2	402362-0	110.00	9, 10	547808-48PBL-G05	1152.90	78
27374-4-CP	153.75	2	402362-RA-0	110.00	9, 10	547808-48S-G03	930.55	78
27374-4N-BN	207.55	2	402363-0	110.00	12, 13, 14	547808-48S-G05	902.75	78
27374-4N-CP	153.75	2	402363-RA-0	110.00	12, 13, 14	547808-59DR-G03	1312.40	78
27376-4-BN	187.75	3	402365-0	159.00	10, 11	547808-59DR-G05	1292.15	78
27376-4-CP	139.05	3	402367-0	292.50	10	547808-59N-G03	1177.00	78
27376-4-BL	187.70	3	402368-0	321.00	11	547808-59N-G05	1154.05	78
27376-4N-BN	187.75	3	402369-0	369.00	11	547808-59PBL-G03	1363.10	78
27376-4N-CP	139.05	3	402396-0	555.75	8	547808-59PBL-G05	1298.25	78



Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page	Model Number
547808-59S-G03	1029.40	78	1086529-0	55.70	48	71121112-0
547808-59S-G05	1003.40	78	1095008	398.50	46	71121120-0
547909-59S-G05	1140.10	81	1111585	2.80	103	71121122-0
547909-59BNK-G05	1231.40	81	1122734	2.40	48, 72	71127104-NA
547909-59BL-G05	1311.15	81	1180726	2.70	48, 72	71129210-NA
547909-48S-G05	1026.15	81	1219926	3.80	72	71129220-NA
547909-48BNK-G05	1108.20	81	1279210	9.30	103	71140110-0
547909-48BL-G05	1180.05	81	1411886	28.10	103	71140112-0
572113-G10-N	577.10	84	1554146	1.80	48, 72	71140115-0
572113-G05-S	544.45	84	62050106-0	3314.60	58	71140116-0
572113-G05-N	577.10	84	62050115-0	5174.10	58	71140118-0
572114-G10-N	554.75	84	62050125-0	5174.10	58	71140120-0
572114-G05-S	523.35	84	62051100-0	999.35	51, 58	71140122-0
572114-G05-N	523.35	84	62052106-0	1328.15	58	71140125-0
572115-G10-N	482.55	83	95080-0	924.00	54	71140126-0
572115-G05-S	455.25	83	95081-0	945.00	54	71140128-0
572115-G05-N	482.55	83	95077-0	787.50	54	71141110-0
572116-G10-N	468.40	83	95078-0	887.25	54	71141112-0
572116-G05-S	441.90	83	95079-0	1029.00	54	71141114-0
572116-G05-N	468.40	83	62052113-0	1387.80	58	71141116-0
572118-3G06-S	420.95	88	62052123-0	1387.80	58	71141118-0
572119-3G06-S	448.95	88	62055106-0	987.10	58, 70	71141120-0
572124-G05-S	578.60	80	62055115-0	2786.95	58, 70	71141122-0
572124-G05-N	615.45	80	62055125-0	2786.95	58, 70	71141124-0
572124-G05-BL	740.55	80	62060103-0	4509.70	69	71141126-0
572124-G05-ADR	689.10	80	62060106-0	3154.25	69	71141128-0
572125-G05-S	615.45	80	62061100-0	1096.20	53, 69, 70	71144100-0
572125-G05-N	676.85	80	62062103-0	1742.80	69, 70	71144106-0
572125-G05-BL	819.30	80	62062106-0	1098.55	69, 70	71144113-0
572125-G05-ADR	750.60	80	62065103-0	1670.70	69	71144123-0
581005-59ADR-G03	784.90	76	62065106-0	959.50	69	71147103-NA
581005-59ADR-G05	739.70	76	62070106-0	3181.85	70	71147104-NA
581005-59N-G03	724.70	76	62070115-0	5625.95	70	71149210-NA
581005-59N-G05	679.40	76	62070125-0	5625.95	70	71149220-NA
581005-59S-G03	679.40	76	71049210-NA	27.40	47	71150110-0
581005-59S-G05	634.40	76	71049220-NA	27.40	47	71150115-0
581075-48ADR-G03	830.00	82	71101110-0	1044.55	25	71150116-0
581075-48ADR-G05	784.90	82	71101112-0	1089.35	25	71150120-0
581075-48N-G03	769.85	82	71101120-0	1044.55	25	71150125-0
581075-48N-G05	724.70	82	71101122-0	1089.35	25	71150126-0
581075-48S-G03	724.70	82	71101310-0	1018.45	25	71150120-0
581075-48S-G05	679.40	82	71101320-0	1018.45	25	71151114-0
581075-59ADR-G03	875.25	82	71109210-NA	26.90	47	71151114-0
581075-59ADR-G05	830.00	82	71109220-NA	26.90	47	71151120-0
581075-59N-G03	815.00	82	71111110-0	1071.75	26	
581075-59N-G05	769.85	82	71111112-0	1117.95	26	71154100-0 71154106-0
581075-59S-G03	769.85	82	71111120-0	1071.75	26	
581075-59S-G05	709.83	82	71111120-0	1117.95	26	71154113-0
1008066-0	352.30	48, 72	7111122-0	1045.40	26	71154123-0
1042706-0	113.00	48	71111310-0	1045.40	26	71157103-NA
		20			47	71159210-NA
1047155	4.40		71119210-NA	26.90		71159220-NA
1048182	3.00	48, 72	71119220-NA	26.90	47	71164100-0
1049983	8.30	72	71121110-0	667.90	25, 39	71164106-0

Model Number	List Price Per Unit (USD \$)	Page
71121112-0	706.90	25, 40
71121120-0	667.90	25, 39
71121122-0	706.90	25, 39
71127104-NA	653.75	42, 46
71129210-NA	26.90	47
71129220-NA	26.90	47
71140110-0	1410.10	36
71140112-0	1479.70	36
71140115-0	4112.10	37
71140116-0	1710.00	36
71140118-0	1779.50	36
71140120-0	1410.10	36
71140122-0	1479.70	36
71140125-0	4112.10	37
71140126-0	1710.00	36
71140128-0	1779.50	36
71141110-0	643.60	32, 36
71141112-0	713.20	32, 36
71141114-0	1380.85	33, 37
71141116-0	702.75	32, 36
71141118-0	772.25	32, 36
71141120-0	643.60	32, 36
71141122-0	713.20	32, 36
71141124-0	1380.85	33, 37
71141126-0	702.75	32, 36
71141128-0	772.25	32, 36
71144100-0	766.50	36
71144106-0	1007.25	36
71144113-0	2731.25	37
71144123-0	2731.25	37
71147103-NA	1397.25	46
71147104-NA	525.65	46
71149210-NA	27.80	47
71149220-NA	27.80	47
71150110-0	1512.35	43
71150115-0	4439.05	43
71150116-0	1748.50	43
71150120-0	1512.35	43
71150125-0	4439.05	43
71150126-0	1748.50	43
71151110-0	714.45	43
71151114-0	1554.00	43
71151120-0	714.45	43
71151124-0	1554.00	43
71154100-0	797.90	43
71154106-0	1034.05	43
71154113-0	2885.05	43
71154123-0	2885.05	43
71157103-NA	1625.80	46
71159210-NA	27.80	47
71159220-NA	27.80	47
71164100-0	775.15	68
71164106-0	1006.75	68



Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page
71171110-0	551.65	24, 31	71320128-0	1683.35	40	71520120-0	1435.20	41
71171112-0	586.40	24, 31	71324100-0	761.95	40	71520122-0	1474.20	41
71171120-0	551.65	24, 31	71324106-0	976.45	40	71520125-0	3670.15	42
71171122-0	586.40	24, 31	71331100-0	1059.30	26	71520126-0	1665.25	41
71177104-NA	521.85	35, 46	71341110-0	492.20	24, 30	71520128-0	1704.25	41
71220110-0	1380.05	39	71341120-0	492.20	24, 30	71524100-0	767.30	41
71220112-0	1419.05	39	71340110-0	1233.95	30	71524106-0	997.35	41
71220116-0	1598.80	39	71340120-0	1233.95	30	71570110-0	1308.35	34
71220118-0	1637.80	39	71344100-0	741.75	30	71570112-0	1343.10	34
71220120-0	1380.05	39	71340116-0	1442.35	30	71570115-0	3408.35	35
71220122-0	1419.05	39	71340126-0	1442.35	30	71570116-0	1535.35	34
71220126-0	1598.80	39	71344106-0	950.15	30	71570118-0	1570.15	34
71220128-0	1637.80	39	71340112-0	1255.30	30	71570120-0	1308.35	34
71224100-0	712.15	39	71340122-0	1255.30	30	71570122-0	1343.10	34
71224106-0	930.90	39	71341112-0	513.55	24, 30	71570125-0	3408.35	35
71240110-0	1344.95	32	71341122-0	513.55	24, 30	71570126-0	1535.35	34
71240112-0	1414.55	32	71340118-0	1463.70	30	71570128-0	1570.10	34
71240115-0	4010.10	33	71340128-0	1463.70	30	71574100-0	756.70	34
71240116-0	1640.25	32	71370110-0	1270.80	31	71574106-0	983.70	34, 35
71240118-0	1709.75	32	71370112-0	1305.55	31	71577103-NA	1351.15	35, 42
71240120-0	1344.95	32	71370116-0	1485.40	31	72041100-0	437.80	53
71240122-0	1414.55	32	71370118-0	1520.15	31	72101100-0	356.40	51
71240125-0	4010.10	33	71370120-0	1270.80	31	72111100-0	417.40	51, 59
71240126-0	1640.25	32	71370122-0	1305.55	31	72121100-0	417.40	52
71240128-0	1709.75	32	71370126-0	1485.40	31	72131100-0	531.55	53
71244100-0	701.35	32	71370128-0	1520.15	31	72151100-0	467.85	51
71244106-0	937.50	32	71374100-0	719.15	31	72161100-0	392.00	51
71244113-0	2629.25	33	71374106-0	933.75	31	72161600-0	352.60	51
71244123-0	2629.25	33	71420110-0	1483.50	44	72170110-0	1506.35	63
71247103-NA	1397.25	46	71420112-0	1522.50	44	72170116-0	1722.35	63
71261100-0	861.10	25	71420116-0	1679.20	44	72170120-0	1506.35	63
71261500-0	839.45	25	71420118-0	1718.20	44	72170126-0	1722.35	63
71268100-0	202.35	25, 26	71420120-0	1483.50	44	72171110-0	571.50	52, 63, 64
71269200-NA	26.90	47	71420122-0	1522.50	44	72171120-0	571.50	52, 63, 64
71271100-0	998.80	25	71420126-0	1679.20	44	72171610-0	519.35	52
71271500-0	974.00	25	71420128-0	1718.20	44	72171620-0	519.35	52
71279200-NA	26.90	47	71424100-0	815.60	44	72175100-0	499.25	63
71281100-0	1081.25	26	71424106-0	1011.30	44	72175106-0	607.30	63
71281500-0	1054.35	26	71470110-0	1326.55	38	72180110-0	1526.60	65
71287100-NA	77.30	48	71470112-0	1361.30	38	72180116-0	1741.40	65
71289200-NA	26.90	47	71470116-0	1522.30	38	72180120-0	1526.60	65
71301100-0	1220.30	26	71470118-0	1557.05	38	72180126-0	1741.40	65
71309200-NA	26.90	47	71470110-0	1326.55	38	72181110-0		52, 65
	1271.45					72181110-0	579.10	
71311100-0		26	71470122-0	1361.30	38	72181120-0	579.10	52, 65
71317100-NA 71319200-NA	86.90	48	71470126-0	1522.30	38		511.90	65
	26.90	47	71470128-0	1557.05	38	72185106-0	618.75	65
71320110-0	1429.85	40	71474100-0	774.90	38	72186104-0	214.75	60, 61, 63
71320112-0	1468.85	40	71474106-0	970.65	38	72340100-0	1184.50	55
71320116-0	1644.35	40	71520110-0	1435.20	41	72342100-0	301.25	55
71320118-0	1683.35	40	71520112-0	1474.20	41	72345100-0	526.85	55, 60, 66
71320120-0	1429.85	40	71520115-0	3670.15	42	72205100-0	526.85	59
71320122-0	1468.85	40	71520116-0	1665.25	41	72205106-0	634.95	59
71320126-0	1644.35	40	71520118-0	1704.25	41	72210100-0	1,306.90	59



Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page	Model Number	List Price Per Unit (USD \$)	Page
72210106-0	1510.75	59	72322100-0	423.70	60	72522100-0	370.05	61
72212100-0	350.40	59	72322106-0	524.50	60	76268100-0	262.65	25, 26
72212106-0	458.40	59	72330100-0	1547.25	66	80001012-N	152.05	45, 71
72345106-0	634.95	60, 66	72330106-0	1748.90	66	80001012-V	132.30	45, 71
72360100-0	1,306.90	60	72331100-0	544.60	53, 66, 67	80001018-N	161.15	45, 71
72360106-0	1,523.00	60	72332100-0	503.20	63, 65, 66	80001018-V	140.05	45, 71
72362100-0	350.40	60	72332106-0	603.95	63, 65, 66	80001024-N	168.35	45, 71
72362106-0	458.40	60	72400100-0	1266.20	56	80001024-V	146.50	45, 71
72370100-0	1,507.05	66	72400106-0	1373.60	56	80001036-N	188.60	45, 71
72372100-0	435.60	66	72402100-0	310.35	56	80001036-V	164.20	45, 71
72372106-0	543.55	66	72405100-0	584.80	56, 61, 67	80011032-N	206.70	45, 71
72370106-0	1,723.10	66	72405106-0	692.20	56, 61, 67	80011032-V	179.80	45, 71
72232100-0	435.60	63, 65	72410100-0	1375.40	61	80012031-N	243.00	45, 71
72232106-0	543.55	63, 65	72410106-0	1616.95	61	80012031-V	211.45	45, 71
72240100-0	1297.50	57	72412100-0	360.95	61	80012134-N	244.60	45, 71
72240106-0	1410.45	57	72412106-0	495.10	61	80012134-V	212.50	45, 71
72241100-0	307.25	57	72420110-0	1588.60	65	80012222-N	234.40	45, 71
72242100-0	500.65	57	72420116-0	1773.25	65	80012222-V	203.85	45, 71
72245100-0	489.60	57, 59, 62	72420120-0	1588.60	65	88018100-0	166.20	72
72245106-0	602.55	57, 59, 62	72420126-0	1773.25	65	88028100-0	166.20	47
72250100-0	1398.70	59	72425100-0	506.30	65	88038100-0	250.10	47, 72
72250106-0	1511.65	59	72425106-0	590.20	65	B153-1	120.90	100
72251100-0	349.90	59	72430100-0	1575.65	67	B153-2	120.90	100
72252100-0	559.20	59	72430106-0	1834.75	67	B155-1	143.85	100
72260100-0	1398.70	62	72432100-0	446.25	64, 67	B155-2	143.85	100
72260106-0	1624.55	62	72432106-0	597.95	64, 67	F995-0	308.35	104
72261100-0	349.90	62	72440110-0	1566.90	64	F11402-4-NA	394.80	92
72262100-0	559.20	62	72440116-0	1810.20	64	F11403-3-NA	187.75	93
72262106-0	672.10	62	72440120-0	1566.90	64	F11406-NA	264.85	96
72270100-0	1609.00	68	72440126-0	1810.20	64	F11409-NA	294.70	96
72270106-0	1834.95	68	72445100-0	549.15	64	F11444-NA	281.40	96
72271100-0	439.30	68	72445106-0	640.75	64	F11600-NA	281.40	97
72272100-0	680.10	68	72470110-0	1555.75	63	F14708-4-NA	394.80	92
72272106-0	793.10	68	72470116-0	1754.10	63	F24738-NA	231.75	98
72280100-0	1482.20	62	72470120-0	1555.75	63	F24765-NA	290.95	96
72280106-0	1708.05	62	72470126-0	1754.10	63	F24912-4-NA	303.10	93
72281100-0	737.05	62	72475100-0	481.05	63	F97447-NA	231.75	98
72284100-0	745.15	62	72475106-0	578.65	63	GP51487	14.20	17
72284106-0	971.00	62	72500100-0	1288.70	56	GP87449	8.70	17
72286104-0	189.55	62, 68, 71	72505100-0	599.50	56, 61, 67	GP1138930	20.30	17
72290100-0	1729.70	68	72570110-0	1591.90	64	K-300-K-NA	201.15	4
72290106-0	1961.30	68	72570120-0	1591.90	64	K-300-KR-NA	213.00	4
72291100-0	954.55	68	72530100-0	1601.55	67	K-301-K-NA	470.05	4
72300100-0	1248.50	55	72532100-0	457.45	64, 67	K-4008-0	82.20	15
72300106-0	1450.10	55	72575100-0	562.95	64	K-4108-0	1499.95	15
72301100-0	371.05	51, 55, 56	72570116-0	1672.30	64	K-4636-RL-0	66.00	15
72302100-0	378.00	55	72570126-0	1672.30	64	K-4639-RL-0	66.00	16
72302106-0	478.70	55	72575106-0	643.35	64	K-5420-0	13.50	16
72305100-0	499.45	55, 60, 66	72500106-0	1381.65	56	K-5588-0	149.55	15
72305106-0	600.35	55, 60, 66	72502100-0	318.15	56	K-5589-0	149.55	16
72320100-0	1352.80	60	72505106-0	692.45	56, 61	K-5807-NA	118.50	103
72320106-0	1554.50	60	72520100-0	1399.20	61	K-6139-ST	38.80	102
72321100-0	429.65	52, 60, 61	72520106-0	1492.15	61	K-7213-AF	300.75	46



Model Number	List Price Per Unit (USD \$)	Page
K-7213-BL	280.00	46
K-7213-BN	280.00	46
K-7213-BV	300.75	46
K-7213-CP	207.40	46
K-7213-PB	300.75	46
K-7213-RGD	331.85	46
K-7213-SN	280.00	46
K-7213-TT	331.85	46
K-7213-2BZ	300.75	46
K-7213-2MB	300.75	46
K-8300-K-NA	67.45	4
K-8300-KS-NA	98.15	4
K-8300-KSL-NA	98.15	4
K-8300-PS-NA	98.15	4
K-8300-PX-NA	67.45	4
K-8304-K-NA	145.50	4
K-8304-KS-NA	176.20	4
K-8304-KSL-NA	176.20	4
K-8304-PS-NA	176.20	4
K-8304-PX-NA	145.50	4
K-8304-US-NA	176.20	4
K-8304-UX-NA	145.50	4
K-8305-NA	78.20	4
K-9466-L-AF	80.55	16
K-9466-L-BL	73.10	16
K-9466-L-BN	73.10	16
K-9466-L-BV	80.55	16

Model Number	List Price Per Unit (USD \$)	Page
K-9466-L-PB	80.55	16
K-9466-L-RGD	86.60	16
K-9466-L-SN	73.10	16
K-9466-L-TT	86.60	16
K-9466-L-2BZ	80.55	16
K-9466-L-2MB	80.55	16
K-9466-R-BN	73.10	16
K-9466-R-SN	73.10	16
K-9466-R-2BZ	78.50	16
K-9466-R-2MB	78.50	16
K-20110-0	52.40	15
K-20111-0	52.40	16
K-20466-0	60.20	15
K-20911-ST	123.80	102
K-23723-NA	9.50	105
K-23725-NA	9.50	105
K-23726-NA	9.50	105
K-23728-NA	9.50	105
K-23729-NA	9.50	105
K-23732-NA	11.50	105
K-23733-NA	12.50	105
K-23736-NA	9.50	105
K-23737-NA	9.50	105
K-76923-0	166.65	16
K-EC23723-NA	9.50	105
K-EC23728-NA	9.50	105
K-EC23732-NA	11.50	105

Model Number	List Price Per Unit (USD \$)	Page
K-EC23733-NA	12.50	105
K-EC23737-NA	9.50	105
P442004-0	73.50	19
P442007-U-0	90.25	19
P442040-0	73.50	19
S1201-0	262.30	20, 100
T11447-NA	231.75	97
T11448-NA	243.15	100
T29364-4-BN	317.05	2
T29364-4-CP	234.85	2
T29365-4-BN	317.05	3
T29365-4-CP	234.85	3
T29365-4-BL	317.05	3
TS27370-4G-BN	86.00	2
TS27370-4G-CP	72.70	2
TS27372-4G-BN	105.40	3
TS27372-4G-CP	72.70	3
TS27372-4G-BL	105.40	3
TS27375-4G-BN	127.45	2
TS27375-4G-CP	87.90	2
TS27377-4G-BN	127.45	3
TS27377-4G-CP	87.90	3
TS27377-4G-BL	127.45	3
UCL1515	253.60	100
VA-80172	288.85	48



BATHROOM FAUCETS

			BATHRO	OOM FAUCET	S INDEX				
			BATHING AND SHOWERING						
		BATHRO	OM SINK	BATH AND	SHOWER	BATHTUB			
FAUCET FAMILY	PAGE	Single-Handle	4" Centerset	Bath and Shower Trim Set	Shower Trim Set	Deck- or Bath-Mount			
VALTON.	1	•	•	•	•				
LUDINGTON.	2	•	•	•	•	•			
MEDLEY.	3	•	•	•	•	•			

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)						
ADA	VALTON. B	VALTON, BATHROOM FAUCETS										
	24818-4	Centerset Bathroom Sink Faucet 3-7/8" spout height (deck to top of spout), 4-15/16" spout reach. Lever handles. 4" handle center to center. 1.2 gpm (4.5 l/min) @ 60 psi flow rate.	СР	103.00								
24818-4/-4N	24818-4N	Same as 24818-4, except 0.5 gpm (1.9 l/min) flow rate.	СР	103.00								
ADA	24819-4	Single-Handle Bathroom Sink Faucet 5-9/16" spout height (deck to top of spout), 4-15/16" spout reach. Lever handle. Single-hole or three-hole installation; escutcheon plate included. 1.2 gpm (4.5 l/min) @ 60 psi flow rate.	СР	123.60								
24819-4/-4N	24819-4N	Same as 24819-4, except 0.5 gpm (1.9 l/min) flow rate.	СР	123.60								
G S	TS24820-4G	Rite-Temp. Bath and Shower Trim Set Diverter spout, single-function showerhead, arm and flange. 6-1/16" diameter escutcheon. 2-7/8" long lever handle. 1.75 gpm (6.6 l/min) @ 80 psi flow rate.	СР	74.80								
TS24820-4G												
	TS24821-4G	Rite-Temp Shower Trim Set Single-function showerhead, arm and flange. 6-1/16" diameter escutcheon. 2-7/8" long lever handle. 1.75 gpm (6.6 l/min) @ 80 psi flow rate.	СР	59.30								
	Required KOH	Required KOHLER. Valve (for Use With TS24820 and TS24821 Trim Sets)										
TS24821-4G	K-8304-K/-** o	r K-8300-K/-** with K-8305-NA shower valve.										

FINISHES

CP Polished Chrome



BATHROOM FAUCETS

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)				
ADA	LUDINGTO	N₃ BATHROOM FAUCETS								
	27373-4	Centerset Bathroom Sink Faucet 7-3/8" spout height (deck to top of spout), 5" spout reach. Lever handles.	СР	139.05						
		4" handle center to center. 1.2 gpm (4.5 l/min) @ 60 psi flow rate.	BN	187.75						
27373-4/-4N	27373-4N	Same as 27373-4, except 0.5 gpm (1.9 l/min) flow rate.	CP	139.05						
			BN	187.75						
ADA	27374-4	Single-Handle Bathroom Sink Faucet 8-7/16" spout height (deck to top of spout), 5" spout reach.	СР	153.75						
		Lever handle. Single-hole or three-hole installation; escutcheon plate included. 1.2 gpm (4.5 l/min) @ 60 psi flow rate.	BN	207.55						
27374-4/-4N	27374-4N	Same as 27374-4, except 0.5 gpm (1.9 l/min) flow rate.	CP	153.75						
			BN	207.55						
ADA	T29364-4	Deck-Mount Bath Faucet Trim 9-3/16" spout height (deck to top of spout), 7-7/16" spout reach. Lever handles.	СР	234.85						
		8" handle center to center.	BN	317.05						
T29364-4	Required KOH	ILER. Valve (for Use With T29364-4 Bath Faucet Trim)								
	K-300-K/-KR o	r K-301-K bath valve.	See page 4 for details and pricing.							
	TS27375-4G	Rite-Temp. Bath and Shower Trim Set Diverter spout, single-function showerhead, arm and flange. 6-3/16" diameter escutcheon. 3-13/16" lever handle. 1.75 gpm (6.6 l/min) @ 80 psi flow rate.	СР	87.90						
TS27375-4G			BN	127.45						
C data	TS27370-4G	Rite-Temp. Shower Trim Set Single-function showerhead, arm and flange. 6-3/16" diameter escutcheon. 3-13/16" lever handle.	СР	72.70						
		1.75 gpm (6.6 l/min) @ 80 psi flow rate.	BN	86.00						
	Required KOH	Required KOHLER Valve (for Use With TS27370 and TS27375 Trim Sets)								
TS27370-4G	K-8304-K/-** o	r K-8300-K/-** with K-8305-NA shower valve.	See page 4	for details and	pricing.					

FINISHES

CP Polished Chrome

BN Vibrant, Brushed Nickel





BATHROOM FAUCETS

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
ADA	MEDLEY _® B	BATHROOM FAUCETS				
	27376-4	Centerset Bathroom Sink Faucet	СР	139.05		
		7-1/16" spout height (deck to top of spout), 5-1/8" spout reach. Lever handles. 4" handle center to center.	BN	187.75		
27376-4/-4N		1.2 gpm (4.5 l/min) @ 60 psi flow rate.	BL	187.75		
	27376-4N	Same as 27376-4, except 0.5 gpm (1.9 l/min) flow rate.	СР	139.05		
			BN	187.75		
			BL	187.75		
ADA O	27371-4	Single-Handle Bathroom Sink Faucet	СР	153.75		
		7-19/32" spout height (deck to top of spout), 5-3/16" spout reach. Lever handle.	BN	207.55		
		Single-hole or three-hole installation; escutcheon plate included. 1.2 gpm (4.5 l/min) @ 60 psi flow rate.	BL	207.55		
27371-4/-4N	27371-4N	Same as 27371-4, except 0.5 gpm (1.9 l/min) flow rate.	СР	153.75		
			BN	207.55		
			BL	207.55		
ADA	T29365-4	Deck-Mount Bath Faucet Trim 7-29/32" spout height (deck to top of spout), 7-5/32" spout reach. Lever handles.	СР	234.85		
		8" handle center to center.	BN	317.05		
T29365-4			BL	317.05		
	Required KOI	HLER. Valve (for Use With T29364-5 Bath Faucet Trim)				
	K-300-K/-KR o	or K-301-K bath valve.	See page 4 f	for details and	oricing.	
A A	TS27377-4G	Rite-Temp. Bath and Shower Trim Set Diverter spout, single-function showerhead, arm and flange. 6-1/32" diameter escutcheon. 2-7/8" lever handle.	СР	87.90		
Q		1.75 gpm (6.6 l/min) @ 80 psi flow rate.	BN	127.45		
TS27377-4G			BL	127.45		
	TS27372-4G	27372-4G Rite-Temp. Shower Trim Set Single-function showerhead, arm and flange. 6-1/32" diameter escutcheon. 2-7/8" lever handle. 1.75 gpm (6.6 l/min) @ 80 psi flow rate.	СР	72.70		
			BN	105.40		
			BL	105.40		
TS27372-4G	Required KOI	HLER _a Valve (for Use With TS27372 and TS27377 Trim Sets)				
	K-8304-K/-** o	r K-8300-K/-** with K-8305-NA shower valve.	See page 4	for details and	pricing.	

FINISHES

CP Polished Chrome

BN Vibrant, Brushed Nickel

BL Matte Black





KOHLER, BATH & SHOWER VALVES

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)				
	BATH FAU	CET VALVES	,							
A A	1/2" Valve: 15.0–17.0 gpm (56.8–64.3 l/min) @ 45 psi flow rate.									
	3/4" Valve: 2	5.0–30.0 gpm (94.6–113.6 l/min) @ 45 psi flow rate.								
K-300-K	K-300-K	1/2" ceramic high-flow valve system. Finished deck- or bath-mount installation only.	NA	201.15						
K-300-KR	K-300-KR	1/2" ceramic high-flow valve system with rigid connections. Finished deck- or bath-mount installation only.	NA	213.00						
K-301-K	K-301-K	3/4" ceramic high-flow valve system. Finished deck- or bath-mount installation only.	NA	470.05						
	SHOWER	VALVES	ı							
	Kits include i	Pressure-Balancing Valve Body and Cartridge Kits rough-in body and cartridge. Rite-Temp pressure-balanci 9 l/min) @ 45 psi flow rate.	ng valves	feature temp	erature	control.				
K-8304-K	K-8304-K	Universal NPT and direct sweat connections.	NA	145.50						
K-8304-KS/-KSL	K-8304-KS	Universal NPT and direct sweat connections. Service stops, installed.	NA	176.20						
	K-8304-KSL	Service stops supplied, not installed.	NA	176.20						
K-8304-PX	K-8304-PX	PEX crimp connections (F1807 PEX fittings on valve inlets allow tubing to be crimped directly to valve without installing separate fittings).	NA	145.50						
N-6304-FS	K-8304-PS	PEX crimp connections (F1807 PEX fittings on valve inlets allow tubing to be crimped directly to valve without installing separate fittings). Service stops, installed.	NA	176.20						
K-8304-UX	K-8304-UX	PEX expansion connections (utilizes F1960 PEX connects to expand installation options).	NA	145.50						
K-8304-US	K-8304-US	PEX expansion connections (utilizes F1960 PEX connects to expand installation options). Service stops, installed.	NA	176.20						
K-8300-K	Valve bodies temperature 5.0 gpm (18	Valve Bodies sinclude rough-in guide and test cap. Rite-Temp pressure control. 9 I/min) @ 45 psi flow rate. 0-* valve bodies require K-8305 cartridge.	e-balancin	g valve featur	es					
N 0000 NOT NOT	K-8300-K	Universal NPT and direct sweat connections.	NA	67.45						
K-8300-KS/-KSL	K-8300-KS	Universal NPT and direct sweat connections. Service stops, installed.	NA	98.15						
	K-8300-KSL	Service stops supplied, not installed.	NA	98.15						
K-8300-PX	K-8300-PX	PEX crimp connections (F1807 PEX fittings on valve inlets allow tubing to be crimped directly to valve without installing separate fittings).	NA	67.45						
	K-8300-PS	PEX crimp connections (F1807 PEX fittings on valve inlets allow tubing to be crimped directly to valve without installing separate fittings). Service stops, installed.	NA	98.15						
K-8305	K-8305	Rite-Temp, Pressure-Balancing Sequential Cartridge Includes mud guard.	NA	78.20						



KITCHEN FAUCETS

		KITCHEN FAUCETS INDEX							
	HANDLE INSTALLATION TYPES SPOUT TYPES				AVAILABLE FEATURES				
FAUCET FAMILY	PAGE(S)	Single-Handle	Deck-Mount	Pull-Down Spray	Pull-Out Spray	Side Sprayer			
LUDINGTON.	5	•	•	•	•				
MEDLEY.	5	•	•	•	•				
VALTON.	6	•	•	•	•	•			

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)		
ADA	LUDING	TON, KITCHEN FAUCETS						
	24272	Pull-Down Single-Handle Kitchen Faucet						
		Two-function pull-down sprayhead with aerated stream, ring spray and MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	СР	234.00				
		High-arch swing spout, 14-13/16" spout height (deck to top of spout), 8-7/8" deck to outlet height, 9" spout reach. Lever handle.						
		Single-hole or three-hole installation; 10-7/16" escutcheon plate included.	VS	292.50				
24272		1.5 gpm (5.7 l/min) @ 60 psi flow rate.						
- I	24273	Pull-Out Single-Handle Kitchen Faucet						
ADA		Two-function pull-out sprayhead with aerated stream, ring spray and MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	СР	192.40				
		11-1/8" max. spout/handle height (deck to top of handle), 4-7/8" deck to outlet height, 8-3/16" spout reach. Lever handle.						
24273		Single-hole or three-hole installation; 10-5/16" escutcheon plate included.	VS	240.50				
		1.5 gpm (5.7 l/min) @ 60 psi flow rate.						
ADA	MEDLEY, KITCHEN FAUCETS							
	24274	Pull-Down Single-Handle Kitchen Faucet						
		Two-function pull-down sprayhead with aerated stream, ring spray and MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	СР	234.00				
		High-arch swing spout, 15-3/8" spout height (deck to top of spout), 9-5/16" deck to outlet height, 9" spout reach. Lever handle.	VS	292.50				
24274		Single-hole or three-hole installation; 10-1/2" escutcheon plate included. 1.5 gpm (5.7 l/min) @ 60 psi flow rate.	BL	315.90				
	24275	Pull-Out Single-Handle Kitchen Faucet						
ADA		Two-function pull-down sprayhead with aerated stream, ring spray and MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	СР	192.40				
		10-7/8" max. spout/handle height (deck to top of handle), 4-7/8" deck to outlet height, 8-3/16" spout reach. Lever handle.	VS	240.50				
24275		Single-hole or three-hole installation; 10-5/16" escutcheon plate included.	BL	259.75				
		1.5 gpm (5.7 l/min) @ 60 psi flow rate.	DL	209.70				
	,							

FINISHES

CP Polished Chrome

VS Vibrant, Stainless

BL Matte Black





KITCHEN FAUCETS

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
ADA	VALTON	KITCHEN FAUCETS		•		
	24276	Pull-Down Single-Handle Kitchen Faucet				
P P		Two-function pull-out sprayhead with aerated stream, ring spray and MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	СР	218.40		
24276		High-arch swing spout, 14-13/16" spout height (deck to top of spout), 8-5/16" deck to outlet height, 8-1/2" spout reach. Lever handle. Single-hole or three-hole installation; 10-1/2" escutcheon plate included. 1.5 gpm (5.7 l/min) @ 60 psi flow rate.	VS	273.00		
			BL	294.85		
ADA	24277	Pull-Out Single-Handle Kitchen Faucet Two-function pull-out sprayhead with aerated stream, ring spray and				
24277		MasterClean sprayface. Features ProMotion technology, ceramic disc valve, flexible supply lines and quick-connect fittings.	CP	174.75		
		8" max. spout/handle height (deck to top of handle), 4-1/2" deck to outlet height, 9-1/8" spout reach. Lever handle. Single-hole or three-hole installation; 10-3/8" escutcheon plate included.	VS	218.40		
		1.5 gpm (5.7 l/min) @ 60 psi flow rate.				
			BL	235.90		
ADA P	24278	Single-Handle Kitchen Faucet With Side Sprayer				
24278		Features ceramic disc valve and flexible supply lines. 7-1/4" max. spout/handle height (deck to top of handle), 6-1/8" deck to outlet height, 8-11/16" spout reach. Lever handle. Two-hole or four-hole installation; 10-1/2" escutcheon plate included.	СР	142.00		
24270		1.5 gpm (5.7 l/min) @ 60 psi flow rate. Matching-finish side sprayer provides flexibility and convenience for cleaning and food prep.				
ADA	24279	Single-Handle Kitchen Faucet Features ceramic disc valve and flexible supply lines.				
24279		7-1/4" max. spout/handle height (deck to top of handle), 6-3/16" deck to outlet height, 8-13/16" spout reach. Lever handle.				
		Single-hole or three-hole installation; 10-1/2" escutcheon plate included. 1.5 gpm (5.7 l/min) @ 60 psi flow rate.	СР	125.60		

FINISHES

CP Polished Chrome

VS Vibrant, Stainless BL Matte Black





						MODELS			
	DIMENSIONS L x W x H (Inches)	GPF (LPF)	ROUGH-IN	PAGE	ROUND	ELONGATED	COMFORT HEIGHT. ELONGATED	ADA	STATE OF THE PARTY
1.28 GPF (4.	8 LPF) TOILETS								
BRELLA:	28 x 18-1/8 x 31-1/4	1.28 (4.8)	12"	8			402095/-RA	х	х
STINSON.	29-3/4 x 17-7/16 x 29-3/16	1.28 (4.8)	12"	8			402396/-RA	Х	Х
WINDHAM _{TM}	27-9/16 x 14-7/8 x 29-1/8	1.28 (4.8)	12"	9	402320/-RA				х
WINDHAM _{TM}	29-7/16 x 14-7/8 x 28-15/16	1.28 (4.8)	12"	9		402321/-RA			х
WINDHAM _{TM}	29-3/8 x 14-7/8 x 30-5/16	1.28 (4.8)	12"	10			402322/-RA	х	х
WINDHAM _{TM}	29-11/16 x 17 x 28-1/2	1.28 (4.8)	14"	10	402367				х
WINDHAM _{TM}	31-11/16 x 17 x 28-1/2	1.28 (4.8)	14"	11		402368			х
WINDHAM _{TM}	31-9/16 x 17 x 30	1.28 (4.8)	14"	11			402369	х	Х
1.6 GPF (6.0	LPF) TOILETS*	'	•				1		
WINDHAM _{TM}	27-9/16 x 14-7/8 x 29-1/8	1.6 (6.0)	12"	12	402323/-RA				
WINDHAM _{TM}	29-7/16 x 14-7/8 x 28-15/16	1.6 (6.0)	12"	13		402324/-RA			
WINDHAM _{TM}	29-3/8 x 14-7/8 x 30-5/16	1.6 (6.0)	12"	14			402325/-RA	Х	



Toilets will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 604 Water Closets and Toilet Compartments, of the Act.

Plumbing codes require elongated toilets and elongated, open-front toilet seats in public bathrooms.

Accessibility standards require controls to be located on the open side of the toilet.



Toilets displaying this symbol will comply with WaterSense requirements.

*Check your local codes to determine if 1.6 gpf toilets are allowed in your area.



	Model		List Price Per Unit (USD \$)		Ship	Units/					
Product	Number	Description	White	Cube	Wt. (Lb)	Pallet					
1.28 GPF (4.8 LPF) TOILETS											
	BRELLA.	COMFORT HEIGHT, ELONGATED SK	" ROUG	H-IN							
Secretary of the secret	402095	Elongated toilet combination with skirted trapway, ReadyLock, installation system, left-hand trip lever, 12" rough-in, less seat. 1.28 gpf (4.8 lpf).	599.00								
		Standard Toilet									
402095	402095-RA	Elongated toilet combination with skirted trapway right-hand trip lever, ReadyLock, installation system, 12" rough-in, less seat. 1.28 gpf (4.8 lpf).	599.00	6.90	87.0	_					
ADA		Standard Toilet									
	Toilet Components										
402095-RA ADA	402101	Elongated bowl with skirted trapway, 12" rough-in	350.00	4.80	72.0	-					
	402098	Tank with Polished Chrome left-hand trip lever and tank cover	249.00	2.10	35.0	_					
	402098-RA	Tank with Polished Chrome right-hand trip lever and tank cover	249.00	2.10	33.0						
	Recommend	Recommended KOHLER. Toilet Seat									
	K-4008 Reve	al. elongated plastic toilet seat.	See page 15 for details ar	nd pricing.							
	STINSON	. COMFORT HEIGHT. ELONGATED TO	OILET, 12" ROUGH-IN								
Land of the property of the pr	402396	Elongated toilet combination with Pro Force. Plus technology and left-hand trip lever , 12" roughin, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	555.75								
402396 ADA	402396-RA	Elongated toilet combination with Pro Force, Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	555.75	7.20	82.0						
	Toilet Comp	Standard Toilet									
402396-RA	403316	Elongated bowl, Pro Force, Plus, 12" rough-in	353.10	5.10	50.0	18					
ADA		5.55.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5			23.0						
	404558	Tank with Polished Chrome left-hand trip lever and tank cover	202.65	2.10	32.0	16					
	404558-RA	Tank with Polished Chrome right-hand trip lever and tank cover	202.65	2.10	32.0	10					
	Recommend	ded KOHLER _® Accessories									
	K-20466 Sto	newood, elongated molded wood toilet seat.	See page 15 for details ar	nd pricing.							
	K-20110 Brev	via™ elongated plastic toilet seat.	See page 15 for details ar	nd pricing.							
	K-5420 Clear	n Caps _® low-profile bolt caps.	See page 16 for details ar	nd pricing.							
		NOTES	COLOR	S & COD	ES						
	ACt AD, War Plui elor	ets will comply with the Americans with Disabilities when installed per the requirements of the 2010 A Standards for Accessible Design, Section 604 ter Closets and Toilet Compartments, of the Act. mbing codes require elongated toilets and ngated, open-front toilet seats in public bathrooms.	White Note: Add color code to the end of the model number when ordering.								
	IOCa	ated on the open side of the toilet.									



	1		1		1				
Pura durat	Model	Decembries		r Unit (USD \$)	Ouha	Ship	Units/		
Product	Number	Description	VV	hite	Cube	Wt. (Lb)	Pallet		
1.28 GPF (4.8 LPF) TOILETS	(Continu	ed)							
	WINDHAI	WINDHAM™ ROUND-FRONT TOILET, 12" ROUGH-IN							
Exercise Special Speci	402320	Round-front toilet combination with Pro Force, Plus technology and left-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	in, 243.50 Coilet Plus Plus		5.80	86.0			
402320	402320-RA	Round-front toilet combination with Pro Force Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards. Standard Toilet					_		
	Toilet Comp								
	403017	Round-front bowl, Pro Force Plus, 12" rough-in	133	3.50	4.50	54.0	18		
402320-RA	402362	Tank with Polished Chrome left-hand trip lever and tank cover	110	0.00	1.30				
	402362-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110	110.00		32.0	45		
	Recommended KOHLER. Accessories								
	K-76923 PureWash₃ M250 round-front bidet seat. Se			See page 1	e 16 for details and pricing.				
	K-4639-RL C	K-4639-RL Cachet round-front plastic toilet seat.				ls and pricin	g.		
	K-5420 Clean Caps. low-profile bolt caps.				6 for detai	ls and pricin	g.		
	K-9466-L/-R	trip lever (additional finishes available).		See page 1	6 for detai	ls and pricin	g.		
	WINDHAM™ ELONGATED TOILET, 12" ROUGH-IN								
Exercise September 1	402321	Elongated toilet combination with Pro Force Plus technology and left-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards. Standard Toilet	272.00						
402321	402321-RA	Elongated toilet combination with Pro Force Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	272	2.00	6.10	87.0	_		
	Toilet Comp				l				
	403217	Elongated bowl, Pro Force Plus, 12" rough-in	162	2.00	4.80	55.0	18		
402321-RA	402362	Tank with Polished Chrome left-hand trip lever and tank cover	110	.00	4.00	20.0	45		
	402362-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110	.00	1.30	32.0	45		
	Recommended KOHLER, Accessories								
	K-4108 PureWash. E750 elongated bidet seat. See page 15 for details and pricing.					g.			
	K-4636-RL Ca	achet. elongated plastic toilet seat.		See page 1	5 for detai	ls and pricin	g.		
	K-5420 Clean Caps _∞ low-profile bolt caps. See page 16 for details and pricing.						g.		
	K-9466-L/-R trip lever (additional finishes available). See page 16 for details and pricing.						g.		
		COLORS & C	ODES						
	0 White								
	Note: Add	Note: Add color code to the end of the model number when ordering.							



Product	Model Number	Description		r Unit (USD \$) Thite	Cube	Ship Wt. (Lb)	Units/ Pallet	
		·	VV	nite	Cube	Wt. (LD)	Pallet	
1.28 GPF (4.8 LPF) TOILETS		<u> </u>						
	WINDHAI	VINDHAM™ COMFORT HEIGHT® ELONGATED TOILET, 12" ROUGH-IN						
Light State of the	402322	Elongated toilet combination with Pro Force. Plus technology and left-hand trip lever, 12" roughin, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	320	1.00	00			
		Standard Toilet			6.40	00.0		
402322 ADA	402322-RA	Elongated toilet combination with Pro Force Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	320.00		6.40	92.0	_	
		Standard Toilet						
	Toilet Comp	onents						
402322-RA	403317	Elongated bowl, Pro Force Plus, 12" rough-in	210.00		5.10	60.0	18	
	402362	Tank with Polished Chrome left-hand trip lever and tank cover	110	.00				
	402362-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110.00		1.30	32.0	45	
	Recommended KOHLER, Accessories							
	K-4108 PureWash₃ E750 elongated bidet seat. See pag			See page 15	5 for detail	s and pricin	g.	
	K-4636-RL C	achet, elongated plastic toilet seat.		See page 15	5 for detail	s and pricing	g.	
	K-5420 Clear	n Caps, low-profile bolt caps.		See page 16	for detail	s and pricing	g.	
	K-9466-L/-R	trip lever (additional finishes available).		See page 16	6 for detail	s and pricin	g.	
	WINDHAM™ ROUND-FRONT TOILET, 14" ROUGH-IN							
Experience of the second of th	402367	Round-front toilet combination with Pro Force Plus technology, left-hand trip lever , 14" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/ CSA B45.1 National Consensus Standards.	292.50		7.00	99.0	-	
		Standard Toilet						
402367	Toilet Comp							
	403017	Round-front bowl, Pro Force Plus	133	3.50	4.50	54.0	18	
	402365	Tank with Polished Chrome left-hand trip lever, and tank cover, 14" rough-in	159	.00	2.50	45.0		
	Recommend	ded KOHLER. Accessories						
	K-76923 Pur	eWash, M250 round-front bidet seat.		See page 16	6 for detail	s and pricing	g.	
		Cachet, round-front plastic toilet seat.		See page 16	6 for detail	s and pricin	g.	
		n Caps, low-profile bolt caps.		See page 16				
	' ' '			See page 16		•		
				S & COD		J.		
	ACt ADa Wa Plu elor Acc	ets will comply with the Americans with Disabilities when installed per the requirements of the 2010 A Standards for Accessible Design, Section 604 ter Closets and Toilet Compartments, of the Act. mbing codes require elongated toilets and ngated, open-front toilet seats in public bathrooms. ressibility standards require controls to be ated on the open side of the toilet.	White Note: Add color code to the end of the model number when ordering.				del	



	1		1					
Product	Model Number	Description		r Unit (USD \$) /hite	Cube	Ship Wt. (Lb)	Units/ Pallet	
			V	Tille	Cube	Wt. (Lb)	Pallet	
1.28 GPF (4.8 LPF) TOILETS		· ·						
aterSea		M™ ELONGATED TOILET, 14" ROUGH-I	N			1		
402368	402368	Elongated toilet combination with Pro Force. Plus technology, left-hand trip lever, 14" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/ CSA B45.1 National Consensus Standards.	321	.00	7.20	100.0	-	
	Tailet Caman							
	Toilet Comp		162.00		4.00	55.0	40	
	403217	Elongated bowl, Pro Force Plus	162	2.00	4.80	55.0	18	
	402365	Tank with Polished Chrome left-hand trip lever and tank cover, 14" rough-in	159	0.00	2.50	45.0		
	Recommen	ded KOHLER. Accessories						
	K-4108 Pure	K-4108 PureWash, E750 elongated bidet seat. See page			5 for detail	s and pricin	a.	
		Cachet, elongated plastic toilet seat.			15 for details and pricing.			
	K-5420 Clean Caps, low-profile bolt caps. See page			See page 1	6 for detail	s and pricin	g.	
	K-9466-L lef	t-hand trip lever (additional finishes available).	See page 16 for detai			ls and pricing.		
	WINDHAM COMFORT HEIGHT, ELONGATED TOILET, 14" ROUGH-IN							
402369	402369	Elongated toilet combination with Pro Force Plus technology, left-hand trip lever , 14" rough-in, less seat. 1.28 gpf (4.8 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	369	9.00	7.60	105.0	-	
ADA	T. 11.1 O	Standard Toilet						
	Toilet Comp	Elongated bowl, Pro Force Plus	210	0.00	5.10	60.0	18	
	400017	Liongaled bowl, 110 Force Flus	210		3.10	00.0	10	
	402365	Tank with Polished Chrome left-hand trip lever and tank cover, 14" rough-in	159	9.00	2.50	45.0		
	Recommen	ded KOHLER. Accessories						
	K-4108 Pure	Wash, E750 elongated bidet seat.		See page 1	5 for detail	s and pricin	g.	
	K-4636-RL (Cachet _® elongated plastic toilet seat.		See page 1	5 for detail	s and pricin	g.	
	K-5420 Clean Caps, low-profile bolt caps.			See page 1	6 for detail	s and pricin	g.	
	K-9466-L left-hand trip lever (additional finishes available).			See page 1	6 for detail	s and pricin	g.	
		NOTES		COLORS & CODES				
	Act AD Wa Plu elo	lets will comply with the Americans with Disabilities when installed per the requirements of the 2010 A Standards for Accessible Design, Section 604 ter Closets and Toilet Compartments, of the Act. mbing codes require elongated toilets and ngated, open-front toilet seats in public bathrooms. Dessibility standards require controls to be ated on the open side of the toilet.	White Note: Add color code to the end of the m number when ordering.				del	
			1					



	Model		List Price Per Unit (USD	6)	Ship	Linita/			
Product	Number	Description	White	Cube	Wt. (Lb)	Units/ Pallet			
1.6 GPF (6.0 LPF) TOILETS*									
	WINDHAI	MTM ROUND-FRONT TOILET, 12" ROUG	H-IN						
402323	402323	Round-front toilet combination with Pro Force, Plus technology and left-hand trip lever, 12" roughin, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	243.50						
402323-RA	402323-RA	Round-front toilet combination with Pro Force Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	243.50	5.80	86.0	-			
		Standard Toilet	lard Toilet						
	Toilet Components								
	403017	Round-front bowl, Pro Force Plus, 12" rough-in	133.50	4.50	54.0	18			
	402363	Tank with Polished Chrome left-hand trip lever and tank cover	110.00						
	402363-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110.00	1.30	32.0	45			
	Recommended KOHLER Accessories								
	K-76923 Pur	eWash. M250 round-front bidet seat.	See page	See page 16 for details and pricing					
	K-4639-RL-0 Cachet, round-front plastic toilet seat.			16 for detai	ls and pricin	g.			
	K-5420 Clear	n Caps _a low-profile bolt caps.	See page 16 for details and			g.			
	K-9466-L/-R	trip lever (additional finishes available).	See page	See page 16 for details and pricing.					
	COLORS & CODES								
	0 White Note: Add	color code to the end of the model number when	ordering.						

^{*}Check your local codes to determine if 1.6 gpf toilets are allowed in your area.



	Model		List Price Pe	r Unit (USD \$)		Chin		
Product	Number	Description		/hite	Cube	Ship Wt. (Lb)	Units/ Pallet	
1.6 GPF (6.0 LPF) TOILETS*	(Continue	ed)						
	WINDHAM™ ELONGATED TOILET, 12" ROUGH-IN							
402324	402324	Elongated toilet combination with Pro Force Plus technology and left-hand trip lever, 12" roughin, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	272	2.00				
402324-RA	402324-RA	Elongated toilet combination with Pro Force Plus technology and right-hand trip lever , 12" rough-in, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards. Standard Toilet	272	2.00	6.10	87.0	=	
		Standard foliet						
	Toilet Components							
	403217	Elongated bowl, Pro Force Plus, 12" rough-in	162	2.00	4.80	55.0	18	
	402363	Tank with Polished Chrome left-hand trip lever and tank cover	110.00					
	402363-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110	0.00	1.30	32.0	45	
	Recommended KOHLER, Accessories							
	K-4108 Pure	Wash. E750 elongated bidet seat.		See page 1	5 for detai	ls and pricin	g.	
	K-4636-RL-0	Cachet _* elongated plastic toilet seat.		See page 1	5 for detai	ls and pricin	g.	
	K-5420 Clean Caps. low-profile bolt caps.			See page 10	6 for detai	ls and pricin	g.	
	K-9466-L/-R trip lever (additional finishes available). See page 16 for details and pricing.					g.		
	COLORS & CODES							
	White Note: Add color code to the end of the model number when ordering.							

^{*}Check your local codes to determine if 1.6 gpf toilets are allowed in your area.



	Model		List Price Pe	r Unit (USD \$)		Ship	Units/			
Product	Number	Description	W	hite	Cube	Wt. (Lb)				
1.6 GPF (6.0 LPF) TOILETS*	(Continue	ed)								
	WINDHAM™ COMFORT HEIGHT, ELONGATED TOILET, 12" ROUGH-IN									
402325 ADA	402325	Elongated toilet combination with Pro Force. Plus technology and left-hand trip lever, 12" roughin, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards. Standard Toilet	320	.00						
	402325-RA	Elongated toilet combination with Pro Force Plus technology and right-hand trip lever , 12" roughin, less seat. 1.6 gpf (6.0 lpf). Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.	320.00		6.40	6.40 92.0	_			
	Toilet Components									
	403317	Elongated bowl, Pro Force Plus, 12" rough-in	210.00		5.10	60.0	18			
402325-RA	402363	Tank with Polished Chrome left-hand trip lever and tank cover	110.00		1.00					
ADA	402363-RA	Tank with Polished Chrome right-hand trip lever and tank cover	110	.00	1.30	32.0	45			
	Recommended KOHLER, Accessories									
	K-4108 PureWash, E750 elongated bidet seat.			See page 15 for details and pricing.						
	K-4636-RL-0	Cachet _® elongated plastic toilet seat.	See page 15 for details and pr			s and pricin	cing.			
	K-5420 Clean Caps. low-profile bolt caps. See page			See page 16	e 16 for details and pricing.					
	K-9466-L/-R	trip lever (additional finishes available).		See page 16 for details and pricing.			g.			
		NOTES	COLORS & CODES							
	ADA Act ADA War Plui elor Acc	ets will comply with the Americans with Disabilities when installed per the requirements of the 2010 A Standards for Accessible Design, Section 604 ter Closets and Toilet Compartments, of the Act. mbing codes require elongated toilets and ngated, open-front toilet seats in public bathrooms. essibility standards require controls to be ted on the open side of the toilet.	Note: Add color code to the end of the mode number when ordering.			del				

^{*}Check your local codes to determine if 1.6 gpf toilets are allowed in your area.



TOILET SEATS & ACCESSORIES

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
<u> </u>	KOHLER	Elongated Toilet Seats				
	K-4108	PureWash, E750 bidet toilet seat. Elongated closed-front plastic toilet seat with cover. Toilet seat features stainless steel wand for front and rear warm water				
K-4108		cleansing. Instant water heater ensures continuous warm water supply. Personalize the experience with five settings to control water pressure, water temperature and position as well as oscillate and pulsate wash modes. Also featuring a heated seat with five temperature settings, deodorizer, warm-air dryer with five speed settings and an automatic nightlight. For added hygienic assurance the stainless steel wand has an automatic UV-light sanitation cycle. Control all settings using the side panel or included touch-screen remote control which also offers two programmable user presets.	0	1,499.95	2.21	15.4
K-5588	K-5588	Purefresh, Nightlight Quiet-Close dedoorizing plastic toilet seat. Elongated closed-front toilet seat with cover. Deodorizing system traps toilet odors and delivers optional light, clean scent. Easily change batteries without removing the seat – no cords required. Up to six months of battery life (uses two D batteries, not included). Dual LED nightlight runs on an automatic eight-hour cycle and functions as a task light when lid is lifted and		440.55	0.68	5.4
		a guiding light when lid is closed. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Release hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach. hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting. Includes one carbon filter and assortment scent pack (three scents).	0	149.55	0.08	5.4
K-4008	K-4008	Reveal. Quiet-Close plastic toilet seat. Elongated closed-front toilet seat with cover. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Release hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.	0	82.20	0.48	5.0
K-4636-RL	K-4636-RL	Cachet and Quiet-Close plastic toilet seat. Elongated closed-front toilet seat with cover. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Release hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.	0	66.00	0.68	6.0
K-20466	K-20466	Stonewood, Quiet-Close, molded-wood toilet seat. Elongated closed-front toilet seat with cover. Quiet-Close lid and seat close slowly and quietly without slamming.	0	60.20	0.40	7.0
K-20110	K-20110	Brevia™ Quiet-Close™ plastic toilet seat. Elongated closed-front toilet seat with cover. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Attach, hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.	0	52.40	0.46	4.6
		COLORS & CODES				1

COLORS

0 White

Note: Add color code to the end of the model number when ordering.



TOILET SEATS & ACCESSORIES

Product	Model Number	Description	Color/ Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
	KOHLEF	Round-Front Toilet Seats				
	K-76923	PureWash, M250 Quiet-Close∞ manual bidet toilet seat. Round closed-front plastic toilet seat with cover.				
K-76923		Toilet seat with manual cleansing functionality – operates with easy-to-use lever, requiring no electrical outlet or batteries. Adjustable, self-rinsing wand provides optimal ambient-water cleansing and automatically rinses after each use.	0	166.65	1.55	7.8
		Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Release hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.				
	K-5589	Purefresh. Nightlight Quiet-Close deodorizing plastic toilet seat. Round closed-front toilet seat with cover.				
K-5589		Deodorizing system traps toilet odors and delivers optional light, clean scent. Easily change batteries without removing the seat — no cords required. Up to six months of battery life (uses two D batteries, not included). Dual LED nightlight runs on an automatic eight-hour cycle and functions as a task light when lid is lifted and a guiding light when lid is closed. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Releasen hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach, hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting. Includes one carbon filter and assortment scent pack (three scents).	0	149.55	0.61	4.9
K-4639	K-4639-RL	Cachet, Quiet-Close, plastic toilet seat. Round closed-front toilet seat with cover. Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Release, hinges allow seat to be unlatched from toilet for easy removal and convenient cleaning; no tools required. Quick-Attach, hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.	0	66.00	0.68	6.0
	K-20111	Brevia. Quiet-Close plastic toilet seat. Round closed-front toilet seat with cover.				
K-20111		Quiet-Close lid and seat close slowly and quietly without slamming. Quick-Attach, hardware for fast and secure installation. Grip-Tight bumpers add stability and prevent shifting.	0	52.40	0.40	4.2
	Clean Ca	nps.	1	l		
9999 6 K-5420	K-5420	Low-profile toilet bolt caps conceal floor bolts on toilet. No bolt cutting required. Caps firmly secure to washers and won't pop off.	0	13.50	0.01	0.3
	Trin I av					<u> </u>
	Trip Leve		DI DN ON	70.10		1
K-9466-L	K-9466-L	Left-hand trip lever.	BL, BN, SN AF, BV, PB, 2BZ, 2MB	73.10 80.55	0.03	0.3
10-3400-L			RGD, TT	86.60		
	K-9466-R	Right-hand trip lever.	BN, SN	73.10	0.00	0.0
			2BZ, 2MB	78.50	0.03	0.3
		COLORS & FINISHES				
COLORS 0 White		BN Vibrante Brushed Nickel 2 SN Vibrant Polished Nickel 2 AF Vibrant French Gold R	B Vibrant Polish BZ Oil-Rubbed B MB Vibrant Brush GD Vibrant Rose T Vibrant Titani	ronze ned Moderne Gold	Brass	
Note: Add color or finis	sh code to th	e end of the model number when ordering.				



REPLACEMENT PARTS – TOILETS

Product	Kit Number	Description	List Price Per Unit (USD \$)
	84537-0	Windham™ Tank Cover, White	21.00
	84625-0	Trip Lever Kit, White	2.00
	GP1138930	Float/Fill Valve	20.30
	85073	Flush Valve Kit	26.50

Product	Kit Number	Description	List Price Per Unit (USD \$)
	GP51487	Tank Gasket Kit	14.20
	GP87449	Flapper and Chain Kit, 1.6 GPF (6.0 LPF)	8.70

Parts multiplier applies.



BATHROOM SINKS

					N	MODELS		
	PAGE	MATERIAL	DIMENSIONS L x W (x H) (Inches)	Single Faucet Hole	4" Centerset Faucet Holes	8" Widespread Faucet Holes	No Faucet Holes	ADA
PEDESTAL								
SACRAMENTO.	18	Vitreous China	21 x 18 x 33	442121	442124	442128		
DROP-IN								
STINSON.	19	Vitreous China	20 x 14				442007	х
SANIBEL™	19	Vitreous China	20 x 17	442001	442004 P442004	442008		х
MODESTO _™	19	Vitreous China	19 diameter	441901	441904	441908		Х
UNDERMOUNT								
STINSON.	19	Vitreous China	18 x 12 (installed) / 20 x 14 (overall)				442007-U P442007-U	х
WESCOTT.	19	Vitreous China	17 x 13 (installed) / 19-1/16 x 15-3/8 (overall)				442040 P442040	x
WESCOTT.	19	Vitreous China	17 x 15 (installed) / 19-5/8 x 17-1/4 (overall)				442050	
DUAL-MOUNT								
ROUND	20	Stainless Steel	10-1/2 diameter 13-5/8 diameter				111-0 131-0/1411-0	
OVAL	20	Stainless Steel	13-1/4 x 10-1/2 16-3/4 x 11-3/4				1186-0/11811-0 S1201-0	

ADA

Bathroom Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act.

Product	Model Number	Description	List Price Per Unit (USD \$) White	Cube	Ship Wt. (Lb)	Units/ Pallet					
PEDESTAL BATHROOM	SINKS - VI	TREOUS CHINA									
	SACRAMENTO. PEDESTAL BATHROOM SINK										
	21" x 18" x 33" Conforms to A	21" x 18" x 33" pedestal bathroom sink with overflow. Includes mounting hardware. Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.									
	442121	Complete unit, single faucet hole									
	442124	Complete unit, 4" centerset faucet holes	385.85	4.20	41.0	_					
	442128	Complete unit, 8" widespread faucet holes									
442128	Pedestal Sink	Pedestal Sink Components									
	446121	Basin only, single faucet hole		2.60	25.0						
	446124	Basin only, 4" centerset faucet holes	212.30			20					
	446128	Basin only, 8" widespread faucet holes									
	448120	Pedestal only	173.55	1.60	16.0	32					
		COLORS & CODES									
0 White											
	Note: Add co	olor code to the end of the model number when	ordering.								



BATHROOM SINKS

	Model		List Price Per Unit (USD \$)		Ship							
Product	Number	Description	White	Cube	Wt. (Ĺb)	Pallet						
DROP-IN & UNDERMOU	-	DOM SINKS – VITREOUS CHINA										
	STINSON.	DROP-IN BATHROOM SINK										
ADA		in bathroom sink with overflow. ADA-compliant. SME A112.19.2/CSA B45.1 National Consensus Si	tandards.									
	442007	No faucet holes										
442007			125.00	2.70	22.0							
	STINSON	STINSON, UNDERMOUNT BATHROOM SINK										
ADA	18" x 12" (installed) / 20" x 14" (overall) undermount bathroom sink with overflow. ADA-compliant. Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.											
ADA	442007-U	No faucet holes										
			128.80	2.70	22.0							
442007-U	P442007-U	60 per pallet; price each	90.25			60						
	SANIBEL	DROP-IN BATHROOM SINK			1							
	20" x 17" oval Conforms to AS	drop-in bathroom sink with overflow. ADA-compliar SME A112.19.2/CSA B45.1 National Consensus Sta	nt. andards.									
ADA	442001	Single faucet hole										
	442004	4" centerset faucet holes	105.00	2.70	22.0	20						
442008	442008	8" widespread faucet holes										
442000	P442004	4" centerset faucet holes, 48 per pallet; price each	73.50			48						
	MODESTO™ DROP-IN BATHROOM SINK											
	19" diameter drop-in bathroom sink with overflow. ADA-compliant. Conforms to ASME A112.19.2/CSA B45.1 National Consensus Standards.											
ADA	441901	Single faucet hole										
	441904	4" centerset faucet holes	95.00	2.70	22.0	16						
441908	441908	8" widespread faucet holes										
	WESCOTT	UNDERMOUNT BATHROOM SINKS	}	1	1	<u> </u>						
		athroom sink with center drain and overflow. SME A112.19.2/CSA B45.1 National Consensus Sta	andards.									
ADA	442040	17" x 13" (installed) / 19-1/16" x 15-3/8" (overall) bathroom sink, no faucet holes ADA-compliant	105.00	2.40	18.0	30						
442040	P442040	60 per pallet; price each	73.50			60						
442050	442050	17" x 15" (installed) / 19-5/8" x 17-1/4" (overall) bathroom sink, no faucet holes	110.00	2.70	18.0	30						
		NOTES	COLOR	S & CODE	S							
	ADA Bath Disa of th Sect	0 White Note: Add color code to when ordering.	the end of the model number									



BATHROOM SINKS

Product	Model Number	Description	Finish	List Price Per Unit (USD \$)	Cube	Ship Wt. (Lb)				
DUAL-MOUNT BATH	IROOM S	SINKS – STAINLESS STEEL								
	ROUND DUAL-MOUNT BATHROOM SINKS									
131-0	Round drop-in/undermount 20-gauge stainless steel bathroom sinks, no faucet holes. 2" drain opening. Includes installation hardware for both drop-in and undermount installations.									
	111-0	10-1/2" diameter – 22/case; price each	Luster Finish	143.05	1.30	14.0				
	131-0	13-5/8" diameter – 6/case; price each	Luster Finish	275.55	1.80	18.0				
	1411-0	13-5/8" diameter	Mirror Finish	385.55	0.70	2.5				
	OVAL DI	UAL-MOUNT BATHROOM SINKS								
	Oval drop-in/undermount 20-gauge stainless steel bathroom sinks, no faucet holes. 1-1/2" or 1-11/16" drain opening. Includes installation hardware for both drop-in and undermount installations.									
	1186-0	13-1/4" x 10-1/2", 1-1/2" drain opening – 6/case; price each	Luster Finish	225.90	1.50	12.0				
1186-0	11811-0	13-1/4" x 10-1/2", 1-1/2" drain opening	Mirror Finish	225.90	0.60	3.0				
	S1201-0	16-3/4" x 11-3/4", 1-11/16" drain opening	Luster Finish	262.30	0.70	3.3				

REPLACEMENT PARTS – BATHROOM SINKS

Kit Number	Description	List Price Per Unit (USD \$)					
SACRAMENTO _® PEDESTAL BATHROOM SINKS – Models 442121, 442124, and 442128							
1047155	Mounting hardware	4.40					
85448	Self-adhesive leveling pads	4.70					

Parts multiplier applies.




BATHS & SHOWERS MODEL NUMBERING SYSTEM

How STERLING, Bath and Shower Fixtures Model Numbering System Works

The STERLING bathing fixture product system is based on components to make up a complete unit. This allows our customers maximum flexibility from inventory to installation. Because of the comprehensive product offering, there are many different SKU options. With the intent to simplify the ordering, receiving, handling, and selling processes for our customers, we have developed this numbering system. Please contact your local Sterling representative if you have any questions concerning any information in this List Price Book.

How to Read a STERLING Bathing Fixture Model Number

Example: Ensemble™ 32 Tile bath/shower with drain at left, in White color



Key						
Product Finish	Product Category	Component Identifier	Pack Type	Left/Right Distinction	Specialty Designator [†]	Color Designator
6 Swirl-Gloss 7 High-Gloss 8 STORE+ _® Kit	Bath/Shower Shower Stall Undrilled Overflow	0 Kit 1 Bath/Shower Base 2 Back Wall 3 End Wall 4 Wall Set 5 End Wall Set 8 Apron	1 Single Pack 2 Two-Pack 3 Three-Pack 4 Four-Pack 5 Five-Pack 6 Six- or Eight-Pack 0 Twenty-Pack	0 No L/R Distinction1 Left2 Right	 Place Holder Drain End Pump Above-Floor-Drain (AFD) Grab Bar Seat Grab Bar & Seat Backerboards: Standard Bath/Shower Front Access: Standard Bath/Shower Front Access: AFD Bath/Shower Front Access: AFD Bath 	0 White

^{*}Refer to chart below for individual product identifier numbers

^{*}Specialty designator applies only to select models. Refer to each product section for available options.

Individual Product Ide	ntifier		
High-Gloss Baths	High-Gloss Bath/Showers	High-Gloss S	Shower Stalls/Bases
10 Ensemble _™ 60" x 36"	10 Ensemble _™ 60" x 36"	04 Intrigue _™ Neo-Angle	26 Accord, 48" x 36"
11 Ensemble _™ 60" x 42"	11 Ensemble _™ 60" x 42"	15 Ensemble _™ 42" x 42"	27 Accord _* 60" x 36"
12 Ensemble _™ 60" x 32"	14 Accord. Tile 60" x 30"	16 Ensemble _™ 36" x 36"	28 Accord. 48" x 36" Seated
17 Ensemble _™ 60" x 30"	15 Accord _® 60" x 32"	17 Ensemble _™ 60" x 30" End Drain	29 Accord. 60" x 36" Seated
26 Lawson ₈ 60" x 32"	22 Ensemble _™ Curve 60" x 32"	18 Ensemble _™ 60" x 32" End Drain	30 STORE+ _* , GUARD+ _* 36" x 34"
27 Lawson _a 60" x 36"	24 Accord _® Smooth 60" x 30"	20 Ensemble _™ Curve 36" x 34"	32 STORE+ _* , GUARD+ _* 48" x 34"
28 Lawson _a 60" x 42"	32 Ensemble Medley, 60" x 32"	21 Ensemble _™ Curve 42" x 34"	33 STORE+ _* , GUARD+ _* 60" x 34"
30 Lawson _a 72" x 36"	34 Performa _™ 2 60" x 29"	22 Ensemble _™ Curve 48" x 34"	40 Ensemble Medley _* 36" x 34"
31 Lawson _a 72" x 42"	37 Ensemble Medley _* 60" x 30"	23 Ensemble _™ Curve 60" x 34"	41 Ensemble Medley _* 48" x 34"
33 Lawson₅ Oval 60" x 42"	42 STORE+ ₀ 60" x 32"	24 Accord, 36" x 36"	42 STORE+ ₀ 60" x 32" End Drain
34 Performa _™ 2 60" x 29"	47 STORE+ ₀ 60" x 30"	25 Accord ₈ 42" x 36"	43 Ensemble Medley _* 60" x 34"
	52 Traverse _® 60" x 32"		44 Ensemble Medley _* 60" x 30" End Drain
	57 Traverse _* 60" x 30"		47 STORE+ ₀ 60" x 30" End Drain
		Swirl-Gloss S	Shower Stalls/Bases
		05 OC-SS-39-ADA	
		06 OC-S-63-ADA	
		07 63" ADA With Seat	



BATHS & BATH/SHOWERS - VIKRELL. MATERIAL

				Мо	dels* (Fo	und on Pa	ge)				
	Series	Finish	Dimensions (ln.) L (Side to Side) x W (Front to Back) x H (Height)	Bath	AFD Bath	Bath/Shower	AFD [†] Bath/Shower	ADA	Front Apron	Installation Type	
60" x 30"			, , ,							l .	
			60 x 30 x 72			33 [‡]					
ACCORD. SMOOTH	7124	High-Gloss	60 x 30 x 74-1/4			34, 35	34 [‡]	Х	Integral	Alcove	
			60 x 30 x 72			38 [‡]					
ACCORD, TILE	7114	High-Gloss	60 x 30 x 74-1/4			39, 40	39 [‡]	Х	Integral	Alcove	
	7447		60 x 30 x 16	24				Х			
ENSEMBLE™	7117	High-Gloss	60 x 30 x 18-3/4		24			Х	Integral	Alcove	
			60 x 30 x 73			31 [‡]					
ENSEMBLE™ MEDLEY®	7137	High-Gloss	60 x 30 x 75-3/4				31 [‡]		Integral	Alcove	
	7134	High-Gloss	60 x 29 x 15	24				Х		Alcove	
			60 x 29 x 17-1/4		24			Х	J		
PERFORMA™ 2			60 x 29 x 75-1/2			30 [‡]			Integral		
			60 x 29 x 77-3/4				30 [‡]				
			60 x 30 x 75-1/4			41‡					
STORE+.	7147	High-Gloss	60 x 30 x 78				41‡		Integral	Alcove	
TRAVERSE.	7157	High-Gloss	60 x 30 x 75			36 [‡] , 37 (ADA)		х	Integral	Alcove	
		g.:	60 x 30 x 77-3/4				36 [‡]		og.a.	7	
60" x 32"											
ACCORD.	7115	High-Gloss	60 x 32 x 74			47 [‡]		Х	Integral	Alcove	
ENCEMBLE	7440	Llink Ol-	60 x 32 x 18	25				Х	Integral	Alcove	
ENSEMBLE _{TM}	7112	High-Gloss	60 x 32 x 20		25				Integral	Aicove	
ENCEMBLE CUBVE	7400	Llinh Olere	60 x 32 x 74			42 [‡]			Integral		
ENSEMBLE CURVE 7122 High		High-Gloss	60 x 32 x 76				43 [‡]		Integral Alcove		
ENSEMBLE MEDLEY.	7132	High Class	60 x 32 x 75			44 [‡]			Integral	Alcove	
ENSCINDLE MEDLET.	/132	High-Gloss	60 x 32 x 77				44 [‡]		iiilegiai	Alcove	

^{*}See product page for model numbers, wall sets, and components.



Baths will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 Bathtubs, of the Act.

Continued on next page.



[†]Above-floor drain

 $^{^{\}ddagger}\!\text{Available}$ with Aging in Place backerboards; see product pages for more information.

BATHS & BATH/SHOWERS - VIKRELL MATERIAL

				Мо	dels* (Fo	und on Pa	ge)				
	Series	Finish	Dimensions (in.) L (Side to Side) x W (Front to Back) x H (Height)	Bath	AFD Bath	Bath/Shower	AFD† Bath/Shower	ADA	Front Apron	Installation Type	
60" x 32" (Continued)											
LAWSON.	7126	High-Gloss	60 x 32 x 20	25					Optional	Drop-In/ Alcove	
STORE+.			60 x 32 x 77-1/4			48 [‡]					
STORE+.	7142	High-Gloss	60 x 32 x 79-1/4				48‡		Integral	Alcove	
TRAVERSE.	7152	High-Gloss	60 x 32 x 77			45 [‡] , 46 (ADA)		Х	Integral	Alcove	
			60 x 32 x 79				45 [‡]				
60" x 36"											
LAWSON.	7127	High-Gloss	60 x 36 x 20	25					Optional	Drop-In/ Alcove	
60" x 42"											
LAWSON.	7128	High-Gloss	60 x 42 x 20	26					Optional	Drop-In/ Alcove	
LAWSON, OVAL	7133	High-Gloss	60 x 42 x 20	26						Drop-In	
72" x 36"											
LAWSON.	7130	High-Gloss	72 x 36 x 20	26						Drop-In/ Alcove	
72" x 42"											
LAWSON.	7131	High-Gloss	72 x 42 x 20	26						Drop-In/ Alcove	

^{*}See product page for model numbers, wall sets, and components.



Baths will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 Bathtubs, of the Act.



[†]Above-floor drain

[‡]Available with Aging in Place backerboards; see product pages for more information.

DROP-IN & ALCOVE BATHS - VIKRELL, MATERIAL

	Model	Number		List Price Per Unit (USD \$)		Ship			
Product	Left Drain	Right Drain	Description	White	Cube	Wt. (Lb)			
60" x 30" BATHS									
	ENSEMBL	E _™ HIGH-G	ILOSS BATH	;	Series	7117			
	60" x 30" x	16" alcove ba	ath with 2" wainscot/tile ledge. Suitable for t	ile-down application.					
			APMO Z124 National Consensus Standards.		1	ı			
71171110 ADA									
	71171110	71171120	Bath, drain at left or right	551.65	25.10	68.0			
Also available as Ensemble and STORE+ bath/shower units; see pages 31, 34, 35, 38									
	ENSEMBL	E _™ AFD HI	GH-GLOSS BATH	;	Series	7117			
			e bath with 2" wainscot/tile ledge. Above-floo	r-drain construction pro	ovides 3	3"			
			Suitable for tile-down application. APMO Z124 National Consensus Standards.						
71171112 ADA	71171112	71171122	AFD bath, drain at left or right	586.40	44.40	95.0			
Also available as Ensemble and STORE+.		, , , , , , , , , ,	7 ii 2 2 aan, aram ar ion or ngin	333.13		00.0			
AFD bath/shower units; see pages 31, 34, 38									
	60" x 29" x 15" alcove bath. Refreshed design with superior water containment step flange elevates wall board from moisture. Suitable for tile-down application . Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.								
71341110 Also available as a bath/shower unit; see page 30	71341110	71341120	Bath, drain at left or right	492.20	21.00	52.0			
	PERFORM	IA _™ 2 AFD I	HIGH-GLOSS BATH	•	Series	7134			
	clearance. F	Refreshed de re. Suitable f	e bath with above-floor-drain construction the sign with superior water-containment step for tile-down application. Suitable for tile-down National Consensus Standards.	lange that elevates wa	all board				
71341112 Also available as a bath/shower unit; see page 30	71341112	71341122	AFD bath, drain at left or right	513.55	23.60	55.0			
Datha will a seed with the A	onicono mini- D'	abilities.	COLORS & CODES						
Baths will comply with the Am Act when installed per the rec	quirements of th	ne 2010	0 White						
ADA Standards for Accessible Bathtubs, of the Act.	e Design, Secti	on 607	Note: Add color code to the end of the model number when ordering.						



DROP-IN & ALCOVE BATHS - VIKRELL. MATERIAL

	Model	Number		List Price Per Unit (USD \$)					
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lt			
60" x 32" BATHS		3	and here						
SU X32 BATTIS	ENGENER	oo	L COO DATE						
	ENSEMBL	.E™ HIGH-G	LOSS BATH		Series	/112			
	60" x 32" x 1	60" x 32" x 18" alcove bath with 2" wainscot/tile ledge. Lumbar support and armrests for comfort. Suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.							
	for tile-dow	n applicatio	n. Conforms to CSA B45.5/IAPMO Z124 Nat	ional Consensus Stan	dards.				
71121120 ADA									
Nso available as Ensemble,, and STORE+ bath/shower	71121110	71121120	Bath, drain at left or right	667.90	30.10	78.0			
units; see pages 39–42, 44									
	ENSEMBL	E _™ AFD HI	GH-GLOSS BATH		Series	7112			
	60" x 32" x 2	20" alcove ba	th with 2" wainscot/tile ledge. Above-floor-dra	ain construction provid	les 3" dra	ain to			
	floor clearan	ice. Lumbar s	support and armrests for comfort. Suitable fo						
71121122	to CSA B45.	.5/IAPMO Z1	24 National Consensus Standards.						
Also available as Ensemble₁ and									
STORE+ AFD bath/shower units; see pages 39–42, 44	71121112	71121122	AFD bath, drain at left or right	706.90	35.60	86.0			
, and a second s	1 414/0011		000 DATU		0	7400			
			OSS BATH		Series	/126			
			th. Designed for island or stud pocket installatile. le-down application. Conforms to CSA B45.						
	Consensus		le-down application. Comorns to CSA B45.	3/IAFIVIO Z 124 Natioi	iai				
	7126	1100	Bath, reversible drain	861.10	31.10	71.0			
	7126		Bath, reversible drain – 5-pack	839.45	63.90	304.0			
	7126			202.35	10.00	17.			
		0100	Standard apron	202.33	10.00	17.0			
71261100				222.25					
71261100 71268100	7626		Apron with access panel	262.65	10.00	17.0			
	7626		Apron with access panel 287100 tile-in flange kit.	262.65	10.00	17.0			
71268100 V	7626			262.65	10.00	17.0			
71268100 V	7626 See page 48 f	for optional 71			10.00 Series				
71268100 V	7626 See page 48 f	for optional 71 LE™ HIGH-G	287100 tile-in flange kit.		Series				
	7626 See page 48 f ENSEMBL 60" x 36" x 1	for optional 71 E HIGH-G 16" alcove ba	287100 tile-in flange kit.	. Suitable for tile-do	Series	17.0			
71268100 F	7626 See page 48 f ENSEMBL 60" x 36" x 1	for optional 71 E HIGH-G 16" alcove ba	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort or CSA B45.5/IAPMO Z124 National Consens	. Suitable for tile-do	Series	7110			
71268100 V	7626 See page 48 f ENSEMBL 60" x 36" x 1 application 71101110	For optional 71 E HIGH-G 16" alcove ba Conforms to 71101120	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort o CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right	. Suitable for tile-do vus Standards. 1,044.55	Series wn	7110			
71268100 F	7626 See page 48 f	for optional 71 E HIGH-G 16" alcove ba Conforms to	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort or CSA B45.5/IAPMO Z124 National Consens	. Suitable for tile-do v us Standards.	Series	7110			
71268100 F	7626 See page 48 f ENSEMBL 60" x 36" x 1 application 71101110 71101310	For optional 71 E HIGH-G 16" alcove ba Conforms to 71101120 71101320	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort o CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right	. Suitable for tile-do vus Standards. 1,044.55	Series wn	7110 80.0			
71268100 F	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL	For optional 71 E HIGH-G 16" alcove ba Conforms to 71101120 71101320 E AFD HIGH	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort or CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack	. Suitable for tile-do vus Standards. 1,044.55 1,018.45	Series wn 34.00 52.60 Series	7110 80.0			
71268100 F	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HI 18-1/4" alcove toce. Lumbar s	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application	Series wn 34.00 52.60 Series to	7110 80.0			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HI 18-1/4" alcove toce. Lumbar s	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort or CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application	Series wn 34.00 52.60 Series to	7110 80.0			
71268100 F	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HI 18-1/4" alcove toce. Lumbar s	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application	Series wn 34.00 52.60 Series to	80.0 241.0 7110			
71268100 F	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan Conforms to	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HI 18-1/4" alcove 10ce. Lumbar so CSA B45.5/	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right	Suitable for tile-down standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n. 37.50	80.0 241.0 87.0			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan Conforms to	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HI 18-1/4" alcove 10ce. Lumbar so CSA B45.5/	287100 tile-in flange kit. iLOSS BATH th. Lumbar support and armrests for comfort or CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards	Suitable for tile-down standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n.	80.0 241.0 87.0			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearant Conforms to 71101112 LAWSON 60" x 36" x 2	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HIC 18-1/4" alcove 10ce. Lumbar so 0 CSA B45.5/ 71101122 HIGH-GL 20" drop-in ba	287100 tile-in flange kit. ALOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH th. Designed for island or stud pocket installar	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n. 37.50 Series are	80.0 241.0 87.0			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearant Conforms to 71101112 LAWSON 60" x 36" x 2	For optional 71 LE™ HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE™ AFD HIC 18-1/4" alcove 10ce. Lumbar so CSA B45.5/ 71101122 HIGH-GL 20" drop-in ba uitable for ti	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH re bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n. 37.50 Series are	80.0 241.0 87.0			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x 1 floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. Se	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HIGH 18-1/4" alcove 19 CSA B45.5/ 71101122 HIGH-GL 10" drop-in ba	287100 tile-in flange kit. ALOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH th. Designed for island or stud pocket installar	Suitable for tile-dovus Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n. 37.50 Series are	71100 80.0 241.0 71100 87.0 7127			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x 1 floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. Si Consensus 7127	For optional 71 LE™ HIGH-G 16" alcove ba . Conforms to 71101120 71101320 LE™ AFD HIGH 18-1/4" alcove 19 CSA B45.5/ 71101122 HIGH-GL 10" drop-in ba	287100 tile-in flange kit. GLOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH Th. Designed for island or stud pocket installatile-down application. Conforms to CSA B45	. Suitable for tile-dou us Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35	Series wn 34.00 52.60 Series to n. 37.50 Series are nal	71100 80.0 241.4 71100 87.0 7127			
71268100 60" x 36" BATHS 71101120 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x 1 floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. S Consensus 7127 7127	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIGH-GL 18-1/4" alcove CCSA B45.5/ 71101122 HIGH-GL 10" drop-in ba uitable for til Standards.	287100 tile-in flange kit. th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the path with a pa	. Suitable for tile-dou us Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application 1,089.35 tion. Optional aprons a .5/IAPMO Z124 Nation	34.00 52.60 Series 37.50 Series are al 34.50	71100 80.0 241.1 71100 87.0 7127 75.0 326.0			
71101120 ADA 71101122 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. Si Consensus 7127 7126	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIGH-G 18-1/4" alcove 10 CSA B45.5/ 71101122 HIGH-GL 10" drop-in ba 10 table for till Standards. 1100 1500	287100 tile-in flange kit. ALOSS BATH th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH The Designed for island or stud pocket installatedown application. Conforms to CSA B45 Bath, reversible drain Bath, reversible drain — 5-pack	. Suitable for tile-down us Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35 tion. Optional aprons a 5/IAPMO Z124 Nation 998.80 974.00	Series wn 34.00 52.60 Series to n. 37.50 Series are are nal 34.50 70.80	7110 80.0 241.0 7110 87.0 7127 75.0 326.0 17.0			
71101120 ADA 71101122 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x 1 floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. Si Consensus 7127 7126 7626	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIC 18-1/4" alcove 100 CSA B45.5/ 71101122 HIGH-GL 10" drop-in ba 11 table for ti 11 Standards. 11100 11500 18100	287100 tile-in flange kit. th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH we bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH th. Designed for island or stud pocket installate-down application. Conforms to CSA B45 Bath, reversible drain Bath, reversible drain Bath, reversible drain – 5-pack Standard apron	Suitable for tile-dou us Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35 tion. Optional aprons a 5/IAPMO Z124 Nation 998.80 974.00 202.35	Series wn 34.00 52.60 Series to n. 37.50 Series are nal 34.50 70.80 10.00	7110 80.0 241.0 7110 87.0 7127 75.0 326.0 17.0			
71268100 60" x 36" BATHS 71101120 ADA 71101122 ADA	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. St Consensus 7127 7126 7626 See page 48 ft	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIGH 18-1/4" alcove ICSA B45.5/ 71101122 HIGH-GL 10" drop-in ba uitable for til Standards. 1100 1500 18100 16	287100 tile-in flange kit. th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH The Designed for island or stud pocket installate-down application. Conforms to CSA B45 Bath, reversible drain Bath, reversible drain — 5-pack Standard apron Apron with access panel 287100 tile-in flange kit	Suitable for tile-dou us Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35 tion. Optional aprons a 5/IAPMO Z124 Nation 998.80 974.00 202.35	Series wn 34.00 52.60 Series to n. 37.50 Series are nal 34.50 70.80 10.00	7110 80.0 241.0 7110 87.0 7127 75.0 326.0 17.0			
71101120 ADA 71101122 ADA 71271100 Baths will comply with the An	7626 See page 48 ft ENSEMBL 60" x 36" x 1 application 71101110 71101310 ENSEMBL 60" x 36" x 1 floor clearan Conforms to 71101112 LAWSON 60" x 36" x 2 available. Si Consensus 7127 7126 7626 See page 48 ft	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIGH-G 18-1/4" alcove 10 CSA B45.5/ 71101122 HIGH-GL 100" drop-in ba 11 cuitable for till Standards. 11100 1500 18100	287100 tile-in flange kit. th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH The Designed for island or stud pocket installate-down application. Conforms to CSA B45 Bath, reversible drain Bath, reversible drain Bath, reversible drain — 5-pack Standard apron Apron with access panel 287100 tile-in flange kit	Suitable for tile-dous Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35 tion. Optional aprons a 5/IAPMO Z124 Nation 998.80 974.00 202.35	Series wn 34.00 52.60 Series to n. 37.50 Series are nal 34.50 70.80 10.00	7110 80.0 241.0 7110 87.0 7127 75.0 326.0 17.0			
71268100 60" x 36" BATHS 71101120 ADA 71101122 ADA	7626 See page 48 for the seep seep seep seep seep seep seep se	For optional 71 LE HIGH-G 16" alcove ba Conforms to 71101120 71101320 LE AFD HIGH-G 18-1/4" alcove 10 CSA B45.5/ 71101122 HIGH-GL 10" drop-in ba 11	287100 tile-in flange kit. th. Lumbar support and armrests for comfort of CSA B45.5/IAPMO Z124 National Consens Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH The bath with above-floor-drain construction the support and armrests for comfort. Suitable for IAPMO Z124 National Consensus Standards AFD bath, drain at left or right OSS BATH The Designed for island or stud pocket installate-down application. Conforms to CSA B45 Bath, reversible drain Bath, reversible drain — 5-pack Standard apron Apron with access panel 287100 tile-in flange kit	Suitable for tile-dous Standards. 1,044.55 1,018.45 nat provides 3" drain tile-down application. 1,089.35 tion. Optional aprons a 5/IAPMO Z124 Nation 998.80 974.00 202.35	Series wn 34.00 52.60 Series to n. 37.50 Series are nal 34.50 70.80 10.00	7110 80.0 241.C 7110			



DROP-IN & ALCOVE BATHS - VIKRELL, MATERIAL

ENSEMBL 60" x 42" x 1 application. 71111110 71111310 ENSEMBL 60" x 42" x 1 loor clearantion. Confort 71111112 LAWSON 60" x 42" x 2 neadrest and	6" alcove bar Conforms to 71111120 71111320 E _™ AFD HIC 18-1/4" alcovice. Lumbar sims to CSA Bar 71111122	Description LOSS BATH th. Lumbar support and armrests for comfort CSA B45.5/IAPMO Z124 National Consent Bath, drain at left or right Bath, drain at left or right — 3-pack GH-GLOSS BATH The bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus State AFD bath, drain at left or right	that provides 3" drain te for tile-down applica	41.10 61.30 Series	7111 84.0 269.0		
71111110 71111110 71111110 FINSEMBL 60" x 42" x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6" alcove bar Conforms to 71111120 71111320 E _™ AFD HIC 18-1/4" alcovice. Lumbar sims to CSA Bar 71111122	th. Lumbar support and armrests for comfo CSA B45.5/IAPMO Z124 National Consense Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	that provides 3" drain te for tile-down applicated and ards.	41.10 61.30 Series	84.0 269.0 7111		
71111110 71111110 71111110 FINSEMBL 60" x 42" x 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	6" alcove bar Conforms to 71111120 71111320 E _™ AFD HIC 18-1/4" alcovice. Lumbar sims to CSA Bar 71111122	th. Lumbar support and armrests for comfo CSA B45.5/IAPMO Z124 National Consense Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	that provides 3" drain te for tile-down applicated and ards.	41.10 61.30 Series	84.0 269.0 7111		
71111110 71111310 ENSEMBL 60" x 42" x 2 door clearantion. Conform 71111112 LAWSON. 60" x 42" x 2 deadrest and	71111120 71111320 E _™ AFD HI (18-1/4" alcovice. Lumbar sms to CSA B	Bath, drain at left or right Bath, drain at left or right – 3-pack GH-GLOSS BATH re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	1,071.75 1,045.40 that provides 3" drain te for tile-down applicandards.	41.10 61.30 Series	269.0 7111		
71111310 ENSEMBL 60" x 42" x 2 door clearantion. Conform 71111112 LAWSON. 60" x 42" x 2 does does door and a door a door and a door and a door and a door a door a door and a door and a door a door a door	71111320 E _™ AFD HIC 18-1/4" alcovice. Lumbar sing to CSA Bind Till 71111122 HIGH-GLC	Bath, drain at left or right – 3-pack GH-GLOSS BATH re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	that provides 3" drain te for tile-down applicandards.	61.30 Series	269.0 7111		
ENSEMBL 60" x 42" x 2 floor clearan 71111112 LAWSON 60" x 42" x 2 neadrest and	E _m AFD HIC 18-1/4" alcovice. Lumbar sims to CSA B	GH-GLOSS BATH re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	that provides 3" drain tefor tile-down applicandards.	Series	7111		
60" x 42" x 1 loor clearan cion. Confor 71111112 LAWSON: 60" x 42" x 2 neadrest and	18-1/4" alcovice. Lumbar sms to CSA B	re bath with above-floor-drain construction support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta	that provides 3" drain te for tile-down applicandards.	0 -			
71111112 LAWSON 60" x 42" x 2 neadrest and	ree. Lumbar and to CSA B	support and armrests for comfort. Suitable 45.5/IAPMO Z124 National Consensus Sta AFD bath, drain at left or right	e for tile-down applica indards.	i-	95.0		
LAWSON。 60" x 42" x 2 neadrest and	HIGH-GL	-	1,117.95	44.10	95.0		
60" x 42" x 2 neadrest and		OCC OVAL DATU					
neadrest and		JSS UVAL BAIR		Series	7133		
- 10.0/1/11 1910	est and lumbar support. Suitable for island, peninsula or corner installation. Conforms to C						
71331	1100	Bath, reversible drain	1,059.30	40.40	72.0		
LAWSON.	60" x 42" H	HIGH-GLOSS BATH	•	Series	7128		
60" x 42" x Suitable for	20" drop-in t tile-down ap	path. Designed for island or stud pocket in polication. Conforms to CSA B45.5/IAPMO	nstallation. Optional apro Z124 National Consensi	on(s) ava	ailable. lards.		
7128	1100	Bath, reversible drain	1,081.25	39.70	85.0		
7128	1500	Bath, reversible drain – 5-pack	1,054.35	81.10	370.0		
71268	8100	Standard apron	202.35	10.00	17.0		
76268	8100	Apron with access panel	262.65	10.00	17.0		
See page 48 f	or optional 71	287100 tile-in flange kit.					
LAWSON.	HIGH-GLO	OSS BATH	:	Series '	7130		
				ition.			
7130	1100	Bath, reversible drain	1,220.30	44.30	95.0		
AWSON.	HIGH-GLO	SS BATH		Series	7131		
				ition.			
7131	1100	Bath, reversible drain	1,271.45	50.60	104.0		
See page 48 f	or optional 71	317100 tile-in flange kit	1				
nents of the 20	010 ADA	COLORS & CODES 0 White Note: Add appropriate color code to the end	d of the model number wh	nen order	ing.		
	eadrest and eadrest and 45.5/IAPM0 7133* AWSON. 0" x 42" x 5uitable for 7128 7126 7626 ee page 48 f AWSON. 2" x 36" x 2 2 conforms to 7130 AWSON. 2" x 42" x 2 conforms to 7131 ee page 48 f cans with Diserts of the 20 ca	eadrest and lumbar supples.5/IAPMO Z124 Nation 71331100 AWSON. 60" x 42" From the suitable for tile-down apples. 71281100 71281500 71268100 76268100 Ree page 48 for optional 71 CAWSON. HIGH-GLO 2" x 36" x 20" drop-in beconforms to CSA B45.5/I	eadrest and lumbar support. Suitable for island, peninsula or corner i45.5/IAPMO Z124 National Consensus Standards. 71331100 Bath, reversible drain .AWSON. 60" x 42" HIGH-GLOSS BATH 0" x 42" x 20" drop-in bath. Designed for island or stud pocket in suitable for tile-down application. Conforms to CSA B45.5/IAPMO 71281100 Bath, reversible drain 71281500 Bath, reversible drain 71286100 Standard apron 76268100 Apron with access panel ree page 48 for optional 71287100 tile-in flange kit. AWSON. HIGH-GLOSS BATH 2" x 36" x 20" drop-in bath. Designed for island installation. Suitab conforms to CSA B45.5/IAPMO Z124 National Consensus Standard 71301100 Bath, reversible drain AWSON. HIGH-GLOSS BATH 2" x 42" x 20" drop-in bath. Designed for island installation. Suitab conforms to CSA B45.5/IAPMO Z124 National Consensus Standard AWSON. HIGH-GLOSS BATH 2" x 42" x 20" drop-in bath. Designed for island installation. Suitab conforms to CSA B45.5/IAPMO Z124 National Consensus Standard Bath, reversible drain Bath, reversible drain Bath, reversible drain Bath, reversible drain COLORS & CODES 0 White	eadrest and lumbar support. Suitable for island, peninsula or corner installation. Conforms to 145.5/IAPMO Z124 National Consensus Standards. 71331100 Bath, reversible drain 1,059.30 AWSON, 60" x 42" HIGH-GLOSS BATH 3. O" x 42" x 20" drop-in bath. Designed for island or stud pocket installation. Optional aproper suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus 71281100 Bath, reversible drain 1,081.25 71281500 Bath, reversible drain 1,081.25 71281500 Bath, reversible drain 202.35 71268100 Standard apron 202.35 76268100 Apron with access panel 262.65 the page 48 for optional 71287100 tile-in flange kit. AWSON, HIGH-GLOSS BATH 22" x 36" x 20" drop-in bath. Designed for island installation. Suitable for tile-down application of CSA B45.5/IAPMO Z124 National Consensus Standards. 71301100 Bath, reversible drain 1,220.30 AWSON, HIGH-GLOSS BATH 22" x 42" x 20" drop-in bath. Designed for island installation. Suitable for tile-down application of CSA B45.5/IAPMO Z124 National Consensus Standards. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards. 71311100 Bath, reversible drain 1,271.45 Table to tile 2010 ADA 2012 And	AWSON, HIGH-GLOSS BATH Series 2" x 20" drop-in bath. Designed for island or stud pocket installation. Optional apron(s) avitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards. 71281100 Bath, reversible drain 1,081.25 39.70 71281500 Bath, reversible drain 1,081.25 39.70 71281500 Standard apron 202.35 10.00 76268100 Apron with access panel 262.65 10.00 ree page 48 for optional 71287100 tile-in flange kit. AWSON, HIGH-GLOSS BATH Series 2" x 36" x 20" drop-in bath. Designed for island installation. Suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards. 71301100 Bath, reversible drain 1,220.30 44.30 AWSON, HIGH-GLOSS BATH Series 2" x 42" x 20" drop-in bath. Designed for island installation. Suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards. 71311100 Bath, reversible drain 1,221.45 50.60 see page 48 for optional 71317100 tile-in flange kit COLORS & CODES ents of the 2010 ADA COLORS & CODES ents of the 2010 ADA		



FREESTANDING BATHS - ACRYLIC

		Dimensions (in.) L (Side to Side) x	Found	Found on Page	
	Model	W (Front to Back) x H (Height)	Bath	AFD Bath	ADA
59" x 30"					
UNWIND.	96129-0	59-1/16 x 29-9/16 x 23-1/16		27	
UNWIND.	96133-0	59-1/16 x 29-9/16 x 23-1/16		27	
UNWIND.	96135-0	59-1/16 x 29-9/16 x 23-1/16		27	
60" x 32"			•		
SPECTACLE.	95333-0	60-1/4 x 32-1/4 x 23-1/8	27		
60" x 34"					
SPECTACLE.	95337-0	60-3/16 x 34-1/4 x 25-1/2		28	
66" x 34"					,
SPECTACLE.	95334-0	65-3/4 x 34-1/4 x 23-3/16	28		
66" x 36"					,
SPECTACLE.	95338-0	65-7/16 x 36-1/4 x 25-5/16		28	
67" x 30"					•
UNWIND.	93136-0	66-15/16 x 29-9/16 x 23-1/16		29	
67" x 32"					
UNWIND.	96130-0	66-15/16 x 31-1/2 x 23-1/16		29	
UNWIND.	96134-0	66-15/16 x 31-1/2 x 23-1/16		29	

UNWIND.	96134-0	66-15/16 x 31	-1/2 x 23-1/16		29				
					List Price Per Unit (USD \$)		Ship		
Product	Model Number	r	Description		White	Cube	Wt. (Lb)		
59" x 30" BATHS									
	UNWIND, AFD	SEAMLESS E	BATH						
96129	support on both e above-floor-drain	nds. Accommodinstallation. Built	ates floor-mount fa	ucets. 4-1/2" dra w. Center toe-ta	depth. Features sloped ain-to-floor clearance fo p drain in White includ s.	or			
	96129	Bath with Wh	nite toe-tap drain		2,717.40	27.40	86.0		
	UNWIND, AFD	SEAMLESS E	BACK-TO-WALL	BATH			•		
	support on both e above-floor-drain	ends. Accommod installation. Built	ates deck-mount f	aucets. 4-1/2" dr w. Center toe-ta	epth. Features sloped rain-to-floor clearance p drain in White includ s.	for			
96133	96133	Bath with Wh	nite toe-tap drain		2,717.40	27.80	88.0		
96135	support on both e above-floor-drain	6" x 23-1/16" freends. Accommod installation. Built	estanding bath. 14 ates floor-mount fa	aucets. 4-1/2" dr w. Center toe-ta	pth. Features sloped lu ain-to-floor clearance t p drain in White includ s.	or			
30103	96135	Bath with Wh	nite toe-tap drain		2,717.40	28.50	106.0		
60" x 32" BATHS	·								
	SPECTACLE.	BATH							
95333	support on both e Built-in integral ov	60-1/4" x 32-1/4" x 23-1/8" freestanding bath. 17-1/4" bathing depth. Features sloped lumbar support on both ends and textured bottom surface. Accommodates deck- or floor-mount faucets. Built-in integral overflow. Center offset toe-tap drain in Polished Chrome included. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.							
33300	95333	Bath with Po	lished Chrome toe-ta	p drain	2,338.00	31.20	126.0		
Baths will comply with the An installed per the requirement Accessible Design, Section 6	s of the 2010 ADA Stan	idards for	COLORS & CODE 0 White Note: Add color of		the model number whe	n ordering	g.		

Note: Bathing depth is measured from bathtub floor to overflow.



FREESTANDING BATHS - ACRYLIC

			List Price Per Unit (USD \$)						
Product	Model Number	Description	White	Cube	Ship Wt. (Lb				
0" x 34" BATHS		2000,			(
	SPECTACLE, AFD	BATH							
	both ends and texture clearance for above-fl	5-1/2" freestanding bath. 16" bathing depth. Fedd bottom surface. Accommodates deck- or floo oor-drain installation. Rear center drain locatio 5.5/IAPMO Z124 National Consensus Standard	or-mount faucets. 3-3/4" n.						
95337	95337	Bath	2,238.00	37.30	142.0				
	See page 46 for K-7213	recommended drain.							
66" x 34" BATHS									
	SPECTACLE ₈ BAT	Н							
	65-3/4" x 34-1/4" x 23-3/16" freestanding bath. 17-1/4" bathing depth. Features sloped lumbar support on both ends and textured bottom surface. Accommodates deck- or floor-mount faucets. Built-in integral overflow. Center offset toe-tap drain in Polished Chrome included. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.								
95334	95334	Bath with Polished Chrome toe-tap drain	2,438.00	37.00	160.0				
66" x 36" BATHS									
	SPECTACLE, AFD	BATH							
	65-7/16" x 36-1/4" x 2 both ends and texture clearance for above-fl	5-5/16" freestanding bath. 16" bathing depth. Find bottom surface. Accommodates deck- or flocoor-drain installation. Rear center drain locations. Standard Consensus Standard	or-mount faucets. 4" dra n.	support in-to-floo	on or				
95338	95338	Bath	2,338.00	40.90	177.0				
	See page 46 for K-7213	recommended drain.							
COLORS & CODES									
0 White									
Note: Add color code to the end of t	he model number when or	dering.							

Note: Bathing depth is measured from bathtub floor to overflow.



FREESTANDING BATHS - ACRYLIC

			List Price Per Unit (USD \$)		Ob. In
Product	Model Number	Description	White	Cube	Ship Wt. (Lb
" x 30" BATHS					
	UNWIND, AFD SE	AMLESS BATH			
	on both ends. Accomi	x 23-1/16" freestanding bath. 14-5/8" bathing omodates floor-mount faucets. 4-1/2" drain-to-flotegral overflow. Center toe-tap drain in White in 5.5/IAPMO Z124 National Consensus Standard	oor clearance for above- ncluded	umbar s -floor-dra	upport ain
96136	96136	Bath with White toe-tap drain	2,822.40	32.40	112.0
" x 32" BATHS					
	UNWIND, AFD SE	AMLESS BATH			
	on both ends. Accomi	23-1/16" freestanding bath. 14-1/2" bathing de modates floor-mount faucets. 4-1/2" drain-to-flot tegral overflow. Center toe-tap drain in White in 5.5/IAPMO Z124 National Consensus Standard	oor clearance for above-	mbar su _l -floor-dra	oport ain
96130	96130	Bath with White toe-tap drain	2,822.40	32.90	93.0
	UNWIND, AFD SE	AMLESS BACK-TO-WALL BATH			
	66-15/16" x 31-1/2" x on both ends. Accominstallation. Built-in in	23-1/16" freestanding bath. 14-5/8" bathing de modates deck-mount faucets. 4-1/2" drain-to-fl tegral overflow. Center toe-tap drain in White in 5.5/JAPMO Z124 National Consensus Standard	oor clearance for above ncluded.	mbar su _l -floor-dr	oport ain
96134	96134	Bath with White toe-tap drain	2,822.40	32.90	104.0
OLORS & CODES					
O White					

Note: Bathing depth is measured from bathtub floor to overflow.



BATH/SHOWERS - VIKRELL. MATERIAL

	Model N	Number		List Price Per Unit (USD \$)			
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)	
60" x 30" BATH/SHOWERS							
	PERFORM	IA™ 2 HIGH	-GLOSS BATH/SHOWER	5	Series	7134	
	wall. Feature Tongue-and	es optimal sto groove snap	shower unit. Unit consists of bath with 15" apprage with two shelves on each end wall to motogether installation. No sealant or caulk re National Consensus Standards.	naximize showering spa	ice.		
	Bath/Shower	th/Shower Units and Components					
	71340110	71340120	Complete unit, drain at left or right	1,233.95	36.30	123.0	
	71341110	71341120	Bath only, drain at left or right or right	492.20	21.00	52.0	
71340110	7134	4100	Complete wall set	741.75	15.30	71.0	
Also available as a bath-only model; see page 24	Aging in Place	e Bath/Show	er Units and Components				
	Factory-insta	lled wood bad	kerboards for future grab bar installation				
	71340116	71340126	Complete unit with Aging in Place backerboards, drain at left or right	1,442.35	36.30	126.0	
	71341110	71341120	Bath only, drain at left or right or right	492.20	21.00	52.0	
	7134	4106	Complete wall set with backerboards	950.15	15.30	74.0	
	PERFORM	IA _{TM} 2 AFD	HIGH-GLOSS BATH/SHOWER	•	Series	7134	
	60" x 29" x 7 back wall. For	74 3/4" bath/s eatures optin -groove snap	HIGH-GLOSS BATH/SHOWER shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end wall-together installation. No sealant or caulk relational Consensus Standards.	' apron height, two end Il to maximize showerin	walls, a	ınd Ə.	
	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I	74 3/4" bath/s eatures optin -groove snap	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end wal-together installation. No sealant or caulk re National Consensus Standards.	' apron height, two end Il to maximize showerin	walls, a	ınd Ə.	
	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I	74 3/4" bath/s eatures optin -groove snap APMO Z124	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end wal-together installation. No sealant or caulk re National Consensus Standards.	' apron height, two end Il to maximize showerin	walls, a	and e. ms to	
	60" x 29" x 7 back wall. Fr Tongue-and- CSA B45.5/I Bath/Shower	74 3/4" bath/s eatures optin -groove snap APMO Z124 Units and Co	shower unit. Unit consists of bath with 17-1/4 nal storage with two shelves on each end war-together installation. No sealant or caulk renational Consensus Standards.	' apron height, two end Il to maximize showerin equired in the seams.	walls, a g space Conforr	and e. ms to	
	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower	74 3/4" bath/seatures optin-groove snap APMO Z124 Units and Co 71340122	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end wa o-together installation. No sealant or caulk re National Consensus Standards. mponents Complete AFD unit, drain at left or right	apron height, two end ll to maximize showerin equired in the seams.	walls, as g space Conform	126.0	
	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower 71340112 71341112	74 3/4" bath/seatures optin- groove snap APMO Z124 Units and Co 71340122 71341122	shower unit. Unit consists of bath with 17-1/4' hal storage with two shelves on each end wa b-together installation. No sealant or caulk renational Consensus Standards. mponents Complete AFD unit, drain at left or right AFD bath only, drain at left or right	apron height, two end ll to maximize showerin equired in the seams. 1,255.30	walls, a g space Conform 38.90	and e. ms to	
	60" x 29" x 7 back wall. For Tongue-and- CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place	74 3/4" bath/seatures optim- groove snap APMO Z124 Units and Co 71340122 71341122 4100	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end was together installation. No sealant or caulk renational Consensus Standards. mponents Complete AFD unit, drain at left or right AFD bath only, drain at left or right Complete wall set	apron height, two end ll to maximize showerin equired in the seams. 1,255.30	walls, a g space Conform 38.90	126.0 55.0	
71340112 Also available as a bath-only model; see page 24	60" x 29" x 7 back wall. For Tongue-and- CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place	74 3/4" bath/seatures optim- groove snap APMO Z124 Units and Co 71340122 71341122 4100	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end wa b-together installation. No sealant or caulk renational Consensus Standards. mponents Complete AFD unit, drain at left or right AFD bath only, drain at left or right Complete wall set	apron height, two end ll to maximize showerin equired in the seams. 1,255.30	walls, a g space Conform 38.90	126.0 55.0 71.0	
Also available as a bath-only model;	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place Factory-insta	74 3/4" bath/s eatures optin -groove snap APMO Z124 Units and Co 71340122 71341122 4100 Ee Bath/Shown	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end was a storage with two shelves on each end was storage with two shelpes of caulk representations. In the storage with two shelves on each end was shelves on each end was storage with two shelpes of caulk representation. In the storage with two shelves on each end was storage with two shelpes of caulk representation. In the storage with two shelves on each end with 17-1/4' and storage with 17-1/4' and storage with 17-1/4' and storage with 17-1/4' and storage with two shelpes on each end with 17-1/4' and storage with two shelpes on each end was storage with two shelpes on each end was shelpes on each end was shelpes on each end was storage with two shelpes on each end was	apron height, two end ll to maximize showerin equired in the seams. 1,255.30 513.55 741.45	walls, a g space Conform 38.90 23.60 15.30	126.0 55.0 71.0	
Also available as a bath-only model;	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place Factory-insta	74 3/4" bath/seatures optin-groove snap APMO Z124 Units and Co 71340122 71341122 4100 Se Bath/Showed T1340128 71341122	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end was a storage with two shelves on each end was storage with two shelves of caulk representation. AFD bath only, drain at left or right Complete wall set The units and Components of the components of th	'apron height, two end Il to maximize showerin equired in the seams. 1,255.30 513.55 741.45	walls, a g space Conforr 38.90 23.60 15.30	126.0 55.0 71.0	
Also available as a bath-only model;	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place Factory-instate 71340118	74 3/4" bath/seatures optin-groove snap APMO Z124 Units and Co 71340122 71341122 4100 Se Bath/Showed T1340128 71341122	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end was a storage with two shelves on each end was shelves on each end was shelves on each end with 17-1/4' and storage with two shelves on each end with 17-1/4' and storage with two shelves on each end was shel	'apron height, two end Il to maximize showerin equired in the seams. 1,255.30 513.55 741.45 1,463.70 513.55	walls, a g space Conforr 38.90 23.60 15.30	126.0 55.0 71.0	
Also available as a bath-only model;	60" x 29" x 7 back wall. For Tongue-and CSA B45.5/I Bath/Shower 71340112 71341112 7134 Aging in Place Factory-instate 71340118	74 3/4" bath/seatures optin-groove snap APMO Z124 Units and Co 71340122 71341122 4100 Se Bath/Showed T1340128 71341122	shower unit. Unit consists of bath with 17-1/4' nal storage with two shelves on each end was a storage with two shelves on each end was shelves on each end was shelves on each end with 17-1/4' and storage with two shelves on each end with 17-1/4' and storage with two shelves on each end was shel	'apron height, two end Il to maximize showerin equired in the seams. 1,255.30 513.55 741.45 1,463.70 513.55	walls, a g space Conforr 38.90 23.60 15.30	126.0 55.0	

Note: Add color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL MATERIAL

	Model N	Number		List Price Per Unit (USD \$)		Ship					
Product	Left Drain	Right Drain	Description	White	Cube	Wt. (Lb)					
60" x 30" BATH/SHOWERS (Continued	i)									
	ENSEMBL	E™ MEDLE	Y _® HIGH-GLOSS BATH/SHOWER	•	Series	7137					
	two end wall	60" x 30" x 73" bath/shower unit. Unit consists bath with 16" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams . Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.									
	Bath/Shower	Units and Co	omponents								
	71370110	71370120	Complete unit, drain at left or right	1,270.80	43.70	147.0					
	71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0					
71370110	7137	4100	Complete wall set	719.15	18.60	79.0					
Also available as a bath-only model;	Aging in Place	ing in Place Bath/Shower Units and Components									
see page 24	Factory-installed wood backerboards for future grab bar installation.										
	71370116	71370126	Complete unit with Aging in Place backerboards, drain at left or right	1,485.40	43.70	147.0					
	71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0					
	71374106 Complete wall set with backerboards 933.75 18.60										
	ENSEMBLE™ MEDLEY® AFD HIGH-GLOSS BATH/SHOWER Series 7137										
	3" drain to fletwo end wall snap-togethe	oor clearanc ls, and back er installatior	shower unit with above-floor-drain construction e. Unit consists of bath with 18-3/4" apron heigh wall. Features convenient shelving on back with the seam of sealant or caulk required in the seam of National Consensus Standards.	ight, 2" wainscot/tile led vall. Tongue-and-groove							
	Bath/Shower	Units and Co	mponents								
	71370112	71370122	Complete AFD unit, drain at left or right	1,305.55	63.00	174.0					
	71171112	71171122	AFD bath only, drain at left or right	586.40	44.40	95.0					
71370112	7137	4100	Complete wall set	719.15	18.60	79.0					
Also available as an AFD bath-only model; see page 24	Aging in Place	e Bath/Show	er Units and Components								
	Factory-insta	lled wood bad	ckerboards for future grab bar installation.								
	71370118	71370128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,520.15	63.00	174.0					
	71171112	71171122	AFD bath only, drain at left or right	586.40	44.40	95.0					

Complete wall set with backerboards

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

71374106

Note: All dimensions shown are finished dimensions. Apron height is measured from floor to bathtub deck.



933.75

79.0

18.60

BATH/SHOWERS - VIKRELL_® MATERIAL

	Model I	Number		List Price Per Unit (USD \$)		a				
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)				
60" x 30" BATH/SHOWERS (Continue	d)								
	ACCORD.	SMOOTH	HIGH-GLOSS BATH/SHOWER		Series	7124				
	Features co	nvenient she	ver unit. Unit consists of bath with 15" apron he Iving on back wall. Pivot snap-together install Conforms to CSA B45.5/IAPMO Z124 Nation	ation. No sealant or c	aulk	vall.				
	Bath/Shower	Units and Co	mponents							
	71240110	71240120	Complete unit, drain at left or right	1,344.95	52.50	170.0				
	71141110	71141120	Bath only, drain at left or right*	643.60	27.30	73.0				
	7124	71244100 Complete wall set 701.35 25.20 97.0								
	Aging in Place	e Bath/Show	er Units and Components							
71240110	Factory-insta	lled wood bad	ckerboards for future grab bar and seat installation	on.						
Also available as a AFD bath/shower unit; see page 32	71240116	71240126	Complete unit with Aging in Place backerboards, drain at left or right	1,640.25	52.50	188.0				
	71141116	71141126	Bath only with backer, drain at left or right*	702.75	27.30	81.0				
	7124	4106	Complete wall set with backerboards	937.50	25.20	107.0				
			See page 46 for optional 71247103 grab bar kit	and 71147104 seat kit.						
	*Bath-only installation not recommended. Install bath with wall set.									
	ACCORD. SMOOTH AFD HIGH-GLOSS BATH/SHOWER Series 7124									
	to floor clear Features co	rance. Unit c nvenient she	shower unit with above-floor-drain constructionsists of bath with 17-1/4" apron height two lving on back wall. Pivot snap-together install Conforms to CSA B45.5/IAPMO Z124 Nation	end walls, and back wa lation. No sealant or c a	all. aulk					
	Bath/Shower	Units and Co	mponents							
	71240112	71240122	Complete AFD unit, drain at left or right	1,414.55	55.00	175.0				
	71141112	71141122	AFD bath only, drain at left or right*	713.20	29.80	78.0				
	7124	4100	Complete wall set	701.35	25.20	97.0				
71240112	Aging in Place	e Bath/Show	er Units and Components							
Also available as a conventional bath/	Factory-insta	lled wood bad	ckerboards for future grab bar and seat installation	on.						
shower unit; see page 33	71240118	71240128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,709.75	55.00	192.0				
	71141118	71141128	AFD bath only with backer, drain at left or right*	772.25	29.80	85.0				
	7124	4106	Complete wall set with backerboards	937.50	25.20	107.0				
			See page 46 for optional 71247103 grab bar kit	and 71147104 seat kit.						
	*Bath-only in	stallation not	recommended. Install bath with wall set.							
COLORS & CODES										
0 White										
Note: Add color code to the end of the	model numbe	r when order	ing.							



BATH/SHOWERS - VIKRELL_® MATERIAL


	Model I	Number		List Price Per Unit (USD \$)		Ship			
Product		Right Drain	Description	White	Cube	Wt. (Lb)			
60" x 30" BATH/SHOWERS (
	ACCORD.	SMOOTH	ADA HIGH-GLOSS BATH/SHOWER	;	Series	7124			
	back wall. F back wall ar	eatures conv nd end walls.	shower unit. Unit consists of bath with 17-1/4 renient shelving on back wall. Includes seat a Pivot snap-together installation. No sealant as to CSA B45.5/IAPMO Z124 National Conse	nd stainless steel grab or caulk required in t	bars on				
	Bath/Shower	Bath/Shower Units and Components							
	71240115	71240125	Complete unit with seat and grab bars, drain at left or right	4,010.10	52.50	191.0			
71240125 ADA									
	71141114	71141124	Bath with seat only, drain at left or right*	1,380.85	27.30	73.0			
	71244113	71244123	Complete wall set with grab bars, LH or RH	2,629.25	25.20	118.0			
	*Bath-only in	stallation not	recommended. Install bath with wall set.						
Baths will comply with the An Act when installed per the re ADA Standards for Accessibl Bathtubs, of the Act.	quirements of th	ne 2010	COLORS & CODES 0 White Note: Add color code to the end of the model	number when ordering.					



BATH/SHOWERS - VIKRELL, MATERIAL

	Model	Number		List Price Per Unit (USD \$)		Chin
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)

60" x 30" BATH/SHOWERS (Continued)




TRAVERSE, HIGH-GLOSS BATH/SHOWER

Series 7157

60" x 30" x 75" bath/shower unit. Unit consists of bath with 16" apron height and 2" wainscot/tile ledge and four-piece wall set – two end walls and a two-piece back wall. Features convenient full-length shelf on back wall and subway tile pattern. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

	Bath/Shower	Units and Co	omponents						
ļ	71570110	71570120	Complete unit, drain at left or right	1,308.35	44.10	156.0			
	71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0			
	7157	4100	Complete wall set	756.70	19.00	88.0			
	Aging in Place Bath/Shower Units and Components								
	Factory-insta	lled wood ba	ckerboards for future grab bar installation.						
	71570116	71570126	Complete unit with Aging in Place backerboards, drain at left or right	1,535.35	44.10	164.0			
	71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0			
	71574106		Complete wall set with backerboards	983.70	19.00	96.0			



TRAVERSE, AFD HIGH-GLOSS BATH/SHOWER

Bath/Shower Units and Components

Series 7157

60" x 30" x 77-3/4" bath/shower unit with above-floor-drain construction that provides 3" drain to floor clearance. Unit consists of bath with 18-3/4" apron height and 2" wainscot/tile ledge and four-piece wall set – two end walls and a two-piece back wall. Features convenient full-length shelf on back wall and subway tile pattern. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Dati / Oilowoi	onno ana oc	mpononio			
71570112	71570122	Complete AFD unit, drain at left or right	1,343.10	63.40	183.0
71171112	71171122	AFD bath only, drain at left or right	586.40	44.40	95.0
71574100		Complete wall set	756.70	19.00	88.0
Aging in Place	e Bath/Show	er Units and Components			
Factory-insta	lled wood ba	ckerboards for future grab bar installation.			
71570118	71570128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,570.10	63.40	191.0
71171112	71171122	AFD bath only, drain at left or right	586.40	44.40	95.0
71574106		Complete wall set with backerboards	983.70	19.00	96.0

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL, MATERIAL

				T				
	Model I	Number		List Price Per Unit (USD \$)		Ship		
Product		Right Drain	Description	White	Cube	Wt. (Lb)		
60" x 30" BATH/SHOWERS (Continued	d)						
	TRAVERSE, ADA HIGH-GLOSS BATH/SHOWER Series 7157							
	60" x 30" x 75" bath/shower unit. Unit consists of bath with 16" apron height and 2" wainscot/tile led four-piece wall set – two end walls and a two-piece back wall. Features convenient full-length shelf wall and subway tile pattern. Includes seat and stainless steel grab bars for installation on back wa end walls. Tongue-and-groove snap-together installation. No sealant or caulk required in the sea ADA-compliant. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.							
	Bath/Shower	Units and Co	mponents					
71570115 ADA	71570115	71570125	Complete unit, drain at left or right	3,408.35	46.60	184.0		
Also available as a: bath/shower unit; see page 34 AFD bath/shower unit; see page 34	71171110	71171120	Bath only, drain at left or right	584.75	25.10	68.0		
	7157	4106	Complete wall set with backerboards	983.70	19.00	96.0		
	715771	103-NA	Grab bar kit (field-installed)	1,351.15	1.30	13.0		
	711771	104-NA	Accord⊛ bath seat	521.85	1.20	7.0		
Baths will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 Bathtubs, of the Act.			COLORS & CODES 0 White Note: Add color code to the end of the model in	number when ordering.				



BATH/SHOWERS - VIKRELL. MATERIAL

	Model	Number		List Price Per Unit (USD \$)		Ship	
Product	Left Drain	Right Drain	Description	White	Cube	Wt. (Lb	
30" BATH/SHOWERS	(Continued	d)					
	60" x 30" x 7 Features rea	'2" bath/show alistic tile pat or caulk req	I-GLOSS BATH/SHOWER er unit. Unit consists of bath with 15" apron heightern and convenient shelving on back wall. Pipuired in the seams. Conforms to CSA B45.5	ht, two end walls, and b vot snap-together insta	llation.		
	Bath/Shower	Units and Co	mponents				
	71140110	71140120	Complete unit, drain at left or right	1,410.10	52.50	170.0	
	71141110	71141120	Bath only, drain at left or right*	643.60	27.30	73.0	
71140110	7114	4100	Complete wall set	766.50	25.20	97.0	
	Aging in Place	ce Bath/Show	er Units and Components				
	Factory-insta	alled wood bad	ckerboards for future grab bar and seat installation	on.			
	71140116	71140126	Complete unit with Aging in Place backerboards, drain at left or right	1,710.00	52.50	188.0	
	71141116	71141126	Bath only with backer, drain at left or right*	702.75	27.30	81.0	
	7114	4106	Complete wall set with backerboards	1,007.25	25.20	107.0	
	See page 46 for optional 71147103 grab bar kit and 71147104 seat kit.						
	*Bath-only in	stallation not	recommended. Install bath with wall set.				
	60" x 30" x 3 clearance. Utile pattern a	74-1/4" bath/s Jnit consists and convenie	HIGH-GLOSS BATH/SHOWER shower unit with above-floor-drain construction of bath with 17-1/4" apron height, two end want shelving on back wall. Pivot snap-together eams. Conforms to CSA B45.5/IAPMO Z124 I	n that provides 3" drain lls, and back wall. Feat installation. No sealan	tures rea I t or	alistic	
	Bath/Shower	Units and Co	mponents				
	71140112	71140122	Complete AFD unit, drain at left or right	1,479.70	55.00	175.0	
	71141112	71141122	AFD bath only, drain at left or right*	713.20	29.80	78.0	
71140112	7114	4100	Complete wall set	766.50	25.20	97.0	
	Aging in Place	ce Bath/Show	er Units and Components				
ahla ac a hath/chawar unit:	Factory-insta	alled wood bad	ckerboards for future grab bar and seat installation	on.			
	I dotory mote				55.00	193.0	
	71140118	71140128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,779.50	35.00		
	-	71140128 71141128		1,779.50 772.25	29.80	86.0	
	71140118		backerboards, drain at left or right	•		86.0	
vailable as a bath/shower unit; ge 36	71140118	71141128	backerboards, drain at left or right AFD bath only with backer, drain at left or right*	772.25 1,007.25	29.80		


COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL, MATERIAL






BATH/SHOWERS - VIKRELL, MATERIAL

	Model I	Number		List Price Per Unit (USD \$)		01.
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)

60" x 30" BATH/SHOWERS (Continued)



71470110

Also available as an Ensemble bath-only model; see page 24

STORE+, HIGH-GLOSS BATH/SHOWER

Series 7147

60" x 30" x 75-1/4" bath/shower unit. Unit consists of bath with 16" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two caddies. Four-piece modular design with snap-together tongue-and-groove installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.


Bath/Shower	Units and Co	omponents			
71470110	71470120	Complete unit, drain at left or right	1,326.55	49.30	150.0
71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0
7147	4100	Complete wall set	774.90	24.20	82.0
Aging in Place	ce Bath/Show	er Units and Components			
Factory-insta	alled wood ba	ckerboards for future grab bar installation.			
71470116	71470126	Complete unit with Aging in Place backerboards, drain at left or right	1,522.30	49.30	160.0
71171110	71171120	Bath only, drain at left or right	551.65	25.10	68.0
7147	4106	Complete wall set with backerboards	970.65	24.20	92.0

See page 47 for additional STORE+, accessory kits.

STORE+, AFD HIGH-GLOSS BATH/SHOWER

Series 7147

60" x 30" x 78" bath/shower unit with above-floor-drain construction that provides 3" drain to floor clearance. Unit consists of bath with 18-3/4" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two caddies. Four-piece modular design with snap-together tongue-and-groove installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.





COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL. MATERIAL

	Model I	Number		List Price Per Unit (USD \$)		Ship		
Product	Left Drain	Right Drain	Description	White	Cube			
60" x 32" BATH/SHOWERS								
	ENSEMBL	E™ CURVE	HIGH-GLOSS BATH/SHOWER	5	Series '	7122		
	two end wal snap-togeth	ls, and back er installation	ver unit. Unit consists of bath with 18" apron I wall. Features convenient shelving on back w n. No sealant or caulk required in the seam s Standards.	back wall. Tongue-and-groove				
	Bath/Shower	Units and Co	mponents					
	71220110	71220120	Complete unit, drain at left or right	1,380.05	49.30	159.0		
7,000,00	71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0		
71220110 Also available as a bath-only model; see page 25	7122	24100	Complete wall set	712.15	19.20	81.0		
dec page 25	Aging in Place Bath/Shower Units and Components							
	Factory-installed wood backerboards for future grab bar installation.							
	71220116	71220126	Complete unit with Aging in Place backerboards, drain at left or right	1,598.80	51.10	169.0		
	71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0		
	7122	24106	Complete wall set with backerboards	930.90	21.00	91.0		
	ENSEMBL	E™ CURVE	AFD HIGH-GLOSS BATH/SHOWER	5	Series	7122		
	clearance. Uback wall. F	Jnit consists eatures conv	wer unit with above-floor-drain construction th of bath with 20" apron height and 2" wainscot enient shelving on back wall. Tongue-and-gro uired in the seams. Conforms to CSA B45.5	/tile ledge, two end wal	lls, and allation.	nsus		
	Bath/Shower	Units and Co	mponents					
	71220112	71220122	Complete AFD unit, drain at left or right	1,419.05	54.80	167.0		

71220112

Also available as a bath-only model; see page 25

71220112	71220122	Complete AFD unit, drain at left or right	1,419.05	54.80	167.0					
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0					
71224100		Complete wall set	712.15	19.20	81.0					
Aging in Place	Aging in Place Bath/Shower Units and Components									
Factory-insta	lled wood bad	ckerboards for future grab bar installation.								
71220118	71220128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,637.80	54.80	177.0					
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0					
71224106		Complete wall set with backerboards	930.90	19.20	91.0					

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL, MATERIAL

		Model Number			List Price Per Unit (USD \$)		Ohim		
ı	Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)		
	60" x 32" BATH/SHOWERS (Continued)								
Г	<i>^</i>								



ENSEMBLE™ MEDLEY® HIGH-GLOSS BATH/SHOWER

Series 7132

60" x 32" x 75" bath/shower unit. Unit consists of bath with 18" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Bath/Shower Units and Components										
71320110	71320120	Complete unit, drain at left or right	1,429.85	48.60	157.0					
71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0					
71324100		Complete wall set	761.95	18.50	79.0					
Aging in Place Bath/Shower Units and Components										
Factory-insta	alled wood ba	ckerboards for future grab bar installation.								
71320116	71320126	Complete unit with Aging in Place backerboards, drain at left or right	1,644.35	48.60	157.0					
71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0					
71324106		Complete wall set with backerboards	976.45	18.50	79.0					



ENSEMBLE™ MEDLEY® AFD HIGH-GLOSS BATH/SHOWER

Series 7132

60" x 32" x 77" bath/shower unit with above-floor-drain construction that provides 3" drain to floor clearance. Unit consists of bath with 20" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Bath/Shower	Bath/Shower Units and Components										
71320112	71320122	Complete AFD unit, drain at left or right	1,468.85	54.10	165.0						
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0						
71324100		Complete wall set	761.95	18.50	79.0						
Aging in Place	Aging in Place Bath/Shower Units and Components										
Factory-insta	lled wood ba	ckerboards for future grab bar installation.									
71320118	71320128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,683.35	54.10	165.0						
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0						
71324106		Complete wall set with backerboards	976.45	18.50	79.0						

COLORS & CODES

0 White

Note: Add appropriate color code to the end of the model number when ordering.



BATH/SHOWERS - VIKRELL. MATERIAL

	Model I	Number		List Price Per Unit (USD \$)			
Product		Right Drain	Description	White	Cube	Ship Wt. (Lb)	
60" x 32" BATH/SHOWERS (Continue	d)	·				
	TRAVERS	E, HIGH-G	LOSS BATH/SHOWER	Ş	Series	7152	
	60" x 32" x 77" bath/shower unit. Unit consists of bath with 18" apron height and 2" wainscot/tile ledge and four-piece wall set – two end walls and two-piece back wall. Features convenient full-length shelf on back wall and subway tile pattern. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams . Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
	Bath/Shower	Units and Co	mponents				
	71520110	71520120	Complete unit, drain at left or right	1,435.20	49.10	168.0	
	71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0	
	7152	4100	Complete wall set	767.30	19.00	90.0	
71520110	Aging in Place	ce Bath/Show	er Units and Components				
Also available as an ADA bath/shower unit; see page 41	Factory-insta	lled wood ba	ckerboards for future grab bar installation.				
	71520116	71520126	Complete unit with Aging in Place backerboards, drain at left or right	1,665.25	49.10	176.0	
	71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0	
	7152	4106	Complete wall set with backerboards	997.35	19.00	98.0	
	TRAVERS	E. AFD HIG	H-GLOSS BATH/SHOWER	\$	Series	7152	
	60" x 32" x 79" bath/shower unit with above-floor-drain construction that provides 3" drain to floor clearance. Unit consists of bath with 20" apron height and 2" wainscot/tile ledge and four-piece wall set – two end walls and two-piece back wall. Features convenient full-length shelf on back wall and subway tile pattern. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams . Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
	Bath/Shower	Units and Co	mponents				
	71520112	71520122	Complete AFD unit, drain at left or right	1,474.20	54.60	176.0	
	71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0	
	7152	4100	Complete wall set	767.30	19.00	90.0	
71520112	Aging in Place	ce Bath/Show	er Units and Components				
Also available as an ADA bath/shower unit; see page 41	Factory-insta	lled wood bad	ckerboards for future grab bar installation.				
	71520118	71520128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,704.25	54.60	184.0	
	71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0	
	7152	4106	Complete wall set with backerboards	997.35	19.00	98.0	
COLORS & CODES 0 White Note: Add color code to the end of the	model numbe	er when orderi	ing.				



BATH/SHOWERS - VIKRELL. MATERIAL

	Model I	Number		List Price Per Unit (USD \$)					
Product		Right Drain	Description	White	Cube	Ship Wt. (Lb)			
60" x 32" BATH/SHOWERS (Continued	d)	·						
	TRAVERS	E. ADA HIC	GH-GLOSS BATH/SHOWER	•	Series '	7152			
	piece wall se subway tile p Tongue-and-	t – two end w attern. Includ groove snap	er unit. Unit consists of bath with 18" apron heigh alls and two-piece back wall. Features convenie es seat and stainless steel grab bars for installati together installation. No sealant or caulk red IAPMO Z124 National Consensus Standards.	nt full-length shelf on bac ion on back walls and en	f on back wall and and and and and end walls.				
	Bath/Shower	Units and Co	omponents						
71520115	71520115	71520125	Complete unit, drain at left or right	3,670.15	51.60	196.0			
Also available as: bath/shower unit; see page 41 AFD bath/shower unit; see page 41	71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0			
	7152	4106	Complete wall set with backerboards	997.35	19.00	98.0			
	71577	103-NA	Grab bar kit (field-installed)	1,351.15	1.30	13.0			
	711271	104-NA	Ensemble™ bath seat	653.75	1.20	7.0			
Baths will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 607 Bathtubs, of the Act.			COLORS & CODES 0 White Note: Add color code to the end of the model	number when ordering.					



BATH/SHOWERS - VIKRELL, MATERIAL


	Model I	Number		List Price Per Unit (USD \$)				
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)		
60" x 32" BATH/SHOWERS	(Continue	d)						
	ACCORD.	HIGH-GLC	SS BATH/SHOWER		Series	7115		
	Features rea	listic tile patte	er unit. Unit consists of bath with 18" apron heigen and convenient shelving on back wall. Pivot seams. Conforms to CSA B45.5/IAPMO Z124	snap-together installation	on. No s			
	Bath/Shower	Units and Co	mponents					
	71150110	71150120	Complete unit, drain at left or right	1,512.35	46.90	177.0		
	71151110	71151120	Bath only, drain at left or right*	714.45	27.40	83.0		
	7115	4100	Complete wall set	797.90	19.50	94.0		
	Aging in Place	ce Bath/Show	er Units and Components					
71150110	Factory-insta	lled wood bad	ckerboards for future grab bar and seat installation	on.				
	71150116	71150126	Complete unit with Aging in Place backerboards, drain at left or right	1,748.50	46.90	187.0		
	71151110	71151120	Bath only, drain at left or right*	714.45	27.40	83.0		
	7115	4106	Complete wall set with backerboards	1,034.05	19.50	104.0		
			See page 46 for optional 71157103 grab bar kit	and 1095008 seat kit.				
	*Bath-only in	stallation not	recommended. Install bath with wall set.					
	See page 71	for optional g	rab bars.					
	ACCORD.	ADA HIGH	-GLOSS BATH/SHOWER	!	Series	7115		
	Features co	nvenient she lls. Pivot sna	er unit. Unit consists of bath with 18" apron heig lving on back wall. Includes seat and stainles o-together installation. No sealant or caulk re is to CSA B45.5/IAPMO Z124 National Conse	ss steel grab bars on be equired in the seams	n back wall			
	Bath/Shower	Units and Co	mponents					
	71150115	71150125	Complete unit with seat and grab bars, drain at left or right	4,439.05	50.80	206.0		
	71151114	71151124	Bath and seat only, drain at left or right*	1,554.00	27.40	98.0		
71150125	71154113	71154123	Complete wall set with grab bars, LH or RH	2,885.05	23.40	108.0		
	*Bath-only in	stallation not	recommended. Install bath with wall set.			l		
	See page 71	for optional g	rab bars.					
ADA Baths will comply with the Ar Act when installed per the re ADA Standards for Accessib Bathtubs, of the Act.	quirements of tl	ne 2010	COLORS & CODES 0 White Note: Add color code to the end of the model	number when ordering.				



BATH/SHOWERS - VIKRELL, MATERIAL

	Model I	Number		List Price Per Unit (USD \$)			l
Product	Left Drain	Right Drain	Description	White	Cube	Ship Wt. (Lb)	l

60" x 32" BATH/SHOWERS (Continued)



STORE+, HIGH-GLOSS BATH/SHOWER

Series 7142

60" x 32" x 77-1/4" bath/shower unit. Unit consists of bath with 18" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two caddies. Four-piece modular design with snap-together tongue-and-groove installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Bath/Shower	Bath/Shower Units and Components								
71420110	71420120	Complete unit, drain at left or right	1,483.50	54.30	167.0				
71121110	71121120	Bath only, drain at left or right	700.15	30.10	78.0				
71424100		Complete wall set	815.60	24.20	89.0				
Aging in Place	Aging in Place Bath/Shower Units and Components								

Factory-installed wood backerboards for future grab bar installation.


71420116	71420126	Complete unit with Aging in Place backerboards, drain at left or right	1,679.20	54.30	177.0
71121110	71121120	Bath only, drain at left or right	667.90	30.10	78.0
71424106		Complete wall set with backerboards	1,011.30	24.20	99.0

See page 47 for additional STORE+, accessory kits.



Series 7142

60" x 32" x 79-1/4" bath/shower unit with above-floor-drain construction that provides 3" drain to floor clearance. Unit consists of bath with 20" apron height and 2" wainscot/tile ledge, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two caddies. Four-piece modular design with



71420112

snap-togeth	er tongue-an	d-groove installation. No sealant or caulk re IAPMO Z124 National Consensus Standards	quired in the seams.		
Bath/Shower	Bath/Shower Units and Components				
71420112	71420122	Complete AFD unit, drain at left or right	1,522.50	59.80	175.0

71420112	71420122	Complete AFD unit, drain at left or right	1,522.50	59.80	175.0
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0
71424100		Complete wall set	815.60	24.20	89.0

Aging in Place Bath/Shower Units and Components

Factory-installed wood backerboards for future grab bar installation.

71420118	71420128	Complete AFD unit with Aging in Place backerboards, drain at left or right	1,718.20	59.80	185.0
71121112	71121122	AFD bath only, drain at left or right	706.90	35.60	86.0
7142	4106	Complete wall set with backerboards	1,011.30	24.20	99.0

See page 47 for additional STORE+, accessory kits.

COLORS & CODES

Note: Add color code to the end of the model number when ordering.

Note: All dimensions shown are finished dimensions Apron height is measured from floor to bathtub deck.



BATHS & BATH/SHOWERS

BATH & BATH/SHOWER ACCESSORIES

Product	Model Number	Description	Used With STERLING. Bath/Shower Unit*	List Price (USD \$)	Cube	Ship Wt. (Lb
STRAIGHT GRAB BARS		`				
©	80001012-V	12" straight grab bar in Matte Silver. Narrow bar profile.	N/A	132.30	0.06	1.8
	80001012-N	12" straight grab bar in Nickel. Narrow bar profile.	- N/A	152.05	0.06	1.8
8	80001018-V	18" straight grab bar in Matte Silver. Narrow bar profile.		140.05	0.09	1.9
	80001018-N	18" straight grab bar in Nickel. Narrow bar profile.	- N/A	161.15	0.09	1.9
	80001024-V	24" straight grab bar in Matte Silver. Narrow bar profile.	All Accord, bath/showers	146.50	0.12	2.2
	80001024-N	24" straight grab bar in Nickel. Narrow bar profile.	side walls	168.35	0.12	2.2
	80001036-V	36" straight grab bar in Matte Silver. Narrow bar profile.		164.20	0.17	2.6
	80001036-N 36" straight grab bar in Nickel. Narrow bar profile.	- N/A	188.60	0.17	2.6	
	80011032-V	32" straight grab bar in Matte Silver. Wide bar profile.	Accord _a bath/showers	179.80	0.17	2.7
	80011032-N	32" straight grab bar in Nickel. Wide bar profile.	back wall (Series 7114/7124)	206.70	0.17	2.7
CURVED GRAB BARS		,				
	80012031-V	28" curved grab bar in Matte Silver. Wide bar profile.		211.45	0.31	2.8
©	80012031-N	28" curved grab bar in Nickel. Wide bar profile.	- N/A	243.00	0.31	2.8
6/	80012134-V	34" curved grab bar in Matte Silver. Wide bar profile.	Accord, 60" x 32" bath/showers	212.50	0.31	2.8
	80012134-N	34" curved grab bar in Nickel. Wide bar profile.	back wall (Series 7115)	244.60	0.31	2.8
	80012222-V	22" curved grab bar in Matte Silver. Wide bar profile.		203.85	0.21	2.4
	80012222-N	22" curved grab bar in Nickel. Wide bar profile.	N/A 234.40		0.21	2.4

N Nickel

BATH & BATH/SHOWER ACCESSORIES

Product	Model Number	Description	Used With STERLING, Unit	List Price (USD \$)	Cube	Ship Wt. (Lb)
ACCORD _® GRAB BAR KITS						
ADA CO	71147103-NA	Grab bar kit	Accord, Tile 60" x 30" Aging in Place bath/showers (Series 7114)	1,397.25		
71147103-NA	71247103-NA	Grab bar kit	Accord. Smooth 60" x 30" Aging in Place bath showers (Series 7124)	1,397.25		
71247103-NA	71157103-NA	Grab bar kit	Accord. 60" x 32" Aging in Place bath/showers (Series 7115)	1,625.80		
TRAVERSE, GRAB BAR KIT			'			
71577103-NA For installed image of grab bars, please see pages 35 and 42.	71577103-NA	Grab bar kit	Traverse, 60" x 30" and 60" x 32" Aging in Place bath/showers (Series 7152/7157)	1,351.15	1.30	13.0
ACCORD _® SEATS						
	71147104-NA	30" white plastic seat with stainless steel brackets	Accord. 60" x 30" Aging in Place bath/showers (Series 7114/7124)	525.65		
	1095008	32" white plastic seat	Accord. 60" x 32" Aging in Place bath/showers (Series 7115)	398.50		
ENSEMBLE _{TM} SEATS						
	71177104-NA	30" white plastic seat	Ensemble _™ 60" x 30" baths and bath/ showers (Series 7157)	521.85	1.20	7.0
	71127104-NA	32" white plastic seat	Ensemble _™ 60" x 32" baths and bath/ showers (Series 7152)	653.75	1.20	7.0
		FINISH CO	DES			
NA Stainless Steel						

	Product	Number	Description	Finish	(USD \$)	Cube	Wt. (Lb)		
K	KOHLER, BATH DRAIN								
		K-7213	Clearflo 1-1/2" cable bath drain with PVC tee and pipe 27" cable. For above- or through-the-floor installation.	СР	207.40				
			For use with K-95337 and K-95338 Spectacle, baths.	BL, BN, SN 280.00					
				AF, BV, PB, 2BZ, 2MB	300.75	0.52	5.5		
				RGD, TT	331.85				
			FINISH CODES						
E	CP Polished Chrome BL Matte Black BN Vibrant, Brushed Nic BN Vibrant, Polished Nic			B Vibrant, Brusl D Vibrant, Rose Vibrant, Titan	Gold	Brass			



Note: Add appropriate finish code to the end of the model number when ordering.

BATH & BATH/SHOWER ACCESSORIES

	Model		List Price Per Unit (USD \$)		Ship
Product	Number	Description	White	Cube	Wt. (Lb)
STORE+, ACCESSORY K	KITS				
Dishwasher-safe shelves	and bins snap	into place; no tools required. For use with all STORE+ $_{\circ}$ bath/showe	rs.		
	88028100	STORE+. 10-Piece Accessory Kit Includes four rimmed shelves, two caddies, two soap dishes with towel bar, and two hooks. Included with STORE+. bath/showers.	166.20		
	88038100	STORE+, 12-Piece Accessory Kit Includes two rimmed shelves, two baskets, two caddies, two organizers, two soap dishes with towel bar, and two hooks.	250.10		

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

Model	Number			List Price
Left Drain	Right Drain	Description	Minimum Order Qty.	Each (USD \$)
BATH LINERS	3		·	
Additional bath	liners for high-	gloss products protects bath finish during construction.		
71149210-NA	71149220-NA	Accord, 60" x 30" bath/AFD bath liner (Series 7114/7124)	25 units	27.80
71159210-NA	71159220-NA	Accord, 60" x 32" bath liner (Series 7115)	25 units	27.80
71129210-NA	71129220-NA	Ensemble _™ 60" x 32" bath/AFD bath liner (Series 7112/22/32)	25 units	26.90
71109210-NA	71109220-NA	Ensemble _™ 60" x 36" bath/AFD bath liner (Series 7110)	25 units	26.90
71119210-NA	71119220-NA	Ensemble _™ 60" x 42" bath/AFD bath liner (Series 7111)	25 units	26.90
71269	200-NA	Lawson ₈ 60" x 32" bath liner (Series 7126)	25 units	26.90
71279	200-NA	Lawson ₈ 60" x 36" bath liner (Series 7127)	25 units	26.90
71289	200-NA	Lawson ₈ 60" x 42" bath liner (Series 7128)	25 units	26.90
71309200-NA		Lawson ₈ 72" x 36" bath liner (Series 7130)	25 units	26.90
71319200-NA		Lawson ₈ 72" x 42" bath liner (Series 7131)	25 units	26.90
71049210-NA 71049220-NA		Performa _™ 2 bath/AFD bath liner (Series 7104)	25 units	27.40

BATH & BATH/SHOWER ACCESSORIES

Number Description White Cube Wt. REPLACEMENT WHIRLPOOL ACCESS PANELS			List Price Per Unit (USD \$)						
		Description	White	Cube	Ship Wt. (Lb)				
1042706 Ensemble _™ 60" x 36" and 60" x 42" access panel (Series 7610 & 7611) 113.00 2.00 1	REPLACEMEN	REPLACEMENT WHIRLPOOL ACCESS PANELS							
	1042706	Ensemble _w 60" x 36" and 60" x 42" access panel (Series 7610 & 7611)	113.00	2.00	10.0				
1086529 Lawson, 60" x 32", 60" x 36", 60" x 42" access panel (Series 7626, 7627 & 7628) 55.70 2.00 1	1086529	Lawson. 60" x 32", 60" x 36", 60" x 42" access panel (Series 7626, 7627 & 7628)	55.70	2.00	10.0				

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

Model Number	Description	Units Per Package	List Price (USD \$)
MISCELLANE	OUS ACCESSORIES	· · · · · · · · · · · · · · · · · · ·	
Optional flan	p-In Flange Kits ge kit available for easier conversion to alcove installation. continuous rim support and added water containment benefits compared to non-flanged alcov	e installation.	
71287100-NA	Tile-in flange kit for Lawson. 60" bath models	NA	77.30
71317100-NA	Tile-in flange kit for Lawson₀ 72" x 42" bath	NA	86.90
Clips		,	,
1180726	Metal support clips	4 units	2.70
1048182	Accord, wall retaining clips	2 units	3.00
1122734	Plastic attachment clips	6 units	2.40
Felt Pad		'	
40B2102	24" x 43" felt pad; for use with all baths	1 unit	4.10
Window Trir Optional wind For use with	n Kit dow trim kit for watertight, professional-looking installation in stud pockets with a window. Series 6104, 7104 and 7114.		
VA-80172	Window trim kit in White	1 unit	288.85
Vikrell. Repa	ir Kits	,	,
94555-0	High-gloss repair kit	NA	332.70
1008066-0	Swirl-gloss repair kit	NA	352.30
Dry-Block™	Seal	,	,
1554146	For use with the 7122, 7132, 7134, 7137, 7142, 7147, 7152, and 7157 series bath/showers.	NA	1.80



SHOWER BASES & STALLS

				Mode	els* (Found on Page)			
			Dimensions (III)		Shower St]	
	Series	Finish	Dimensions (In.) L (Side to Side) x W (Front to Back) x H (Height)	Shower Base Only	Smooth Wall Surround Design	Tile Wall Surround Design	Multi- Pack (Qty.)	ADA
36" ALCOVE								
ENSEMBLE₁₀ BASE	7210	High-Gloss	36 x 34	55				
ENSEMBLE. CURVE SHOWER	7220	High-Gloss	36 x 34 x 75-3/4	· 	59			
ENSEMBLE MEDLEY, SHOWER	7240	High-Gloss	36 x 34 x 74-1/4		60 b			
GUARD+, BASE	7230	High-Gloss	36 x 34	55				
STORE+, SHOWER	7230	High-Gloss	36 x 34 x 75-3/4		59 ^b			
TRAVERSE, SHOWER	7250	High-Gloss	36 x 34 x 75			60 ^b		
ENSEMBLE::: BASE	7216	High-Gloss	36 x 36	55			8	
ACCORD, SHOWER	7224	High-Gloss	36 x 36 x 75-3/4			61 ^{b, c}		
38" ALCOVE								
GUARD+, ACRYLIC BASE	95077	High-Gloss	38 x 38	58				
39-3/8" ALCOVE								
OC-SS-39 BASE	6205	Swirl-Gloss	39-3/8 x 39-3/8	55				
OC-SS-39 SHOWER	6205	Swirl-Gloss	39-3/8 x 39-3/8 x 72	· 	62 ^{a, b}			
42" ALCOVE								
ENSEMBLE BASE	7211	High-Gloss	42 x 34	55				
ENSEMBLE BASE	7215	High-Gloss	42 x 42	55			8	
ENSEMBLE CURVE SHOWER	7221	High-Gloss	42 x 34 x 75-3/4		63 ^b			
ACCORD, SHOWER	7225	High-Gloss	42 x 36 x 75-3/4			63 ^{b, c}		
48" ALCOVE								
ENSEMBLE BASE	7212	High-Gloss	48 x 34	56 ^d				
ENSEMBLE CURVE SHOWER	7222	High-Gloss	48 x 34 x 75-3/4		64 ^{b, d}			
ENSEMBLE TO MEDLEY, SHOWER	7241	High-Gloss	48 x 34 x 74-1/4		66 ^{b, d}			
GUARD+, BASE	7232	High-Gloss	48 x 34	56 ^d				
STORE+, SHOWER	7232	High-Gloss	48 x 34 x 75-3/4		65 ^{b, d}			
TRAVERSE, SHOWER	7252	High-Gloss	48 x 34 x 75			66 ^b		
ACCORD, SHOWER	7226	High-Gloss	48 x 36 x 75-3/4			67 ^{b, c}		
ACCORD, SEATED SHOWER	7228	High-Gloss	48 x 36 x 74-1/2			67 ^{b, c}		
50" ALCOVE								
GUARD+, ACRYLIC BASE	95078	High-Gloss	50 x 38	60				

 $^{^{\}star}\,$ See product page for model numbers, wall sets, and components.

ADA

Shower stalls will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 608 Shower Compartments, of the Act.

Continued on next page.



^a End wall with grab bar at left or right; seat at opposite end wall.

 $^{^{\}rm b}$ Available with Aging in Place backerboards; see product pages for more information.

^c Tile design on back wall only

^d Optional freestanding seat available.

SHOWER BASES & STALLS

				Mode	els* (Found on Page)			
			Dimensions (In)		Shower S	tall Unit		
	Series	Finish	Dimensions (In.) L (Side to Side) x W (Front to Back) x H (Height)	Shower Base Only	Smooth Wall Surround Design	Tile Wall Surround Design	Multi- Pack Avail.	ADA
60" ALCOVE								
ENSEMBLE _™ BASE	7217	High-Gloss	60 x 30	56 ^d			6	
ENSEMBLE CURVE SHOWER	7217	High-Gloss	60 x 30 x 75-1/4		68 ^{b, d}			
MEDLEY, SHOWER	7244	High-Gloss	60 x 30 x 75-1/2		69 ^{b, d}			
TRAVERSE, SHOWER	7257	High-Gloss	60 x 30 x 76-1/4			69 ^b		
STORE+, SHOWER	7247	High-Gloss	60 x 30 x 77		68 ^{b, d}			
ENSEMBLE BASE	7218	High-Gloss	60 x 32	56 ^d				
ENSEMBLE CURVE SHOWER	7218	High-Gloss	60 x 32 x 74-3/4		70 ^{b, d}			
STORE+, SHOWER	7242	High-Gloss	60 x 32 x 76-1/2		70 ^{b, d}			
ENSEMBLE BASE	7213	High-Gloss	60 x 34	57 ^d				
ENSEMBLE™ CURVE SHOWER	7223	High-Gloss	60 x 34 x 75-3/4		71 ^{b, d}			
MEDLEY, SHOWER	7243	High-Gloss	60 x 34 x 74-1/4		73 ^{b, d}			
TRAVERSE, SHOWER	7253	High-Gloss	60 x 34 x 75			73 ^b		
GUARD+, BASE	7233	High-Gloss	60 x 34	57 ^d				
STORE+, SHOWER	7233	High-Gloss	60 x 34 x 75-3/4		72 ^{b, d}			
GUARD+, ACRYLIC BASE	95080	High-Gloss	60 x 36	58				
ACCORD, SHOWER	7227	High-Gloss	60 x 36 x 75-3/4			74 ^{b, c}		
ACCORD, SEATED SHOWER	7229	High-Gloss	60 x 36 x 74-1/2			74 ^{b, c}		
GUARD+, ACRYLIC BASE	95079	High-Gloss	60 x 38	58				
GUARD+, ACRYLIC BASE	95081	High-Gloss	60 x 42	58				
63-1/4" ALCOVE								
OC-S-63 ADA BASE	6206	Swirl-Gloss	63-1/4 x 39-3/8	57				Х
OC-S-63 SHOWER	6206	Swirl-Gloss	63-1/4 x 39-3/8 x 72		75 ^b			х
ADA SHOWER WITH SEAT	6207	Swirl-Gloss	63-1/4 x 39-3/8 x 72		76 ^{a, b}			Х
39" x 39" CORNER								
INTRIGUE _™ NEO-ANGLE BASE	7204♦	High-Gloss	39 x 39	57				

- $^{\star}\,$ See product page for model numbers, wall sets, and components.
- ^a End wall with grab bar at left or right; seat at opposite end wall.
- ^b Available with Aging in Place backerboards; see product pages for more information.
- ^c Tile design on back wall only
- ^d Optional freestanding seat available.
- ♦ For products displaying this symbol, check with customer service for availability.



Shower stalls will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 608 Shower Compartments, of the Act.



SHOWER BASES - VIKRELL. MATERIAL

Product	Model Number	Description	List Price Per Unit (USD \$) White	Cube	Ship Wt. (Lb)			
Tile-down bases are easy to in		·	wille	Cube	Wt. (LD)			
36" ALCOVE SHOWER BAS								
	ENSEMBLE™ HIGH-G	GLOSS SHOWER BASE		Series	7210			
	36" x 34" alcove shower IAPMO Z124 National Co	5/						
72101100	72101100 Shower base		356.40	5.60	30.0			
	ENSEMBLE _{TM} HIGH-G	SLOSS SHOWER BASE		Series	7216			
	36" x 36" square alcove IAPMO Z124 National Co	shower base. Suitable for tile-down applic onsensus Standards.	ation. Conforms to CS	A B45.5	/			
72161100	72161100	Shower base	392.00	7.80	33.0			
72101100	72161600	Shower base – 8-pack	352.60	62.90	327.0			
<u></u>	GUARD+ ₈ HIGH-GLO	SS SHOWER BASE	<u> </u>	Series	7230			
	36" x 34" alcove shower IAPMO Z124 National Co	base. Suitable for tile-down application. Consensus Standards.	Conforms to CSA B45.5	5/				
72301100	72301100	Shower base	371.05	4.70	30.0			
39-3/8" ALCOVE SHOWER E	BASE							
	OC-SS-39 SWIRL-GLOSS SHOWER BASE Series 6205							
	39-3/8" x 39-3/8" transfe ADA-compliant. Conform	r shower base with low profile threshold. Sui as to CSA B45.5/IAPMO Z124 National Cons	table for tile-down ap ensus Standards.	plicatio	n.			
62051100 ADA	62051100	Shower base	999.35	8.70	50.0			
42" ALCOVE SHOWER BAS	Ē							
	ENSEMBLE _{TM} HIGH-G	BLOSS SHOWER BASE		Series	7211			
	42" x 34" alcove shower IAPMO Z124 National Co	base. Suitable for tile-down application. Consensus Standards.	Conforms to CSA B45.5	5/				
72111100	72111100	Shower base	417.40	6.40	33.0			
<u></u>	ENSEMBLE™ HIGH-GLOSS SHOWER BASE Series 7215							
	42" x 42" square alcove IAPMO Z124 National Co	shower base. Suitable for tile-down applic onsensus Standards.	ation. Conforms to CS	A B45.5	/			
72151100	72151100	Shower base	467.85	5.90	44.0			
Shower base is ADA-adaptable Americans with Disabilities Act requirements of the 2010 ADA Design, Section 608 Shower C	when installed per the Standards for Accessible	COLORS & CODES 0 White Note: Add color code to the end of the mode	I number when ordering	-				

Note: All dimensions shown are finished dimensions.



SHOWER BASES - VIKRELL, MATERIAL

	Model N	Number		List Price Per Unit (USD \$)		Ship		
Product	Left Drain	Right Drain	Description	White	Cube			
Tile-down bases are easy to in	stall, savin	g time and	money over a tile base.					
48" ALCOVE SHOWER BAS	ES							
	ENSEMBL	.E™ HIGH-G	GLOSS SHOWER BASE		Series	7212		
	48" x 34" ald IAPMO Z12	cove shower 4 National Co	base. Suitable for tile-down application. onsensus Standards.	Conforms to CSA B45.5	5/			
72121100	7212	1100	Shower base	417.40	7.30	38.0		
	See page 71	for 72186104	optional Freestanding Seat.					
	GUARD+。	HIGH-GLO	SS SHOWER BASE		Series	7232		
	48" x 34" ald IAPMO Z12	cove shower 4 National C	base. Suitable for tile-down application. onsensus Standards.	Conforms to CSA B45.5	5/			
72321100	72321100		Shower base 429.		7.50	35.0		
	See nage 71	for 7218610/	optional freestanding seat.					
60" ALCOVE SHOWER BAS		101 72100104	optional freestanding seat.					
TOU ALCOVE SHOWER BAS		E HIGH-G	GLOSS SHOWER BASE		Series	7217		
	60" x 30" alcove shower base. Retrofit an existing bath to increase showering area within the same footprint. Suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.							
	72171110	72171120	Shower base, drain at left or right	571.50	10.20	44.0		
72171110	72171610	72171620	Shower base, drain at left or right – 6 pack	519.35	61.10	287.0		
	See page 71	for 72186104	optional freestanding seat.					
	ENSEMBLE _{TM} HIGH-GLOSS SHOWER BASE 60" x 32" alcove shower base. Retrofit an existing bath to increase showering area within the same footprint. Suitable for tile-down application. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.							
72181110	72181110	72181120	Shower base, drain at left or right	579.10	10.80	42.0		
	See page 71 for 72186104 optional freestanding seat.							
	1							
COLORS & CODES 0 White Note: Add color code to the end of the	model numbe	er when order	ing.					

Note: All dimensions shown are finished dimensions.



SHOWER BASES - VIKRELL. MATERIAL

			List Price Per Unit (USD \$)		Ship			
Product	Model Number	Description	White	Cube	Wt. (Lb)			
Tile-down bases are easy to in	stall, saving time and	money over a tile base.		_				
60" ALCOVE SHOWER BAS	ES (Continued)							
	ENSEMBLE™ HIGH-G	GLOSS SHOWER BASE		Series	7213			
	60" x 34" alcove shower IAPMO Z124 National Co	base. Suitable for tile-down application. Consensus Standards.	Conforms to CSA B45.5	5/	I			
72131100	72131100	Shower base	531.55	11.80	49.0			
	See page 71 for 72186104	see page 71 for 72186104 optional freestanding seat.						
	GUARD+, HIGH-GLO	SS SHOWER BASE		Series	7233			
	60" x 34" alcove shower IAPMO Z124 National Co	base. Suitable for tile-down application. (onsensus Standards.	Conforms to CSA B45.5	5/				
72331100	72331100	Shower base	544.60	9.20	43.0			
		optional freestanding seat.						
63-1/4" ALCOVE SHOWER E	BASE							
	OC-S-63 ADA SWIRL	-GLOSS SHOWER BASE		Series	6206			
		hower base with low-profile threshold. Suita is to CSA B45.5/IAPMO Z124 National Cons		ication				
62061100 ADA	62061100	Shower base	1,096.20	14.10	70.0			
39" x 39" CORNER SHOWER	R BASE							
		GLE CORNER HIGH-GLOSS SHOWE	R BASE	Series	7204			
	39" x 39" neo-angle corn	er shower base. Suitable for tile-down app National Consensus Standards.						
72041100	72041100♦	Shower base	437.80	8.00	43.0			
	· 							
ADA Shower base is ADA-adaptable Americans with Disabilities Act requirements of the 2010 ADA Design, Section 608 Shower C	when installed per the Standards for Accessible	COLORS & CODES 0 White Note: Add color code to the end of the mode.	l number when ordering.					

Note: All dimensions shown are finished dimensions.

♦ For products displaying this symbol, check with customer service for availability.



SHOWER BASES—ACRYLIC

95080 RD+• SHOWER I	shower base. Suitable for tile-down application is Standards. Shower base BASE shower base. Suitable for tile-down application is standards.	924.00	12.90 eries 9 345.5/IA	95080 PMO 52.0		
6" acrylic alcove s lational Consensu 95080 BD+. SHOWER I 2" acrylic alcove s lational Consensu 95081	shower base. Suitable for tile-down applications Standards. Shower base BASE shower base. Suitable for tile-down applications Standards.	924.00 Son. Conforms to CSA E	12.90 eries 9	52.0 55081		
6" acrylic alcove s lational Consensu 95080 BD+. SHOWER I 2" acrylic alcove s lational Consensu 95081	shower base. Suitable for tile-down applications Standards. Shower base BASE shower base. Suitable for tile-down applications Standards.	924.00 Son. Conforms to CSA E	12.90 eries 9	52.0 5508		
95080 RD+, SHOWER I 2" acrylic alcove s lational Consensu 95081	Shower base BASE shower base. Suitable for tile-down applications Standards.	924.00 Son. Conforms to CSA E	12.90 eries 9 345.5/IA	52.0)508		
RD+. SHOWER I 2" acrylic alcove s lational Consensu 95081	BASE shower base. Suitable for tile-down application is Standards.	Son. Conforms to CSA E	eries 9 845.5/IA	508		
2" acrylic alcove s lational Consensu 95081	shower base. Suitable for tile-down applicati as Standards.	on. Conforms to CSA E	345.5/IA			
lationál Consensu 95081	s Standards.			PMC		
	Shower base	945.00				
D+。FHA SHOV	<u>'</u>		14.80	59.0		
D+. FHA SHOV						
	VER BASE	S	eries 9	507		
38" x 38" acrylic alcove shower base. Suitable for tile-down application. FHA-compliant. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
95077	Shower base	787.50	9.10	38.0		
GUARD+, FHA SHOWER BASE Series 95078						
50" x 38" acrylic alcove shower base. Suitable for tile-down application. FHA-compliant. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
95078	Shower base	887.25	11.50	47.0		
GUARD+, FHA SHOWER BASE Series 95079						
60" x 38" acrylic alcove shower base. Suitable for tile-down application. FHA-compliant. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
95079	Shower base	1,029.00	11.50	54.0		
	<u></u>					
	95078 **ID+** FHA SHOV 8" acrylic alcove s 45.5/IAPMO Z124	95078 Shower base #D+* FHA SHOWER BASE 8" acrylic alcove shower base. Suitable for tile-down application of the standards. 95079 Shower base	45.5/IAPMO Z124 National Consensus Standards. 95078 Shower base 887.25 AD+ _a FHA SHOWER BASE S 8" acrylic alcove shower base. Suitable for tile-down application. FHA-compliant. Co 45.5/IAPMO Z124 National Consensus Standards.	95078 Shower base 887.25 11.50 PD+• FHA SHOWER BASE Series 9 8" acrylic alcove shower base. Suitable for tile-down application. FHA-compliant. Conforms 145.5/IAPMO Z124 National Consensus Standards. 95079 Shower base 1,029.00 11.50		



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)
36" x 34" ALCOVE SHOWE	R STALLS				

72340100

ENSEMBLE™ CURVE HIGH-GLOSS SHOWER STALL

Series 7220


36" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/ IAPMO Z124 National Consensus Standards.

72340100	Complete unit	1,184.50	30.60	115.0
72301100	Shower base only	371.05	5.60	30.0
72342100	Back wall	301.25	15.40	39.0
72345100	End wall set	526.85	9.60	46.0

STORE+, HIGH-GLOSS SHOWER STALL

Series 7230

36" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base with low, 3" threshold, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click and built-in shaving ledges. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two large bins. Four-piece modular design with snap-together tongue-and-groove installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



lso available as a shower ba	se only:
ee page 51	•

Shower Stall Unit and Components							
72300100	Complete unit	1,248.50	31.20	121.0			
72301100	Shower base only	371.05	4.70	30.0			
72302100	Back wall	378.00	17.50	45.0			
72305100	End wall set	499.45	9.00	46.0			
Aging in Place Shower St	Aging in Place Shower Stall Unit and Components						
Factory-installed wood ba	ckerboards for future grab bar installation.						
72300106	Complete unit with Aging in Place backerboards	1,450.10	31.20	126.0			
				120.0			
72301100	Shower base only	371.05	4.70	30.0			
72301100 72302106	Shower base only Back wall with backerboards	371.05 478.70	4.70 17.50				

See page 71 for additional STORE+ accessory kits. See page 71 for optional grab bars.

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.




			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)
26" × 24" AL COVE CHOWE	D CTALLC (Continue	ما			

36" x 34" ALCOVE SHOWER STALLS (Continued)

MEDLEY, HIGH-GLOSS SHOWER STALL

Series 7240

36" x 34" x 74-1/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



see page 51

Also available as a shower base only;


Shower Stall Unit and Components						
72400100	Complete unit	1,266.20	35.30	125.0		
72301100	Shower base only	371.05	4.70	30.0		
72402100	Back wall	310.35	19.80	48.0		
72405100	End wall set	584.80	10.80	47.0		
Aging in Place Shower Stall Unit and Components						
Factory installed wood backerhoards for future grab har installation						


 $\label{lem:condition} \textbf{Factory-installed wood backerboards for future grab bar installation}.$

72400106	Complete unit with Aging in Place backerboards	1,373.60	35.30	130.0
72301100	Shower base only	371.05	4.70	30.0
72402100	Back wall	310.35	19.80	48.0
72405106	End wall set with backerboards	692.20	10.80	52.0

TRAVERSE, HIGH-GLOSS SHOWER STALL

Series 7250





Shower Stall Unit and Components						
72500100	Complete unit	1,288.70	26.10	116.0		
72301100	Shower base only	401.25	4.70	30.0		
72502100	Back wall set	318.15	10.20	37.0		
72505100	End wall set	599.50	11.20	49.0		
Aging in Place Shower S	all Unit and Components					
Factory-installed wood b	ackerboards for future grab bar installation					
72500106	Complete unit with Aging in Place backerboards	1,381.65	26.10	119.0		
72301100	Shower base only	401.25	4.70	30.0		
72502100	Back wall set	318.15	10.20	37.0		
72505106	End wall set with backerboards	692.45	11.20	52.0		

COLORS & CODES


0 White

Note: Add color code to the end of the model number when ordering.



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)

36" x 36" ALCOVE SHOWER STALLS



ACCORD, HIGH-GLOSS SHOWER STALL

Series 7224

36" x 36" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space, and a chic lattice pattern on the back wall. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Con	nponents					
72240100	Complete unit	1,297.50	27.40	158.0		
72241100	Shower base only*	307.25	7.60	37.0		
72242100	Back wall	500.65	12.50	56.0		
72245100	End wall set	489.60	7.30	65.0		
Aging in Place Shower Sta	III Unit and Components					
Factory-installed wood bad	ckerboards for future grab bar installation.					
72240106	Complete unit with Aging in Place backerboards	1,410.45	27.40	166.0		
72241100	Shower base only*	307.25	7.60	37.0		
72242100	Back wall	500.65	12.50	56.0		
72245106	End wall set with backerboards	602.55	7.30	73.0		
*Base-only installation not recommended. Install base with wall set.						
See page 71 for optional g	See page 71 for optional grab bars.					

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.




				Liet Dries Dev Heit (HCD &)				
Product	Model N	lumber	Description	List Price Per Unit (USD \$) White	Cube	Ship Wt. (Lb)		
39-3/8" x 39-3/8" ALCOVE S								
	OC-SS-39	SWIRL-GL	OSS SHOWER STALL	S	Series 6	205		
	walls, and ba stainless stee sealant is re	39-3/8" x 39-3/8" x 72" transfer shower stall. Unit consists of low profile threshold shower base, two end walls, and back wall. Includes folding transfer seat with stainless steel support and factory-installed stainless steel grab bars. Tongue-and-groove snap-together installation. Some 100% silicone sealant is required in seams to finish installation. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.						
	Shower Stall I	Units						
	62050115	62050125	Complete unit with seat on right (grab bars on left) or seat on left (grab bars on right)	5,174.10	47.70	175.0		
Also available as a shower base only; see page 51	6205	1100	Shower base only	999.35	8.70	50.0		
	62052113	62052123	Back wall with grab bar at left or right	1,387.80	23.30	45.0		
	62055115	62055125	End wall set with seat on right (grab bar at left) or seat on left (grab bar at right)	2,786.95	15.70	80.0		
	Aging in Place	e Shower Stal	I Unit and Components					
	Factory-installed wood backerboards for future grab bar and seat installation.							
	62050	0106	Complete unit with Aging in Place backerboards	3,314.60	47.70	160.0		
	6205	1100	Shower base only	999.35	8.70	50.0		
	62052	2106	Back wall with backerboards	1,328.15	23.30	40.0		
	6205	5106	End wall set with backerboards	987.10	15.70	70.0		
Shower will comply with I Standards section 1004.1 Housing Act Accessibility Requirement 6 (Reinforce Accessibility Guidelines. A and B multifamily dwell	I1.3.1.3.3 and the Guidelines when ed walls for grab This applies to ty	e Fair n installed per bars)of the	COLORS & CODES 0 White Note: Add color code to the end of the model in	umber when ordering.				



			List Price Per Unit (USD \$)	Ship
Product	Model Number	Description	White	Cube Wt. (Lb)

42" x 34" ALCOVE SHOWER STALLS



Also available as a shower base only; see page 51

ENSEMBLE™ CURVE HIGH-GLOSS SHOWER STALL

Series 7221


42" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. **Some 100% silicone sealant is required in seams to finish installation**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Components					
72210100	Complete unit	1,294.65	33.60	116.0	
72111100	Shower base only	417.40	6.40	33.0	
72212100	Back wall	350.40	17.60	37.0	
72205100	End wall set	526.85	9.60	46.0	
Aging in Place Shower S	Stall Unit and Components				
Factory-installed wood b	packerboards for future grab bar installation.				
72210106	Complete unit with Aging in Place backerboards	1,510.75	33.60	126.0	
72111100	Shower base only	417.40	6.40	33.0	
72212106	Back wall with backerboards	458.40	17.60	42.0	
72205106	End wall set with backerboards	634.95	9.60	51.0	

42" x 36" ALCOVE SHOWER STALLS

ACCORD. HIGH-GLOSS SHOWER STALL

Series 7225



72250100

42" x 36" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space, and a chic lattice pattern on the back wall. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Components							
72250100	Complete unit	1,398.70	30.30	171.0			
72251100	Shower base only*	349.90	8.80	42.0			
72252100	Back wall	559.20	14.20	64.0			
72245100	End wall set	489.62	7.30	65.0			
Aging in Place Shower Stal	I Unit and Components						
Factory-installed wood bac	kerboards for future grab bar installation.						
72250106	Complete unit with Aging in Place backerboards	1,511.65	30.30	179.0			
72251100	Shower base only*	349.90	8.80	42.0			
72252100	Back wall	559.20	14.20	64.0			
72245106	End wall set with backerboards	602.55	7.30	73.0			
*Base-only installation not recommended. Install base with wall set.							
See page 71 for optional grab bars.							

COLORS & CODES


0 White

Note: Add color code to the end of the model number when ordering.



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)

48" x 34" ALCOVE SHOWER STALLS



Also available as a shower base only; see page 52

ENSEMBLE™ CURVE HIGH-GLOSS SHOWER STALL

Series 7222

48" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.


Shower Stall Unit and Com	ponents			
72360100	Complete unit	1,306.90	36.90	134.0
72321100	Shower base only	429.65	7.30	38.0
72362100	Back wall	350.40	20.00	50.0
72345100	End wall set	526.85	9.60	46.0
Aging in Place Shower Sta	II Unit and Components			
Factory-installed wood bac	kerboards for future grab bar installation.			
72360106	Complete unit with Aging in Place backerboards	1,523.00	36.90	144.0
72321100	Shower base only	429.65	7.30	38.0
72362106	Back wall with backerboards	458.40	20.00	55.0
72345106	End wall set with backerboards	634.95	9.60	51.0
Optional Freestanding Sea	t			
72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0

STORE+, HIGH-GLOSS SHOWER STALL

Shower Stall Unit and Components

Series 7232

48" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base with low, 3" threshold, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click and built-in shaving ledges. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two large bins. Four-piece modular design with snap-together tongue-and-groove installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



Also available as a shower base only; see page 52

72320100	Complete unit	1,352.80	39.40	145.0		
72321100	Shower base only	429.65	7.50	35.0		
72322100	Back wall	423.70	22.90	64.0		
72305100	End wall set	499.45	9.00	46.0		

Aging in Place Shower Stall Unit and Components Factory-installed wood backerboards for future grab bar installation.

72320106	Complete unit with Aging in Place backerboards	1,554.50	39.40	150.0		
72321100	Shower base only	429.65	7.50	35.0		
72322106	Back wall with backerboards	524.50	22.90	65.0		
72305106	End wall set with backerboards	600.35	9.00	50.0		
Optional Freestanding Seat						
72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0		





COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.




			List Price Per Unit (USD \$)		Ship	
Product	Model Number	Description	White	Cube	Wt. (Lb)	
48" x 34" ALCOVE SHOWE	R STALLS (Continue	ed)				
	MEDLEY, HIGH-GLOS	SS SHOWER STALL	S	eries 7	241	
	Features convenient shell	shower stall. Unit consists of shower base, tw ving on back wall. Tongue-and-groove snap-to seams. Conforms to CSA B45.5/IAPMO Z124	gether installation. No	sealant		
	Shower Stall Unit and Com	ponents				
	72410100	Complete unit	1,375.40	43.90	142.0	
	72321100	Shower base only	429.65	7.50	35.0	
	72412100	Back wall	360.95	25.60	60.0	
	72405100	End wall set	584.80	10.80	47.0	
	Aging in Place Shower Stal	I Unit and Components				
72410100	Factory-installed wood back	kerboards for future grab bar installation.				
Also available as a shower base only;	72410106	Complete unit with Aging in Place backerboards	1,616.95	43.90	149.0	
see page 52	72321100	Shower base only	429.65	7.50	35.0	
	72412106	Back wall with backerboards	495.10	25.60	62.0	
	72405106	End wall set with backerboards	692.20	10.80	52.0	
	Optional Freestanding Seat					
	72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0	
	TRAVERSE, HIGH-GLOSS SHOWER STALL Series 7252					
	48" x 34" x 75" alcove shower stall. Unit consists of shower base and four-piece wall set – two end walls and a two-piece back wall for easy handling. Features convenient full-length shelf on back wall and subway tile pattern. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.					
	Shower Stall Unit and Com	ponents	T		1	
	72520100	Complete unit	1,399.20	32.60	136.0	
	72321100	Shower base only	429.65	7.50	35.0	
72520100	72522100	Back wall set	370.05	13.90	52.0	
Also available as a shower base	72505100	End wall set	599.50	11.20	49.0	
only; see page 52	Aging in Place Shower Stal	I Unit and Components				
	Factory-installed wood back	kerboards for future grab bar installation	I			
	72520106	Complete unit with Aging in Place backerboards	1,492.15	32.60	139.0	
	72321100	Shower base only	429.65	7.50	35.0	
	72522100	Back wall set	370.05	13.90	52.0	
	72505106	End wall set with backerboards	692.45	11.20	52.0	
	Optional Freestanding Seat		I			
	72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0	
COLORS & CODES 0 White						
Note: Add color code to the end of the	ne model number when order	ring.				



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)

48" x 36" ALCOVE SHOWER STALLS



ACCORD. HIGH-GLOSS SHOWER STALL

Series 7226

48" x 36" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space, and a chic lattice pattern on the back wall. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Components						
72260100	Complete unit	1,398.70	33.60	184.0		
72261100	Shower base only*	349.90	9.90	47.0		
72262100	Back wall	559.20	16.40	72.0		
72245100	End wall set	489.60	7.30	65.0		
Aging in Place Shower Stall Unit and Components						

Aging in Place Shower Stall Unit and Components

Factory-installed wood backerboards for future grab bar installation.

72260106	Complete unit with Aging in Place backerboards	1,624.55	33.60	200.0
72261100	Shower base only*	349.90	9.90	47.0
72262106	Back wall with backerboards	672.10	16.40	80.0
72245106	End wall set with backerboards	602.55	7.30	73.0


*Base-only installation not recommended. Install base with wall set.

See page 71 for optional grab bars.

ACCORD, SEATED HIGH-GLOSS SHOWER STALL

Series 7228

48" x 36" x 74-1/2" seated alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space and a chic lattice pattern on the back wall. Includes removable seat that can be positioned on either the right side or left side of shower. Pivot snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



Shower Stall Unit and Components										
72280100	Complete unit	1,482.20	44.90	159.0						
72281100	Shower base with removable seat only*	737.05	28.50	67.0						
72284100	Complete wall set	745.15	16.40	92.0						
72286104	Additional removable seat	189.55	3.80	9.0						

Aging in Place Shower Stall Unit and Components

Factory-installed wood backerboards for future grab bar installation.

72280106	Complete unit with Aging in Place backerboards	1,708.05	44.90	161.0
72281100	Shower base with removable seat only*	737.05	28.50	67.0
72284106	Complete wall set with backerboards	971.00	16.40	94.0

*Base-only installation not recommended. Install base with wall set.

See page 71 for optional grab bars.

COLORS & CODES


0 White

Note: Add color code to the end of the model number when ordering.



	Model N	Number		List Price Per Unit (USD \$)		Ship
Product	Left Drain	Right Drain	Description	White	Cube	

60" x 30" ALCOVE SHOWER STALLS



72170110

Also available as a shower base only; see page 52



ENSEMBLE™ CURVE HIGH-GLOSS SHOWER STALL

Series 7217

60" x 30" x 75-1/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tonque-and-groove snap-together installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/ IAPMO Z124 National Consensus Standards

Shower Stall	Unit and Com	ponents			
72170110	72170120	Complete unit, drain at left or right	1,506.35	43.80	148.0
72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0
7223	2100	Back wall	435.60	24.80	60.0
7217	5100	End wall set	499.25	8.80	44.0
Aging in Place	e Shower Sta	II Units and Components			
Factory-instal	led wood bac	kerboards for future grab bar installation.			
72170116	72170126	Complete unit with Aging in Place backerboards, drain at left or right	1,722.35	43.80	153.0
72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0
7223	2106	Back wall with backerboards	543.55	24.80	65.0
7217	5106	End wall set with backerboards	607.30	8.80	44.0
Optional Free	standing Sea	t .			
72186104		Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0


STORE+, HIGH-GLOSS SHOWER STALL

Series 7247

3.40

15.0

60" x 30" x 77" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click and built-in shaving ledges. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two large bins. Four-piece modular design with snap-together tongue-and-groove installation. No sealant or caulk required in the seams. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



72470110

Also available as a shower base only; see page 52



72470110	72470120	Complete unit, drain at left or right	1,555.75	47.80	160.0
72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0
72332	2100	Back wall	503.20	29.60	75.0
72475100		End wall set	481.05	8.00	41.0

Aging in Place Shower Stall Unit and Components

Shower Stall Unit and Components

Factory-instal	Factory-installed wood backerboards for future grab bar installation.							
		Complete unit with Aging in Place backerboards, drain at left or right	1,754.10	47.80	162.0			
72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0			
7233	2106	Back wall with backerboards	603.95	29.60	77.0			
72475106		End wall set with backerboards	578.65	8.00	41.0			
Optional Free	Optional Freestanding Seat							

Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high

Ι.	_	 	 accessory	

72186104



COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

Note: All dimensions shown are finished dimensions.



214.75

SHOWER STALLS – V	/INNELL _® I	VIAIERIA	\L							
	Model N	lumber		List Price Per Unit (USD \$)		Ship				
Product	Left Drain	Right Drain	Description	White	Cube	Wt. (Lb)				
60" x 30" ALCOVE SHOWE	R STALLS	(Continu	ed)							
	MEDLEY, H	IGH-GLOS	S SHOWER STALL	:	Series	7244				
	Features con	60" x 30" x 75-1/2" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation. No sealant or caulk required in the seams . Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.								
	Shower Stall	Unit and Com	ponents		,					
	72440110	72440120	Complete unit, drain at left or right	1,566.90	51.30	157.0				
	72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0				
	7243	2100	Back wall	446.25	31.70	73.0				
	7244	5100	End wall set	549.15	9.40	40.0				
	Aging in Place	e Shower Stal	Unit and Components							
	Factory-instal	led wood bac	kerboards for future grab bar installation.	I						
72440110	72440116	72440126	Complete unit with Aging in Place backerboards, drain at left or right	1,810.20	51.30	163.0				
Also available as a shower base only; see page 52	72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0				
See page 32	7243	2106	Back wall with backerboards	597.95	31.70	75.0				
	7244	5106	End wall set with backerboards	640.75	9.40	44.0				
	Optional Free	standing Sea			ı					
	7218	6104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0				
	TRAVERSE	. HIGH-GLO	DSS SHOWER STALL	S	Series 7	7257				
	and a two-pie tile pattern. T	ece back wal ongue-and-g	e shower stall. Unit consists of shower base an I for easy handling. Features convenient full-le proove snap-together installation. No sealant o APMO Z124 National Consensus Standards.	ngth shelf on back wal	l and su	bway				
	Shower Stall	Unit and Com	ponents							
	72570110	72570120	Complete unit, drain at left or right	1,591.90	37.20	150.0				
72570110	72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0				
Also available as a shower base only; see page 52	72532100		Back wall set	457.45	17.10	63.0				
	72575100		End wall set	562.95	9.90	43.0				
	Aging in Place	e Shower Stal	I Unit and Components							
	Factory-instal	led wood bac	kerboards for future grab bar installation							
	72570116	72570126	Complete unit with Aging in Place backerboards, drain at left or right	1,672.30	37.20	153.0				
	72171110	72171120	Shower base only, drain at left or right	571.50	10.20	44.0				
_	72532100		Back wall set	457.45	17.10	63.0				
	72575106		End wall set with backerboards	643.35	9.90	46.0				
	Optional Free	standing Sea								
	7218	6104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0				



0 White


Note: Add color code to the end of the model number when ordering.





	Model N	Number		List Price Per Unit (USD \$)		Ship
Product	Left Drain	Right Drain	Description	White	Cube	

60" x 32" ALCOVE SHOWER STALLS



72100110

Also available as a shower base only; see page 52



ENSEMBLE CURVE HIGH-GLOSS SHOWER STALL

Series 7218

60" x 32" x 74-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation.

No sealant or caulk required in the seams. Conforms to CSA B45.5/ IAPMO Z124


National Consensus Standards.

Shower Stall	Shower Stall Unit and Components								
72180110	72180120	Complete unit, drain at left or right	1,526.60	44.30	150.0				
72181110	72181120	Shower base only, drain at left or right	579.10	10.80	42.0				
7223	2100	Back wall	435.60	24.80	60.0				
7218	5100	End wall set	511.90	8.70	48.0				
Aging in Place	Aging in Place Shower Stall Units and Components								
Factory-instal	led wood bac	kerboards for future grab bar installation.							
72180116	72180126	Complete unit with Aging in Place backerboards, drain at left or right	1,741.40	44.30	155.0				
72181110	72181120	Shower base only, drain at left or right	579.10	10.80	42.0				
7223	2106	Back wall with backerboards	543.55	24.80	65.0				
7218	5106	End wall set with backerboards	618.75	8.70	48.0				
Optional Free	Optional Freestanding Seat								
72186104		Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0				

STORE+, HIGH-GLOSS SHOWER STALL

Series 7242

60" x 32" x 76-1/2" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click and built-in shaving ledges. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two large bins. Four-piece modular design with snap-together tongue-and-groove installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



72420110

Also available as a shower base only; see page 52



Shower Stall	hower Stall Unit and Components									
72420110	72420120	Complete unit, drain at left or right	1,588.60	49.00	160.0					
72181110	72181110 72181120 Shower base only, drain at left or right		579.10	10.80	42.0					
72332100		Back wall	503.20	29.60	75.0					
72425100		End wall set	506.30	8.60	43.0					

Aging in Place Shower Stall Unit and Components

Factory-installed wood backerboards for future grab bar installation.

Complete unit with Aging in Place backerboards.

72420116 72420126 drain at left or right		1,773.25	49.00	162.0	
72181110	72181120	Shower base only, drain at left or right	579.10	10.80	42.0
72332106		Back wall with backerboards	603.95	29.60	77.0
7242	5106	End wall set with backerboards	590.20	8.60	43.0
Optional Free	Optional Freestanding Seat				
72186104 Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high		214.75	3.40	15.0	

See page 71 for additional STORE+, accessory kits.

COLORS & CODES


0 White

Note: Add color code to the end of the model number when ordering.



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)

60" x 34" ALCOVE SHOWER STALLS



Also available as a shower base only; see page 53

ENSEMBLE™ CURVE HIGH-GLOSS SHOWER STALL

Series 7223

60" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features convenient shelving on back wall. Tongue-and-groove snap-together installation.

No sealant or caulk required in the seams. Conforms to CSA B45.5/ IAPMO Z124

National Consensus Standards.

	Shower Stall Unit and Com	ponents			
72370100 Complete unit 72331100 Shower base only		Complete unit	1,507.05	46.20	155.0
		544.60	11.80	49.0	
:	72372100	Back wall	435.60	24.80	60.0
72345100 End wall set		526.85	9.60	46.0	
	Aging in Place Shower Stall Unit and Components				
	Factory-installed wood backerboards for future grab bar installation.				
	72370106	Complete unit with Aging in Place backerboards	1,723.10	46.20	165.0
	72331100	Shower base only	544.60	11.80	49.0
	72372106	Back wall with backerboards	543.55	24.80	65.0
	72345106 End wall set with backerboards		634.95	9.60	51.0
	Optional Freestanding Seat				
	72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0

STORE+, HIGH-GLOSS SHOWER STALL

Series 7233

171.0


77.0

50.0

15.0

3.40

60" x 34" x 75-3/4" alcove shower stall. Unit consists of shower base with low, 3" threshold, two end walls, and back wall. Features customizable corner storage with dishwasher-safe accessories that snap in place with a tilt and a click and built-in shaving ledges. The back wall includes a full set of ten accessories: four rimmed shelves, two soap dishes with towel bar, two hooks, and two large bins. Four-piece modular design with snap-together tongue-and-groove installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.



Also available as a shower base only; see page 53

of the standards of the seams of the seams of the seams of the seams of the seams. Conforms of the seams of t					
Shower Stall Unit and Cor	Shower Stall Unit and Components				
72330100	Complete unit	1,547.25	46.40	165.0	
72331100	Shower base only	544.60	7.80	44.0	

72332100 Back wall 503.20 29.60						75.0
72305100 End wall set 499.45 9.00	72332100 Back wall 503.20 29.60 75.0	72305100 Aging in Place Shower Stal	End wall set I Unit and Components	499.45	9.00	46.0
72331100 Shower base only 544.60 7.80		72330100	Complete unit	1,547.25	46.40	165.0

Aging in 1 lace of ower oran official components					
Factory-installed wood backerboards for future grab bar installation.					
72330106	Complete unit with Aging in Place backerboards	1,748.90	46.40		
72331100	Shower base only	544.60	7.80		
72332106	Back wall with backerboards	603.95	29.60		
72305106	End wall set with backerboards	600.35	9.00		
Optional Freestanding Sea	Ontional Freestanding Seat				

21-7/16" long x 13-1/8" wide x 17-3/8" high

Freestanding seat



COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

72186104

Note: All dimensions shown are finished dimensions.

214.75




			List Price Per Unit (USD \$)		Ship		
Product	Model Number	Description	White	Cube			
60" x 34" ALCOVE SHOWE	R STALLS (Continue	ed)					
	MEDLEY _® HIGH-GLOS	SS SHOWER STALL	s	eries 7	'243		
	Features convenient shell	shower stall. Unit consists of shower base, two ving on back wall. Tongue-and-groove snap-to seams. Conforms to CSA B45.5/IAPMO Z124	gether installation. No	sealant			
	Shower Stall Unit and Con	ponents					
	72430100	Complete unit	1,575.65	51.70	163.0		
	72331100	Shower base only	544.60	9.20	43.0		
	72432100	Back wall	446.25	31.70	73.0		
	72405100	End wall set	584.80	10.80	47.0		
	Aging in Place Shower Stal	I Unit and Components					
	Factory-installed wood bac	kerboards for future grab bar installation.					
72430100	72430106	Complete unit with Aging in Place backerboards	1,834.75	51.70	170.0		
Also available as a shower base only; see page 53	72331100	Shower base only	544.60	9.20	43.0		
_	72432106	Back wall with backerboards	597.95	31.70	75.0		
	72405106	End wall set with backerboards	692.20	10.80	52.0		
	Optional Freestanding Seat						
	72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0		
	TRAVERSE, HIGH-GL	OSS SHOWER STALL		Series 7	7253		
	and two-piece back wall for tile pattern. Tongue-and-g	ower stall. Unit consists of shower base and foor or easy handling. Features convenient full-leng proove snap-together installation. No sealant o APMO Z124 National Consensus Standards.	gth shelf on back wall a	and subv	way		
	Shower Stall Unit and Com	ponents					
	72530100	Complete unit	1,601.55	37.50	155.0		
72530100	72331100	Shower base only	544.60	9.20	43.0		
Also available as a shower base only;	72532100	Back wall set	457.45	17.10	63.0		
see page 53	72505100	End wall set	599.50	11.20	49.0		
	Aging in Place Shower Stal	I Unit and Components					
	Factory-installed wood bac	kerboards for future grab bar installation					
	72530106	Complete unit with Aging in Place backerboards	1,694.50	37.50	158.0		
	72331100	Shower base only	544.60	9.20	43.0		
	72532100	Back wall set	457.45	17.10	63.0		
	72505106	End wall set with backerboards	692.45	11.20	52.0		
	Optional Freestanding Sea						
	72186104	Freestanding seat 21-7/16" long x 13-1/8" wide x 17-3/8" high	214.75	3.40	15.0		
COLORS & CODES							
0 White							
Note: Add color code to the end of th	ne model number when orde	ring.					



			List Price Per Unit (USD \$)		Ship
Product	Model Number	Description	White	Cube	Wt. (Lb)

60" x 36" ALCOVE SHOWER STALLS



ACCORD, HIGH-GLOSS SHOWER STALL

Series 7227

60" x 36" x 75-3/4" alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space, and a chic lattice pattern on the back wall. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Components					
72270100	Complete unit	1,609.00	39.70	196.0	
72271100	Shower base only*	439.30	12.30	57.0	
72272100	Back wall	680.10	20.10	74.0	
72245100	End wall set	489.60	7.30	65.0	

Aging in Place Shower Stall Unit and Components

Factory-installed wood backerboards for future grab bar installation.


72270106	Complete unit with Aging in Place backerboards	1,834.95	39.70	212.0
72271100	Shower base only*	439.30	12.30	57.0
72272106	Back wall with backerboards	793.10	20.10	82.0
72245106	End wall set with backerboards	602.55	7.30	73.0

*Base-only installation not recommended. Install base with wall set.

See page 71 for optional grab bars.



Series 7229



60" x 36" x 74-1/2" seated alcove shower stall. Unit consists of shower base, two end walls, and back wall. Features easy click-together installation, generous storage, a curved back wall for more showering space and chic lattice pattern on the back wall. Includes removable seat that can be positioned on either the right side or left side of shower. Pivot snap-together installation. **No sealant or caulk required in the seams**. Conforms to CSA B45.5/IAPMO Z124 National Consensus Standards.

Shower Stall Unit and Components					
72290100	72290100 Complete unit		53.60	179.0	
72291100 Shower base with removable seat only*		954.55	35.00	78.0	
71164100	Complete wall set	775.15	18.60	101.0	
72286104 Additional removable seat		189.55	3.80	9.0	

Aging in Place Shower Stall Unit and Components

Factory-installed wood backerboards for future grab bar installation.

72290106	72290106 Complete unit with Aging in Place backerboards		53.60	184.0
72291100 Shower base with removable seat only*		954.55	35.00	78.0
71164106	Complete wall set with backerboards	1,006.75	18.60	106.0

*Base-only installation not recommended. Install base with wall set.

See page 71 for optional grab bars.

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.



			List Price Per Unit (USD \$)		Chi-
Product	Model Number	Description	White	Cube	Ship Wt. (Lb)
63-1/4" x 39-3/8" ALCOVE	SHOWER STALLS				
	OC-S-63 SWIRL-GLO	SS SHOWER STALL	5	Series (6206
	walls, and back wall. Inclining installation. Some 100%	Il-in shower stall. Unit consists of low-profile thudes factory-installed stainless steel grab bars silicone sealant is required in seams to fin APMO Z124 National Consensus Standards.	s. Tongue-and-groove s	nap-tog	ether
	Shower Stall Unit				
	62060103	Complete unit	4,509.70	66.40	230.0
62060103 ADA	62061100	Shower base only	1,096.20	14.10	70.0
Also available as a shower base only; see page 53	62062103	Back wall with grab bar	1,742.80	36.60	80.0
	62065103	End wall set with grab bars	1,670.70	15.70	80.0
	Aging in Place Shower Sta	Il Unit and Components			
	Factory-installed wood bac	kerboards for future grab bar installation.			
	62060106	Complete unit with Aging in Place backerboards	3,154.25	66.40	210.0
	62061100	Shower base only	1,096.20	14.10	70.0
	62062106	Back wall with backerboards	1,098.55	36.60	70.0
	62065106	End wall set with backerboards	959.50	15.70	70.0
Shower stalls will comply Disabilities Act when instate of the 2010 ADA Standard	Illed per the requirements Is for Accessible Design,	COLORS & CODES 0 White			
of the 2010 ADA Standard Section 608 Shower Com	ls for Accessible Design,	Note: Add color code to the end of the model r	number when ordering.		



				List Price Per Unit (USD \$)							
Product	Model I	Number	Description	White	Cube	Ship Wt. (Lb)					
63-1/4" x 39-3/8" ALCOVE	SHOWER	STALLS (C	Continued)								
	63" ADA S	WIRL-GLO	SS SHOWER STALL WITH SEAT	5	Series (6207					
	walls, and ba stainless ste required in	ack wall. Inclued grab bars. seams to fin	II-in shower stall. Unit consists of low-profile the description of the stall stall stall less steel of the stall stall to the stall	support and factory-ins	talled e sealar	nt is					
	Shower Stall	Unit									
	62070115	62070125	Complete unit with seat on right (grab bars on left) or seat on left (grab bars on right)	5,625.95	66.40	230.0					
	6206	1100	Shower base only	1,096.20	14.10	70.0					
62070115 ADA Also available as a shower base only; ee page 53	6206	2103	Back wall with grab bar	1,742.80	36.60	80.0					
	62055115	62055125	End wall set with seat on right (grab bar at left) or seat on left (grab bar at right)	2,786.95	15.70	80.0					
	Aging in Plac	e Shower Stal	II Unit and Components	l .							
	Factory-insta	led wood bac	propards for future grab bar installation.								
	6207	0106	Complete unit with Aging in Place backerboards	3,181.85	66.40	210.0					
	6206	1100	Shower base only	1,096.20	14.10	70.0					
	6206	2106	Back wall with backerboards	1,098.55	36.60	70.0					
	6205	5106	End wall set with backerboards	987.10	15.70	70.0					
Shower stalls will comply Disabilities Act when insta of the 2010 ADA Standar Section 608 Shower Com	alled per the requ ds for Accessible	iirements Design,	COLORS & CODES 0 White Note: Add color code to the end of the model in	number when ordering.							



SHOWER BASE & STALL ACCESSORIES

Product	Model Number	Description	Used With STERLING. Shower Unit*	List Price (USD \$)	Cube	Ship Wt. (Lb
STRAIGHT GRAB BARS						
©	80001012-V	12" straight grab bar in Matte Silver. Narrow bar profile.	STORE+ _s showers	132.30	0.06	1.8
	80001012-N	12" straight grab bar in Nickel. Narrow bar profile.	(Series 7230/7232/7233)	152.05	0.06	1.8
	80001018-V	18" straight grab bar in Matte Silver. Narrow bar profile.	STORE+ _s showers	140.05	0.09	1.9
	80001018-N	18" straight grab bar in Nickel. Narrow bar profile.	(Series 7230/7232/7233)	161.15	0.09	1.9
	80001024-V	24" straight grab bar in Matte Silver. Narrow bar profile.	All Accord. showers—side walls*	146.50	0.12	2.2
	80001024-N	24" straight grab bar in Nickel. Narrow bar profile.	STORE+ _s showers (Series 7230/7232/7233)	168.35	0.12	2.2
	80001036-V	36" straight grab bar in Matte Silver. Narrow bar profile.	N/A	164.20	0.17	2.6
	80001036-N	36" straight grab bar in Nickel. Narrow bar profile.	N/A	188.60	0.17	2.6
	80011032-V	32" straight grab bar in Matte Silver. Wide bar profile.	N/A	179.80	0.17	2.7
	80011032-N	32" straight grab bar in Nickel. Wide bar profile.	- N/A	206.70	0.17	2.7
CURVED GRAB BARS	•					•
0	80012031-V	28" curved grab bar in Matte Silver. Wide bar profile.	Accord, 48" & 60" shower—back	211.45	0.31	2.8
Q	80012031-N	28" curved grab bar in Nickel. Wide bar profile.	walls (Series 7226/7227)*	243.00	0.31	2.8
6/	80012134-V	34" curved grab bar in Matte Silver. Wide bar profile.	Accord, 60" seated showers—back	212.50	0.31	2.8
	80012134-N	34" curved grab bar in Nickel. Wide bar profile.	wall (Series 7229)*	244.60	0.31	2.8
	80012222-V	22" curved grab bar in Matte Silver. Wide bar profile.	Accord, 48" seated shower—back	203.85	0.21	2.4
	80012222-N	22" curved grab bar in Nickel. Wide bar profile.	wall (Series 7228)*	234.40	0.21	2.4

- V Matte Silver
- N Nickel

	Model		List Price Per Unit (USD \$)		Ship
Product	Number	Description	White	Cube	Wt. (Lb)
SHOWER SEATS					
	72186104	Freestanding Seat 21-7/8" long x 13-1/8" wide x 17-3/8" high For use with 48"- and 60"-long Ensemble, and GUARD+, shower bases and coordinating shower stalls.	214.75	3.40	15.0
	72286104	Accord, Removable Shower Seat For use with Accord, seated showers.	189.55	3.80	9.0

COLORS & CODES

Note: Add color code to the end of the model number when ordering.



SHOWER BASE & STALL ACCESSORIES

	Model		List Price Per Unit (USD \$)		Ship				
Product	Number	Description	White	Cube	Wt. (Lb)				
STORE+. ACCESSORY K	STORE+. ACCESSORY KITS								
Dishwasher-safe shelves a	and bins snap	into place; no tools required. For use with all STORE+, shower stalls							
	88018100	STORE+. 10-Piece Accessory Kit Includes four rimmed shelves, two caddies, two soap dishes with towel bar, and two hooks. Included with STORE+. shower stalls.	166.20						
	88038100	STORE+. 12-Piece Accessory Kit Includes two rimmed shelves, two baskets, two caddies, two organizers, two soap dishes with towel bar, and two hooks.	250.10						

COLORS & CODES

0 White

Note: Add color code to the end of the model number when ordering.

Model Number	Description	Units Per Package	List Price (USD \$)
MISCELLANE	OUS ACCESSORIES		
Clips			
1048182	Accord, wall retaining clip	2	3.00
1180726	Metal support clips	4	2.70
1122734	Plastic attachment clips	6	2.40
Felt Pads			•
40B2102	24" x 43" felt pad; for use with 32"-48"-wide shower bases		4.10
1049983	24" x 58" felt pad; for use with all 60"-wide shower bases		8.30
Vikrell. Repa	air Kits	•	•
94555-0	High-gloss repair kit		332.70
1008066-0	Swirl-gloss repair kit		352.30
Dry-Block™	Seal	•	
1219926	For use with 7217, 7218, 7242, 7247, and 7257 series showers.	2	3.80
1554146	For use with 7244 series showers.	2	1.80



BATH & SHOWER DOORS

			0	GLASS	ТҮРЕ	*	FF	RAME	FINIS	H*		HAN	DLE	
	DOOR SIZES Height x Width(s) (Inches)	PAGE	Clear	Pebbled	Rain	Frosted	Silver	Nickel	Deep Bronze	Matte Black	Knob Handle(s)	Full-Length Handles	Towel Bar(s)	Vertical Handles
SLIDING BATH DOORS														
FINESSE PEAK, FRAMELESS	61-9/16 x 54-5/8 – 59-5/8	74	Х			Х	Х	Х		Х				Х
FINESSE FRAMELESS	58-1/16 x 54-5/8 - 59-5/8 55-1/2 x 52 - 57 55-1/2 x 54-5/8 - 59-5/8	75	х			х	х	х	Х	х			Х	
MERITOR, FRAMELESS	55-1/8 x 54-3/8 – 59-3/8	76	Х			Х	Х	Х	Х				Х	
DELUXE FRAMED	56-1/4 x 52-3/4 — 57-3/4 56-1/4 x 54-3/8 — 59-3/8 55-1/4 x 51-1/4 — 56-1/4	77		х	Х		х	х					Х	
ENCLAVE: FRAMELESS	61-9/16 x 54-5/8 – 59-5/8	81	х				Х	Х		Х				х
SLIDING SHOWER DOORS	,													
FINESSE PEAK, FRAMELESS	70-1/16 x 44-5/8 – 47-5/8 70-1/16 x 56-5/8 – 59-5/8	78	х			х	х	х	Х	х				х
FINESSE™ FRAMELESS	70-1/16 x 42-5/8 - 47-5/8 70-1/16 x 54-5/8 - 59-5/8	79–80	х			х	Х	х	Х	х			Х	
MERITOR, FRAMELESS	69-3/4 x 42-5/8 — 47-5/8 69-3/4 x 54-3/8 — 59-3/8	82	х			х	Х	х	х				Х	
DELUXE FRAMED	70 x 41-1/2 - 46-1/2 70 x 43-7/8 - 48-7/8 70 x 51 - 56, 54-3/8 - 59-3/8 65-1/2 x 37-1/2 - 42-1/2 65-1/2 x 39 - 44, 41 - 46 65-1/2 x 43 - 48, 46-1/2 - 51-1/2 65-1/2 x 49-1/2 - 54-1/2 65-1/2 x 52-3/8 - 57-3/8, 54 - 59	83–84		x	X		х	х					х	
ENCLAVE, FRAMELESS	73-9/16 x 54-5/8 – 79-5/8 73-9/16 x 44-5/8 – 47-5/8	81	х				х	х		х				х
PIVOT SHOWER DOORS														
FINESSE PEAK, FRAMELESS	67 x 28-1/2 - 30 67 x 30 - 31-1/2 67 x 31-1/2 - 33 67 x 33 - 34-1/2 67 x 34-1/2 - 36 67 x 37-1/2 - 39 67 x 40-1/2 - 42	86–87	х			х	Х	х	Х		x			х
VISTA PIVOT∞ II FRAMED	65-1/2 x 31-1/4 - 36, 36 - 42 65-1/2 x 42 - 48 65-1/2 x 23 - 26-1/2 65-1/2 x 23 - 27-1/2 65-1/2 x 27-1/2 - 31-1/4 65-1/2 x 31-1/4 - 36 65-1/2 x 36 - 42, 42 - 48	89–90		х			х					х		
DELUXE FRAMED	65-1/2 x 27-1/2 – 31-1/4 65-1/2 x 31-1/4 – 36	88			Х		Х					х		
STANDARD FRAMED	64 x 23-1/2 64 x 32-3/4	90			Х		Х					х		

 $^{{}^\}star\text{Glass}$ and finish options vary by model. See specific SKU listing for frame finish and glass options.

If you have questions on service parts or how to measure or choose a door, please contact your Customer Service Representative.



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSET PEAK FRAME	LESS SLIDING BATH DO	ORS		
	55-1/2" H x 54-5/8"–59-5/8" W	542808-59S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	848.35
		542808-59N-G05		Nickel	975.95
		542808-59DR-G05	Frosted 5/16"-Thick, Vertical Handles	Deep Bronze	1,073.20
		542808-59PBL-G05		Matte Black	1,096.40
		542808-59S-G03		Silver	877.40
		542808-59N-G03		Nickel	1,002.35
		542808-59DR-G03		Deep Bronze	1,097.75
		542808-59PBL-G03		Matte Black	1,218.15
	Glass panels: The lighter the sha	GLASS TYPE ade, the greater the transparency,	with white indicating clear glass.		
		Clear Frosted			



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSE _{TM} FRAMELESS S	SLIDING BATH DOORS			
	58-1/16" H x 54-5/8"–59-5/8" W	5405-59S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	568.95
		5405-59N-G05		Nickel	636.40
		5405-59DR-G05		Deep Bronze	779.90
		5405-59S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	636.40
		5405-59N-G03		Nickel	703.95
		5405-59DR-G03		Deep Bronze	853.30
	55-1/2" H x 52"–57" W	5425-57S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	578.20
		5425-57DR-G05		Deep Bronze	701.10
	55-1/2" H x 54-5/8"–59-5/8" W	5425-59S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	517.25
		5425-59N-G05		Nickel	578.60
		5425-59DR-G05		Deep Bronze	652.30
		5425-59PBL-G05		Matte Black	708.05
		5425-59S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	578.60
		5425-59N-G03		Nickel	639.90
		5425-59DR-G03		Deep Bronze	713.65
		5425-59PBL-G03		Matte Black	743.45
	Glass panels: The lighter the sh	GLASS TYPE ade, the greater the transparency	, with white indicating clear glass.		
		Clear Frosted			



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)			
	ENCLAVE® FRAMELESS SLIDING BATH DOOR							
	61-9/16" H x 54-5/8"–59-5/8" W	542909-59S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	944.05			
		542909-59BNK-G05		Brushed Nickel	1,019.60			
NEW!		542909-59BL-G05		Matte Black	1,085.70			
	MERITOR, FRAMELESS SI	LIDING BATH DOORS WI	ITH COMFORTRACK.					
	55-1/8" H x 54-3/8"–59-3/8" W	581005-59S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	634.40			
		581005-59N-G05		Nickel	679.40			
		581005-59ADR-G05		Deep Bronze	739.70			
		581005-59S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	679.40			
		581005-59N-G03	_	Nickel	724.70			
		581005-59ADR-G03	_	Deep Bronze	784.90			
	Glass panels: The lighter the shad	GLASS TYPE de, the greater the transparency, v	vith white indicating clear glass.					
		Clear Frosted						



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass Type/ Handle Option	Frame Finish	List Price (USD \$)
	DELUXE FRAMED SLIDIN	IG BATH DOORS			
	56-1/4" H x 54-3/8"–59-3/8" W	5905-3G05-S	Clear 1/8"-Thick, One Towel Bar	Silver	444.25
		5900-59S	Pebbled 1/8"-Thick, One Towel Bar	Silver	415.25
		5906-59S	Rain 1/8"-Thick, One Towel Bar	Silver	415.20
		5905-59N-G06		Nickel	459.75
	Glass panels: The lighter the sha	GLASS TYPE ade, the greater the transparency,	with white indicating clear glass.		
	/	Clear Pebbled Rain			

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSET PEAK FRAMEL	ESS SLIDING SHOWER	DOORS		•
	70-1/16" H x 44-5/8"–47-5/8" W	547808-48S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	902.75
		547808-48N-G05		Nickel	1,038.25
		547808-48DR-G05		Deep Bronze	1,162.55
		547808-48PBL-G05		Matte Black	1,152.90
		547808-48S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	930.55
		547808-48N-G03		Nickel	1,063.45
		547808-48DR-G03		Deep Bronze	1,185.45
		547808-48PBL-G03		Matte Black	1,210.40
	70-1/16" H x 56-5/8"–59-5/8" W	547808-59S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	1,003.40
		547808-59N-G05		Nickel	1,154.05
		547808-59DR-G05		Deep Bronze	1,292.15
		547808-59PBL-G05		Matte Black	1,298.25
		547808-59S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	1,029.40
		547808-59N-G03		Nickel	1,177.00
		547808-59DR-G03		Deep Bronze	1,312.40
		547808-59PBL-G03		Matte Black	1,363.10
	Glass panels: The lighter the shade	GLASS TYPE e, the greater the transparency, wi	ith white indicating clear glass.		
		Clear Frosted			



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSE _{TM} FRAMELESS	SLIDING SHOWER DO	ORS		
	70-1/16" H x 42-5/8"_47-5/8" W	5475-48S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	578.60
	5475-48N-G05	5475-48N-G05		Nickel	615.45
		5475-48DR-G05		Deep Bronze	689.10
		5475-48PBL-G05 NEW!		Matte Black	740.55
		5475-48S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	639.90
		5475-48N-G03		Nickel	676.85
		5475-48DR-G03		Deep Bronze	750.60
		5475-48PBL-G03 NEW!		Matte Black	777.65
	70-1/16" H x 54-5/8"–59-5/8" W	5475-59S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	615.45
		5475-59N-G05		Nickel	676.85
		5475-59DR-G05		Deep Bronze	750.60
		5475-59PBL-G05		Matte Black	819.30
		5475-59S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	676.85
		5475-59N-G03		Nickel	738.15
		5475-59DR-G03		Deep Bronze	811.90
		5475-59PBL-G03		Matte Black	860.25
	Glass panels: The lighter the sha	GLASS TYPE de, the greater the transparency	y, with white indicating clear glass.		
		Clear Frosted			



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)		
	FINESSE™ FRAMELESS SLIDING SHOWER DOORS						
	65-1/2" H x 42-5/8"–47-5/8" W	572124-G05-S	Clear 1/4"-Thick, Two Towel Bars	Silver	578.60		
		572124-G05-N		Nickel	615.45		
		572124-G05-BL		Matte Black	740.55		
NEW!		572124-G05-ADR		Deep Bronze	689.10		
	65-1/2" H x 54-5/8"–59-5/8" W	572125-G05-S	Clear 1/4"-Thick, Two Towel Bars	Silver	615.45		
		572125-G05-N		Nickel	676.85		
		572125-G05-BL		Matte Black	819.30		
NEW!		572125-G05-ADR		Deep Bronze	750.60		
GLASS TYPE Glass panels: The lighter the shade, the greater the transparency, with white indicating clear glass.							
Clear							



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)	
	ENCLAVE, FRAMELESS SLIDING SHOWER DOORS					
	73-9/16" H x 54-5/8"–79-5/8" W	547909-59S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	1,140.10	
		547909-59BNK-G05		Brushed Nickel	1,231.40	
NEW!		547909-59BL-G05		Matte Black	1,311.15	
	73-9/16" H x 44-5/8"–47-5/8" W	547909-48S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	1,026.15	
		547909-48BNK-G05		Brushed Nickel	1,108.20	
NEW!		547909-48BL-G05		Matte Black	1,180.05	
		GLASS TYPE				
GLASS TYPE Glass panels: The lighter the shade, the greater the transparency, with white indicating clear glass.						
Clear						

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	MERITOR, FRAMELESS S	LIDING SHOWER DOOR	S WITH COMFORTRAC	K _®	
	69-3/4" H x 42-5/8"-47-5/8" W	581075-48S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	679.40
		581075-48N-G05		Nickel	724.70
		581075-48ADR-G05		Deep Bronze	784.90
		581075-48S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	724.70
		581075-48N-G03		Nickel	769.85
		581075-48ADR-G03	_	Deep Bronze	830.00
	69-3/4" H x 54-3/8"–59-3/8" W	581075-59S-G05	Clear 1/4"-Thick, Two Towel Bars	Silver	724.70
		581075-59N-G05		Nickel	769.85
		581075-59ADR-G05		Deep Bronze	830.00
		581075-59S-G03	Frosted 1/4"-Thick, Two Towel Bars	Silver	769.85
		581075-59N-G03		Nickel	815.00
		581075-59ADR-G03		Deep Bronze	875.25
	Glass panels: The lighter the shade	GLASS TYPE e, the greater the transparency, w	ith white indicating clear glass.		
		Clear Frosted	,		



43-7/8" -48-7/8" W One Towel Bar	Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)		
A3-7/8" -48-7/8" W One Towel Bar Silver 444.85		DELUXE FRAMED SLIDING SHOWER DOORS						
T0" H x 5975-48N-G06 Silver 489.40			5970-48S		Silver	475.05		
T0" H x S4-3/8"-59-3/8" W S970-59S Pebbled 1/8"-Thick, One Towel Bar Silver 489.40			5976-48S		Silver	444.85		
5976-59S Rain 1/8"-Thick, One Towel Bar 5976-59S Rain 1/8"-Thick, One Towel Bar 70" H x 54-3/8"-59-3/8" W 572115-G10-N Pebbled 1/8"-Thick, One Towel Bar 572115-G05-S Clear 1/8"-Thick, One Towel Bar 70" H x 455.25 70" H x 43-7/8"-48-7/8" W 572116-G05-S Clear 1/8"-Thick, One Towel Bar 70" H x 43-7/8"-48-7/8" W 572116-G05-S Clear 1/8"-Thick, One Towel Bar 572116-G05-S Clear 1/8"-Thick, One Towel Bar 572116-G05-S Clear 1/8"-Thick, One Towel Bar Nickel 488.40 Nickel 448.40 Nickel 448.40			5975-48N-G06		Nickel	519.00		
To" H x 572115-G10-N Pebbled 1/8"-Thick, One Towel Bar S72115-G05-S Clear 1/8"-Thick, One Towel Bar S72115-G05-N Silver 455.25		70" H x 54-3/8"–59-3/8" W	5970-59S		Silver	489.40		
70" H x 54-3/8"-59-3/8" W 70" H x 54-3/8"-59-3/8" W 572115-G10-N Pebbled 1/8"-Thick, One Towel Bar Clear 1/8"-Thick, One Towel Bar Nickel 482.55 70" H x 43-7/8"-48-7/8" W 572116-G10-N Pebbled 1/8"-Thick, One Towel Bar TO" H x 43-7/8"-48-7/8" W 572116-G10-N Pebbled 1/8"-Thick, One Towel Bar Clear 1/8"-Thick, One Towel Bar Silver 441.90 Nickel 468.40 Nickel 468.40			5976-59S		Silver	504.20		
54-3/8"-59-3/8" W One Towel Bar			5975-59N-G06		Nickel	585.60		
To" H x 43-7/8" W 572116-G10-N Pebbled 1/8"-Thick, One Towel Bar Mickel 468.40			572115-G10-N		Nickel	482.55		
NEW! 70" H x 43-7/8"-48-7/8" W 572116-G10-N Pebbled 1/8"-Thick, One Towel Bar Nickel 468.40 One Towel Bar Silver 441.90 Silver 441.90 One Towel Bar Nickel 468.40			572115-G05-S		Silver	455.25		
NEW! 43-7/8"-48-7/8" W 572116-G05-S Clear 1/8"-Thick, One Towel Bar Silver 441.90 Nickel 468.40			572115-G05-N		Nickel	482.55		
One Towel Bar	NEW!		572116-G10-N		Nickel	468.40		
			572116-G05-S		Silver	441.90		
GLASS TYPE			572116-G05-N		Nickel	468.40		
			GLASS TYPE					
Pebbled Rain Clear								



	Height x Width	Model		Frame	List Price
Product	(Min. – Max. Opening)	Number	Glass & Handle Type	Finish	(USD \$)
	DELUXE FRAMED SLIDIN	IG SHOWER DOORS (Co	ontinued)		
	65-1/2" H x 54-3/8"–59-3/8" W	572113-G10-N	Pebbled 1/8"-Thick, One Towel Bar	Nickel	577.10
		572113-G05-S	Clear 1/8"-Thick, One Towel Bar	Silver	544.45
NEW!		572113-G05-N		Nickel	577.10
	65-1/2" H x 43-7/8"–48-7/8" W	572114-G10-N	Pebbled 1/8"-Thick, One Towel Bar	Nickel	554.75
		572114-G05-S	Clear 1/8"-Thick, One Towel Bar	Silver	523.35
		572114-G05-N		Nickel	523.35
	65-1/2" H x 39"-44" W	5960-44S	Pebbled 1/8"-Thick, One Towel Bar	Silver	551.70
	65-1/2" H x 41"–46" W	5960-46S	Pebbled 1/8"-Thick, One Towel Bar	Silver	557.20
	65-1/2" H x 43"–48" W	5960-48S	Pebbled 1/8"-Thick, One Towel Bar	Silver	562.65
	65-1/2" H x 52-3/8"–57-3/8" W	5960-57S	Pebbled 1/8"-Thick, One Towel Bar	Silver	579.55
	65-1/2" H x 54"–59" W	5960-59S	Pebbled 1/8"-Thick, One Towel Bar	Silver	585.30
		GLASS TYPE			
	Glass panels: The lighter the shade	e, the greater the transparency, w	vith white indicating clear glass.		
	,	Pebbled Clear			,



Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)	
Troduct	FINESSE _{TA} PEAK ₃ FRAME			, iiiisii	(555 4)	
	67" H x 28-1/2"-30" W	5699-30S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	609.75	
		5699-30N-G05		Nickel	658.55	
		5699-30ADR-G05		Deep Bronze	701.20	
		5699-30S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	640.30	
		5699-30N-G03		Nickel	691.40	
		5699-30ADR-G03	-	Deep Bronze	736.25	
	67" H x 30"–31-1/2" W	5699-31S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	625.80	
		5699-31N-G05		Nickel	675.80	
# # # # # # # # # # # # # # # # # # #		5699-31 ADR-G05		Deep Bronze	719.65	
		5699-31S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	657.10	
		5699-31N-G03		Nickel	709.65	
		5699-31 ADR-G03		Deep Bronze	755.60	
	67" H x 31-1/2"–33" W	5699-33S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	641.90	
		5699-33N-G05		Nickel	693.20	
		5699-33ADR-G05		Deep Bronze	738.05	
		5699-33S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	665.85	
		5699-33N-G03		Nickel	727.85	
		5699-33ADR-G03		Deep Bronze	775.00	
GLASS TYPE Glass panels: The lighter the shade, the greater the transparency, with white indicating clear glass.						
		Clear Frosted	_			



PIVOT SHOWER DOORS

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSETM PEAK, FRAME	LESS PIVOT SHOWER I	DOORS (Continued)		
	33"-34-1/2" W	5699-34S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	657.85
		5699-34N-G05		Nickel	710.50
		5699-34ADR-G05		Deep Bronze	756.55
		5699-34S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	690.70
		5699-34N-G03		Nickel	745.95
		5699-34ADR-G03		Deep Bronze	794.30
4	67" H x 34-1/2"–36" W	5699-36S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	665.85
		5699-36N-G05		Nickel	727.85
		5699-36ADR-G05		Deep Bronze	775.00
		5699-36S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	707.65
		5699-36N-G03		Nickel	764.20
		5699-36ADR-G03		Deep Bronze	813.75
	67" H x 37-1/2"–39" W	5699-39S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	690.00
		5699-39N-G05	Frosted 5/16"-Thick, Vertical Handles	Nickel	745.15
		5699-39ADR-G05		Deep Bronze	793.35
b.)		5699-39S-G03		Silver	724.40
		5699-39N-G03		Nickel	782.45
		5699-39ADR-G03		Deep Bronze	833.05
	67" H x 40-1/2"–42" W	5699-42S-G05	Clear 5/16"-Thick, Vertical Handles	Silver	706.00
		5699-42N-G05		Nickel	762.45
		5699-42ADR-G05		Deep Bronze	811.90
		5699-42S-G03	Frosted 5/16"-Thick, Vertical Handles	Silver	741.25
		5699-42N-G03	- Critical Flatfolds	Nickel	799.00
		5699-42ADR-G03		Deep Bronze	852.45
	Glass panels: The lighter the shade	GLASS TYPE e. the greater the transparency, v	with white indicating clear glass		
			me maioding oldar gladd.		
	l	Clear Frosted			



PIVOT SHOWER DOORS

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)
	FINESSE _{TM} FRAMELESS P	ļ			(
	67" H x 28-1/2"–30" W	5690-30S-G05	Clear 1/4"-Thick, Knob Handles	Silver	471.80
~		5690-30N-G05		Nickel	503.25
		5690-30ADR-G05		Deep Bronze	531.90
	67" H x 30"–31-1/2" W	5690-31S-G05	Clear 1/4"-Thick, Knob Handles	Silver	482.25
, co		5690-31N-G05		Nickel	513.70
		5690-31ADR-G05		Deep Bronze	545.10
	67" H x 31-1/2"–33" W	5690-33S-G03	Frosted 1/4"-Thick, Knob Handles	Silver	489.20
		5690-33N-G03		Nickel	519.15
		5690-33ADR-G03	-	Deep Bronze	549.15
		5690-33S-G05	Clear 1/4"-Thick, Knob Handles	Silver	492.70
		5690-33N-G05		Nickel	524.15
		5690-33ADR-G05		Deep Bronze	555.65
	67" H x 33"–34-1/2" W	5690-34N-G03	Frosted 1/4"-Thick, Knob Handles	Nickel	546.35
		5690-34S-G05	Clear 1/4"-Thick, Knob Handles	Silver	503.25
		5690-34N-G05		Nickel	531.90
		5690-34ADR-G05		Deep Bronze	566.10
	67" H x 34-1/2"–36" W	5690-36S-G05	Clear 1/4"-Thick, Knob Handles	Silver	513.70
		5690-36N-G05		Nickel	545.10
		5690-36ADR-G05		Deep Bronze	576.55
	Glass panels: The lighter the shade	GLASS TYPE	ith white indicating clear glass		
	Giass pariets. The lighter the Shade	, the greater the transparency, w	wille indicating dear glass.		
		///			
		Clear Frosted			,

If you have questions on service parts or how to measure or choose a door, please contact your Customer Service Representative.



PIVOT SHOWER DOORS

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)		
DELUXE FRAMED PIVOT SHOWER DOORS							
NEW!	65-1/2" H x 27-1/2"-31-1/4" W	572118-3G06-S	Rain 1/8"-Thick, Full-Length Handle	Silver	420.95		
NEW!	65-1/2" H x 31-1/4"–36" W	572119-3G06-S	Rain 1/8"-Thick, Full-Length Handle	Silver	448.95		
GLASS TYPE Glass panels: The lighter the shade, the greater the transparency, with white indicating clear glass.							
Rain							



PIVOT SHOWER DOORS

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)					
	VISTA PIVOT™ II FRAMED	PIVOT SHOWER DO		·	•					
	65-1/2" H x 23"-26-1/2" W	1500D-26S	Pebbled 1/8"-Thick*, Full-Length Handle	Silver	397.75					
	65-1/2" H x 24"-27-1/2" W	1500D-27S	Pebbled 1/8"-Thick*, 5" In-Line Panel, Full-Length Handle	Silver	385.20					
	65-1/2" H x 27-1/2"-31-1/4" W	1500D-31S	Pebbled 1/8"-Thick*, 5" In-Line Panel, Full-Length Handle	Silver	420.95					
	GLASS TYPE *Vista Pivot II door panel glass is 1/8"-thick; in-line panel is 5/32"-thick.									
	Giass panels: The lighter the shad	Pebbled	cy, with white indicating clear glass.							



PIVOT SHOWER DOORS

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)				
	VISTA PIVOT™ II FRAMED	VISTA PIVOT™ II FRAMED PIVOT SHOWER DOORS (Continued)							
	65-1/2" H x 31-1/4"–36" W	1500D-36S	Pebbled 1/8"-Thick*, 7" In-Line Panel, Full-Length Handle	Silver	448.95				
	65-1/2" H x 36"-42" W	1500D-42S	Pebbled 1/8"-Thick*, 13" In-Line Panel, Full-Length Handle	Silver	626.95				
	65-1/2" H x 42"–48" W	1500D-48S	Pebbled 1/8"-Thick*, 19" In-Line Panel, Full-Length Handle	Silver	660.00				
GLASS TYPE *Vista Pivot II door panel glass is 1/8"-thick; in-line panel is 5/32"-thick. Glass panels: The lighter the shade, the greater the transparency, with white indicating clear glass.									
	chace pariete. The lighter the chack		The transacting order grader						



Pebbled

Product	Height x Width (Min. – Max. Opening)	Model Number	Glass & Handle Type	Frame Finish	List Price (USD \$)			
	STANDARD FRAMED PIV	OT SHOWER DOORS						
	64" H x 23-1/2" W 26926-3G06-S		Rain 1/8"-Thick, Full-Length Handle	Silver	307.80			
	64" H x 32-3/4" W	26936-3G06-S	Rain 1/8"-Thick, Full-Length Handle	Silver	356.40			
	Glass panels: The lighter the shad	GLASS TYPE e, the greater the transparency, w	vith white indicating clear glass.					
Rain								



TOP-MOUNT STAINLESS STEEL KITCHEN SINKS

			SIZE	FALIGET			BOWL SIZE L x V	V (Inches)	
MODEL	PAGE	GAUGE	L x W (Inches)	FAUCET HOLES	ADA	Single-Bowl	Left	Right	Depth
Southhaven, Doub	le-Bowl								
11850-4-NA	92	18	33 x 22	4			14-1/8 x 15-3/4	14-1/8 x 15-3/4	8-1/2
11402-3-NA	00	00	00 00	3			14.1/0 15.0/4	11.1/0 15.0/4	
11402-4-NA	92	20	33 x 22	4			14-1/8 x 15-3/4	14-1/8 x 15-3/4	8
11401-4-NA	92	20	33 x 22	4			14-1/8 x 15-3/4	14-1/8 x 15-3/4	7
11400-3-NA	92	20	33 x 22	3	x		14 1/9 v 15 2/4	14-1/8 x 15-3/4	6-1/2
11400-4-NA	92	20	33 X 22	4	^		14-1/8 x 15-3/4	14-1/6 X 15-3/4	0-1/2
Middleton, Double	-Bowl								
14708-3-NA	92	20	33 x 22	3			14-1/8 x 15-3/4	14-1/8 x 15-3/4	8
14708-4-NA	32	20	30 X ZZ	4			14-1/0 X 13-5/4	14-1/0 X 13-0/4	Ü
14707-4-NA	92	20	33 x 22	4			14-1/8 x 15-3/4	14-1/8 x 15-3/4	7
14633-3-NA	92	20	33 x 22	3	X		13-5/8 x 14-5/8	13-5/8 x 14-5/8	6
14633-4-NA				4					
Southhaven, Sing	le-Bowl								
37047-3-NA	93	18	33 x 22	3		29-1/4 x 15			9
37047-4-NA				4					-
24912-2-NA	93	20	33 x 22	2		29-1/4 x 15			8
24912-4-NA				4					
11405-3-NA	93	20	25 x 22	3		21 x 15-1/4			8
11405-4-NA				4					
11403-3-NA	93	20	25 x 22	3	×	21 x 15-1/4			6-1/2
11403-4-NA				4					
Middleton, Single-	Bowl	1					T	I	
14711-3-NA	93	20	25 x 22	3		21 x 15-1/4			8
14711-4-NA				4					
14631-3-NA	93	20	25 x 22	3	X	21 x 15-1/4			6
14631-4-NA				4					

Refer to price pages that follow for finish and multipack availability.

Kitchen Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act.

IMPORTANT: Dimensions listed above are for the purpose of determining space requirements only. Installation instructions included with each sink should be followed closely to ensure that proper radii are used in the countertop cutout. PLEASE REFER TO INSTALLATION INSTRUCTIONS FOR FÜRTHER DETAILS.



TOP-MOUNT STAINLESS STEEL KITCHEN SINKS

Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)		
DOUBLE-BOWL								
	SOUTHHAVEN	TOP-MOUNT DOUBLE-BOWL KITCHEN	N SINKS					
	8-1/2", 8", 7" or 6-1/2	double-equal bowl kitchen sink with curved deck design bowl depth. SilentShield, sound absorption, includes A112.19.3/CSA B45.4 National Consensus Standards						
11850-4-NA	11850-4-NA	18-gauge stainless steel, 8-1/2" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	587.35	5.10	26.2		
11402-4-NA	11402-3-NA 11402-4-NA	20-gauge stainless steel, 8" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	405.00	4.00	19.5		
	F11402-4-NA	40/pallet, price each	Satin Deck Luster Bowl	394.80	42.80	570.0		
11401-4-NA	11401-4-NA	20-gauge stainless steel, 7" bowl depth, 4 faucet holes	Satin Deck Luster Bowl	284.50	4.00	19.0		
ADA 11400-3-NA	11400-3-NA 11400-4-NA	20-gauge stainless steel, 6-1/2" bowl depth, 3 or 4 faucet holes, ADA-compliant	Satin Deck Luster Bowl	260.00	4.00	19.0		
	MIDDLETON, T	OP-MOUNT DOUBLE-BOWL KITCHEN	SINKS					
	SilentShield _® sound	double-equal bowl kitchen sink with rolled rim. 3-5/8" c absorption, includes 10 installation clips. A112.19.3/CSA B45.4 National Consensus Standards.	lrain opening. 8",	7" or 6" bowl d	epth.			
	14708-3-NA 14708-4-NA	20-gauge stainless steel, 8" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	402.90	4.00	19.5		
14708-4-NA	F14708-4-NA	40/pallet, price each	Satin Deck Luster Bowl	394.80	42.80	570.0		
14707-4-NA	14707-4-NA	21-gauge stainless steel, 7" bowl depth, 4 faucet holes	Satin Deck Luster Bowl	304.15	4.00	19.0		
ADA	14633-3-NA 14633-4-NA	20-gauge stainless steel, 6" bowl depth, 3 or 4 faucet holes, ADA-compliant	Satin Deck Luster Bowl	191.80	4.00	10.5		
14633-4-NA	14633-4F-NA	50/pallet, price each	Satin Deck Luster Bowl	177.20	53.00	550.0		





TOP-MOUNT STAINLESS STEEL KITCHEN SINKS

Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)		
SINGLE-BOWL								
	SOUTHHAVEN	. TOP-MOUNT SINGLE-BOWL KITCHEN	SINKS					
	SilentShield, sound	single-bowl kitchen sink with curved deck design. 3-5/absorption, includes 10 installation clips. A112.19.3/CSA B45.4 National Consensus Standards.						
37047-4-NA	37047-3-NA 37047-4-NA	18-gauge stainless steel, 9" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	559.50	5.10	19.0		
24912-4-NA	24912-2-NA 24912-4-NA	20-gauge stainless steel, 8" bowl depth, 2 or 4 faucet holes	Satin Deck Luster Bowl	378.75	5.10	19.0		
	F24912-4-NA	40/pallet, price each	Satin Deck Luster Bowl	303.10	45.00	575.0		
	25" x 22" top-mount single-bowl kitchen sink with curved deck design. 3-5/8" drain opening. 8", 7" or 6-1/2" bowl depth SilentShield, sound absorption, includes 10 installation clips. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.							
11405-4-NA	11405-3-NA 11405-4-NA	20-gauge stainless steel, 8" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	338.00	3.20	13.0		
ADA	11403-3-NA 11403-4-NA	20-gauge stainless steel, 6-1/2" bowl depth, 3 or 4 faucet holes, ADA-compliant	Satin Deck Luster Bowl	200.00	3.20	11.0		
11403-4-NA	F11403-3-NA NEW!	40/pallet, price each	Satin Deck Luster Bowl	187.75				
	MIDDLETON. T	OP-MOUNT SINGLE-BOWL KITCHEN S	INKS					
	SilentShield, sound	single-bowl kitchen sink with rolled rim. 3-5/8" drain op absorption, includes 10 installation clips. A112.19.3/CSA B45.4 National Consensus Standards.	· ·	owl depth.				
14711-4-NA	14711-3-NA 14711-4-NA	20-gauge stainless steel, 8" bowl depth, 3 or 4 faucet holes	Satin Deck Luster Bowl	345.75	3.20	13.0		
ADA 14631-4-NA	14631-3-NA 14631-4-NA	20-gauge stainless steel, 6" bowl depth, 3 or 4 faucet holes, ADA-compliant	Satin Deck Luster Bowl	161.60	3.20	11.0		



			SIZE	FALIOFT			BOWL SIZE L x	W (Inches)	
MODEL	PAGE	GAUGE	L x W (Inches)	FAUCET HOLES	ADA	Single-Bowl	Left	Right	Depth
Ludington _® Double-B	Bowl								
20024-NA / 20024-PC-NA	95	18	32 x 18-1/4	0			14-9/16 x 16-9/16	14-9/16 x 16-9/16	9
32024-NA	95	18	32 x 18-1/4	0	х		14-9/16 x 16-9/16	14-9/16 x 16-9/16	5-1/2
20025-NA / 20025-PC-NA	95	18	32 x 18-1/4	0			17-1/2 x 16-9/16	11-5/8 x 16-9/16	9
McAllister, Double-B	owl	,							
11444-NA	96	18	32 x 18	0			14-1/16 x 15-3/4	14-1/16 x 15-3/4	8-1/4
11406-NA	96	20	32 x 18	0			14-1/8 x 15-3/4	14-1/8 x 15-3/4	8
24765-NA	96	18	32 x 18	0	Х		14-1/8 x 15-3/4	14-1/8 x 15-3/4	6
32021-NA	96	18	31-3/8 x 18-13/16	0	x		14-1/8 x 15-3/4	14-1/8 x 15-3/4	5-1/2
11409-NA	96	18	31-3/4 x 20-3/4	0			14-1/4 x 18-1/2	14-1/4 x 15-3/4	8
Ludington, Single-Bo	owl								
20243-NA / 20243-PC-NA	97	18	34 x 19-3/4	0		30-1/4 x 16-9/16			9
20022-NA / 20022-PC-NA	97	18	32 x 18-1/4	0		30-1/4 x 16-9/16			9
32026-NA	97	18	32 x 18-5/16	0	х	30-1/4 x 16-9/16			5-1/2
20023-NA / 20023-PC-NA	97	18	24 x 18-1/4	0		22-1/4 x 16-9/16			9
32025-NA	97	18	24 x 18-5/16	0	Х	22-1/4 x 16-9/16			5-1/2
32029-NA	97	18	23 x 18	0		21-1/4 x 16-1/4			9
McAllister _® Single-Bo	owl								
11600-NA	97	18	32 x 18	0		29-1/2 x 15-3/4			9
50200-NA	98	18	23-1/2 x 21	0		22 x 19			9-1/2
32023-NA	97	18	31-3/8 x 18-5/16	0	X	29-3/8 x 15-3/4			5-1/2
11447-NA	97	20	23-1/2 x 18	0		21 x 15-1/4			8
97447-NA	98	18	23-1/2 x 18	0		21 x 15-1/4			8
24738-NA	98	18	23-1/2 x 18	0	×	21 x 15-1/4			6
32022-NA	98	18	23-3/8 x 17-11/16	0	X	21 x 15-1/4			5-1/2

Refer to price pages that follow for finish and multipack availability.



Kitchen Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act. Bar sinks will comply when a parallel approach is allowed by these regulations.

IMPORTANT: Dimensions listed above are for the purpose of determining space requirements only. Installation instructions included with each sink should be followed closely to ensure that proper radii are used in the countertop cutout.

PLEASE REFER TO INSTALLATION INSTRUCTIONS FOR FURTHER DETAILS.



Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
DOUBLE-BOWL						
	LUDINGTON	. UNDERMOUNT DOUBLE-BOWL KITCHEN	N SINKS			
20024-NA	20024-NA	Double-Equal 32" x 18-1/4" x 9" 18-gauge stainless steel undermount double-equal bowl kitchen sink. 3-3/4" drain opening. SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Satin Bowl	769.75	5.20	30.7
	20024-PC-NA	Includes accessories: two strainers, two sink mats, surface swipe, and trivet	Satin Bowl	874.80	5.20	34.5
32024-NA	32024-NA NEW!	32" x 18-1/4" x 5-1/2" 18-gauge stainless steel undermount double-equal bowl kitchen sink. 3-3/4" rear-center drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Satin Bowl	769.75	3.83	23.7
	20025-NA	Offset 32" x 18-1/4" x 9" 18-gauge stainless steel undermount offset double-bowl kitchen sink. 3-3/4" drain opening. SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Satin Bowl	769.75	5.20	30.3
20025-NA	20025-PC-NA	Includes accessories: two strainers, two sink mats, surface swipe, and trivet	Satin Bowl	874.80	5.20	33.8



Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
DOUBLE-BOWL (Con	itinued)					
	MCALLISTER	R. UNDERMOUNT DOUBLE-BOWL KITCHE	N SINKS			
	11444-NA	32" x 18" x 8-1/4" 18-gauge stainless steel undermount double-equal bowl kitchen sink. 3-5/8" drain opening.				
11444-NA		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	524.20	5.00	19.5
	F11444-NA	40-unit bulk pack, price each	Luster Bowl	281.40	50.0	640.0
	11406-NA	32" x 18" x 8" 20-gauge stainless steel undermount double-equal bowl kitchen sink. 3-5/8" drain opening.				
11406-NA		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	471.85	5.00	15.0
	F11406-NA	40-unit bulk pack, <i>price each</i>	Luster Bowl	264.85		
ADA	24765-NA	32" x 18" x 6" 18-gauge stainless steel undermount double-equal bowl kitchen sink. 3-5/8" drain opening.				
		SilentShield, sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	513.90	5.00	15.0
24765-NA	F24765-NA	40-unit bulk pack, <i>price each</i>	Luster Bowl	290.95		
ADA	32021-NA NEW!	32" x 18" x 5-1/2" 18-gauge stainless steel undermount double-equal bowl kitchen sink. 3-5/8" rear-center drain opening.				
		SilentShield. sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	513.90	3.83	21.1
32021-NA						
	11409-NA	31-3/4" x 20-3/4"/18" x 8" 18-gauge stainless steel undermount offset double-bowl kitchen sink. 3-3/4" drain opening.				
		SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	567.50	5.00	19.5
11409-NA	F11409-NA	40-unit bulk pack, <i>price each</i>	Luster Bowl	294.70	50.0	640.0





Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
SINGLE-BOWL						
	LUDINGTON	UNDERMOUNT SINGLE-BOWL KITCHEN	SINKS			
	20243-NA	34" x 19-3/4" x 9" 18-gauge stainless steel undermount single-bowl farmhouse kitchen sink with 6-11/16" apron height. 3-3/4" drain opening.	0 5			
		SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Satin Bowl	859.70	5.90	31.7
20243-NA	20243-PC-NA	Includes accessories: strainer, sink mat, surface swipe, and trivet	Satin Bowl	897.40	5.90	35.3
	20022-NA	32" x 18-1/4" x 9" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" drain opening.	Satin Bowl	612.70	5.20	26.4
		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Gatin Bowi	012.70	3.20	20.4
20022-NA	20022-PC-NA Includes accessories: strainer, sink mat, surface swipe, and trivet		Satin Bowl	650.00	5.20	30.0
ADA	32026-NA NEW!	32" x 18-1/4" x 5-1/2" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" rear-center drain opening. SilentShield, sound absorption, includes installation	Satin Bowl	612.70	3.83	21.9
32026-NA		hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.				
	20023-NA	24" x 18-1/4" x 9" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" drain opening.	Satin Bowl	535.60	5.20	22.4
		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.				
20023-NA	20023-PC-NA	Includes accessories: strainer, sink mat, surface swipe, and trivet	Satin Bowl	560.00	5.20	25.3
ADA	32025-NA NEW!	24" x 18-1/4" x 5-1/2" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" rear-center drain opening.		505.00	0.00	0.1.1
32025-NA		SilentShield. sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl 535.60		2.99	21.1
	32029-NA NEW!	23" x 18-1/4" x 9" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" drain opening.				
32029-NA		SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Satin Bowl	535.60	5.01	23.92
02020 101	MCALLISTER	L. UNDERMOUNT SINGLE-BOWL KITCHEN	I SINKS			
	11600-NA	32" x 18" x 9" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-5/8" drain opening.				
		SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	524.20	4.40	16.0
11600-NA	F11600-NA	40-unit bulk pack, price each	Luster Bowl	281.40	50.00	570.0
ADA	32023-NA NEW!	32" x 18" x 5-1/2" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-5/8" rear-center drain				
32023-NA	NEW:	opening. SilentShield. sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	513.90	3.83	19.6
	11447-NA	23-1/2" x 18" x 8" 20-gauge stainless steel undermount single-bowl kitchen sink. 3-1/2" drain opening.				
		SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	461.95	3.20	14.3
1 / /		20-unit bulk pack, <i>price each</i>			1	





Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)
SINGLE-BOWL (Cont	inued)					
	MCALLISTEF	R. UNDERMOUNT SINGLE-BOWL KITCHEN	SINKS (Co	ntinued)		
97447-NA	97447-NA	23-1/2" x 18" x 8" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-1/2" drain opening. SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	481.20	3.20	14.3
	F97447-NA	40-unit bulk pack, price each	Luster Bowl	231.75	50.00	570.0
ADA	24738-NA	23-1/2" x 18" x 6" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-1/2" drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	481.20	3.20	11.0
24738-NA	F24738-NA	40-unit bulk pack, price each	Luster Bowl	231.75	29.00	450.0
32022-NA	32022-NA NEW!	23-1/2" x 18" x 5-1/2" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-1/2" rear-center drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	481.20	3.24	13.6
50200-NA	50200-NA	D-Bowl 23-1/2" x 21" x 9-1/2" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" drain opening. SilentShield, sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	496.35	4.40	24.1



STAINLESS STEEL BAR SINKS

				SIZE		BOWL SIZ	E (Inches)			
MODEL	PAGE	Installation	GAUGE	L x W (Inches)	ADA	L x W	Depth			
SINGLE-BOWL BAR										
TOP-MOUNT BAR SINKS	6									
B153-1 / B153-2	100	Top-Mount	20	15 x 15	x	13-1/4 x 11	5-1/2			
B155-1 / B155-2	100	Top-Mount	20	15 x 15	x	13-1/4 x 11	5-1/2			
ROUND DUAL-MOUNT BAR SINKS										
111-0	100	Top-Mount / Undermount	20	10-1/2 dia.	х	10-1/2 dia.	4			
131-0 / 1411-0	100	Top-Mount / Undermount	20	13-5/8 dia.	x	13-5/8 dia.	5-1/4			
OVAL DUAL-MOUNT BA	R SINKS									
1186-0 / 11811-0	100	Top-Mount / Undermount	20	13-1/4 x 10-1/2	х	13-1/4 x 10-1/2	5			
\$1201-0	100	Top-Mount / Undermount	20	16-3/4 x 11-3/4	x	16-3/4 x 11-3/4	5-1/2			
SPRINGDALE UNDERMO	DUNT SIN	GLE-BOWL BA	R SINKS							
11448-NA/T11448-NA	100	Undermount	18	16 x 17-1/2		16 x 17-1/2	8			
11449-NA	100	Undermount	18	16 x 20-1/4		16 x 20-1/4	8			
UCL1515	100	Undermount	19	14 x 12	x	14 x 12	7			

Refer to price pages that follow for finish and multipack availability.

ADA

Kitchen Sinks will comply with the Americans with Disabilities Act when installed per the requirements of the 2010 ADA Standards for Accessible Design, Section 606 Lavatories and Sinks, of the Act. Bar sinks will comply when a parallel approach is allowed by these regulations.

IMPORTANT: Dimensions listed above are for the purpose of determining space requirements only. Installation instructions included with each sink should be followed closely to ensure that proper radii are used in the countertop cutout.

PLEASE REFER TO INSTALLATION INSTRUCTIONS FOR FURTHER DETAILS.



STAINLESS STEEL BAR SINKS

Product	Model Number	Description	Finish	List Price (USD \$)	Cube	Ship Wt. (Lb)		
ADA	TOP-MOUNT	BAR SINKS						
	15" x 15" x 5-1/2" 20-gauge stainless steel top-mount single-bowl bar sink. 3-5/8" drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant.							
	B153-1	1 faucet hole	Luster Bowl	120.90	1.00	4.0		
B153-1	B153-2	2 faucet holes						
	15" x 15" x 5-1/2" 20-gauge stainless steel top-mount single-bowl bar sink. 2" drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant.							
ADA	B155-1			140.05	1.00			
B155-2	B155-2	2 faucet holes	Luster Bowl	143.85	1.00	4.0		
	ROUND DUA	L-MOUNT BAR SINKS			1			
		nount 20-gauge stainless steel single-bowl round sir on hardware for both top-mount and undermount ins			ing.			
ADA	111-0	10-1/2" diameter x 4" – 22/case, price each	Luster Bowl	143.05	1.30	14.0		
131-0	131-0	13-5/8" diameter x 5-1/4" – 6/case, price each	Luster Bowl	275.55	1.80	18.0		
	1411-0	13-5/8" diameter x 5-1/4"	Mirror Bowl	385.55	0.70	2.5		
	OVAL DUAL-MOUNT SINGLE-BOWL BAR SINKS							
	Top-mount/undermount 20-gauge stainless steel single-bowl oval sinks, no faucet holes. 1-1/2" or 1-11/16" drain opening. Includes installation hardware for both top-mount and undermount installations. ADA-compliant.							
ADA	1186-0	13-1/4" x 10-1/2" x 5", 1-1/2" drain opening – 6/case, <i>price each</i>	Luster Bowl	225.90	1.50	12.0		
1186-0	11811-0	13-1/4" x 10-1/2" x 5", 1-1/2" drain opening	Mirror Bowl	225.90	0.60	3.0		
	S1201-0	16-3/4" x 11-3/4" x 5-1/2", 1-11/16" drain opening	Luster Bowl	262.30	0.70	3.3		
	SPRINGDALE, UNDERMOUNT SINGLE-BOWL BAR SINKS							
	11449-NA	16" x 20-1/4" x 8" 18-gauge stainless steel undermount single-bowl kitchen sink. 3-3/4" drain opening.						
11449-NA		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	347.30	2.10	9.5		
	11448-NA	16" x 17-1/2" x 8" 18-gauge stainless steel undermount single-bowl bar sink. 3-3/4" drain opening.						
11448-NA		SilentShield. sound absorption, includes installation hardware. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	328.20	3.20	16.0		
	T11448-NA	20-unit bulk pack, price each	Luster Bowl	243.15				
UCL1515	UCL1515	14" x 12" x 7" 19-gauge stainless steel undermount single-bowl bar sink. 3-5/8" drain opening. SilentShield, sound absorption, includes installation hardware. ADA-compliant. Conforms to ASME A112.19.3/CSA B45.4 National Consensus Standards.	Luster Bowl	253.60	1.90	6.0		





KITCHEN SINK ACCESSORIES

KITCHEN SINK ACCESSORIES

Product	Model Number	Description	List Price (USD \$)	Cube	Ship Wt. (Lb)
SILICONE SINK MATS					
20284-ASH	20284-ASH	Ash Grey, 22" x 16-1/4" Fits: 20023 Ludington _a single-bowl	60.00	0.31	2.7
20285-ASH	20285-ASH	Ash Grey, two mats included in set, set measures 30" x 16-1/4" Fits: 20022 Ludington, single-bowl	105.85	0.31	4.2
20286-ASH	20286-ASH	Ash Grey, 14-1/4" x 16-1/4" Fits: 20024 Ludington _® double-equal (either bowl)	53.00	0.31	1.6
20287-ASH	20287-ASH	Ash Grey, 11-3/8" x 16-1/4" Fits: 20025 Ludington₅ offset (smaller bowl)	48.85	0.31	1.3
20288-ASH	20288-ASH	Ash Grey, 17-1/4" x 16-1/4" Fits: 20025 Ludington₅ offset (larger bowl)	48.05	0.31	1.7
STAINLESS STEEL SINK R	ACKS		1		'
11861-ST	11861-ST	12-1/4" x 13-1/4" Fits: 11400, 11401, 11402, 11850 Southhaven double-equal (either bowl) 11406, 11444, 24765 McAllister double-equal (either bowl) 14707, 14708 Middleton double-equal (either bowl)	47.75	0.20	1.7
11862-ST	11862-ST	11-3/4" x 13-1/4" Fits: 11409, 11409-L McAllister offset (smaller bowl) 11448 Springdale, single-bowl	47.75	0.20	1.6
11863-ST	11863-ST	11-7/8" x 16-1/4" Fits: 11409, 11409-L McAllister, offset (larger bowl) 11449 Springdale, single-bowl	51.30	0.24	1.9



KITCHEN SINK ACCESSORIES

Duestreat	Model	Page 1 and 1	List Price	Out	Ship
Product	Number	Description	(USD \$)	Cube	Wt. (Lb)
STAINLESS STEEL SINK R	ACKS (Contil	nued)	I	I	
20078-ST	20078-ST	27" x 13-15/16" Fits: 11600 McAllister. single-bowl	55.60	0.31	1.8
20079-ST	20079-ST	20-1/8" x 14-3/8" Fits: 11447, 24738, 97447 McAllister, single-bowl 11403, 11405 Southhaven, single-bowl 14711 Middleton, single-bowl	52.60	0.25	1.4
K-20911-ST	K-20911-ST	29-3/4" x 16-1/16" Fits: 20022, 20243 Ludington _* single-bowl	123.80	0.31	2.0
SPONGE CADDY				•	
K-6139-ST	K-6139-ST	Stainless steel sponge caddy, fits over sink divider 1-1/16" to 1-5/16". Fits: 11400, 11401, 11402, 11850, 11855 Southhaven, double-bowl 11406, 11409/-L, 11444 McAllister, double-bowl 14707, 14708 Middleton, double-bowl	38.80	0.03	0.5
SINK DRAINS AND STRAIN	IERS				
7400	7400	Stainless steel sink strainer and basket, 3-1/2" diameter Fits: STERLING. sinks with 3-1/2" to 4" drain hole Stainless steel sink strainer and basket,	22.60	0.02	1.0
7466		2" diameter Fits: STERLING, sinks with 2" to 2-1/2" drain hole	12.60	0.02	1.0



KITCHEN SINK ACCESSORIES

KITCHEN SINK ACCESSORIES

Model Number	Description	List Price (USD \$)	Cube	Ship Wt. (Lb)
UNDERMOUNT S				
K-5807-NA	36" undermount sink kit (includes rails, brackets and hardware for installing undermount sinks under cabinets)		0.12	3.0
1411886	23" undermount sink kit			
OTHER ACCESS	ORIES			
1279210	Installation clips (12)	9.30		
1111585	Socket driver extension	2.80	0.001	0.02



UTILITY SINKS - VIKRELL, MATERIAL

			SIZE BOWL SIZE (Inche			E (Inches)
MODEL	PAGE	INSTALLATION	L x W (Inches)	FAUCET HOLES	LxW	Depth
LATITUDE, SINGLE-BOV	VL					
995	104	Top-Mount / Undermount	25 x 22	1	22 x 16	12
996	104	Top-Mount with Stand	25 x 22	1	22 x 16	12

Refer to information below for finish and multipack availability.

IMPORTANT: Dimensions listed above are for the purpose of determining space requirements only. Installation instructions included with each sink should be followed closely to ensure that proper radii are used in the countertop cutout.

PLEASE REFER TO INSTALLATION INSTRUCTIONS FOR FURTHER DETAILS.

Product	Model Number	Description	Color	List Price (USD \$)	Cube	Ship Wt. (Lb)			
SINGLE-BOWL									
	LATITUDE	DUAL-MOUNT SINGLE-BOWL UTILITY SINKS							
	25" x 22" x 12" clipless dual-mount (undermount/top-mount) single-bowl stepped-design utility sink featuring durable Bond finish. 3-1/2" drain opening. Can be installed as an undermount or top-mount sink. Includes the necessary clips for undermount installation. Conforms to Z124.6-2007 and CSA B45 Series-2002 National Consensus Standards.								
995	995-0	1 faucet hole; point locators available for 2- or 3-hole faucet/accessories installation	White	385.35	6.20	25.0			
	F995-0	1 faucet hole; point locators available for 2- or 3-hole faucet/accessories installation, 4-unit bulk pack, <i>price each</i>	White	308.35	43.00	90.0			
	LATITUDE	SINGLE-BOWL UTILITY SINK WITH STAND	1		ļ.				
	25" x 22" single-bowl stepped-design utility sink with 36"-high metal stand. Utility sink features durable Bond finish. 3-1/2" drain opening. Conforms to Z124.6-2007 and CSA B45 Series-2002 National Consensus Standards.								
The state of the s	996-0	1 faucet hole; point locators available for 2- or 3-hole faucet/accessories installation	White	541.60	7.90	40.0			



CLEANERS

Part Number	Description	List Price (USD \$)
BATHROOM CLE	ANERS	
K-23732-NA	Tub & Shower Cleaner	11.50
	Cleans and removes soap scum, grease, lime and other heavy soil from shower and tub surfaces, including tile	
	Premium formula restores acrylic, tile, enameled cast iron, Lithocast./solid surface, LuxStone, and KOHLER Choreograph, surfaces to their original luster Residue-free	
	28 fl oz spray bottle	
	Must be ordered in quantity of 10, 8-packs or 80 pieces; price each	
K-EC23732-NA	Comes with sprayhead detached and both the sprayhead and cleaner bottle in a poly bag	11.50
.,	Sold as individual units	
K-23733-NA	Vikrell. Cleaner Safely cleans and removes soap scum, grease, lime and other heavy soil from shower and tub surfaces, including tile	12.50
	Premium formula restores STERLING. Vikrell surfaces to their original luster	
	Residue-free	
	28 fl oz spray bottle	
	Must be ordered in quantity of 10, 8-packs or 80 pieces; price each	
K-EC23733-NA	Comes with sprayhead detached and both the sprayhead and cleaner bottle in a poly bag	12.50
KITCHEN OLEAN	Sold as individual units	
KITCHEN CLEAN	I-	0.50
K-23728-NA	Provides quick and easy removal of grime, grease and ink from stainless steel, enameled cast iron, glass and other nonporous surfaces	9.50
	Premium formula cuts through grease and other heavy-duty grime Residue-free	
	28 fl oz spray bottle	
	Must be ordered in quantity of 10, 8-packs or 80 pieces; price each	
K-EC23728-NA	Comes with sprayhead detached and both the sprayhead and cleaner bottle in a poly bag	9.50
	Sold as individual units	
K-23729-NA	Stainless Steel Cleaner	9.50
	Cleans, polishes and protects stainless steel and other polished metal surfaces	
	Premium formula provides a protective coating from fingerprints, grease	
	and water spot Nonabrasive cream-based cleaner	

Part Number	Description	List Price (USD \$)
KITCHEN CLE	ANERS (Continued)	
K-23737-NA	Kitchen Surface Cleaner	9.50
	Cleans and refreshes kitchen surfaces, including tile, stone, solid surface counter tops and glass Premium formula leaves a streak-free shine	
	28 fl oz spray bottle Must be ordered in quantity of 10, 8-packs or 80 pieces; price each	
K-EC23737-NA	Comes with sprayhead detached and both the sprayhead and cleaner bottle in a poly bag Sold as individual units	9.50
KITCHEN AND	BATHROOM CLEANERS	
K-23723-NA	Faucet Cleaner	9.50
	Cleans and removes dirt, grime, and other residue on faucets, glass, mirrors, countertops and other natural surfaces	
	Premium formula leaves a streak-free shine	
	Ammonia and alcohol-free	
	28 fl oz spray bottle Must be ordered in quantity of 10, 8-packs or 80 pieces; price each	
K-EC23723-NA	Comes with sprayhead detached and both the sprayhead and cleaner bottle in a poly bag	9.50
	Sold as individual units	
K-23725-NA	Cast Iron Cleaner Removes pot marks, rust and other blemishes on enameled cast iron	9.50
	Premium formula restores shine of enameled cast iron surfaces	
	Nonabrasive cream-based cleaner 8 fl oz squeeze bottle	
K-23726-NA	Drain Treatment Breaks down organic drain build-ups and blockages	9.50
	brookages Premium formula that is safe for use on bath drains, sink drains, toilets and urinals	
	8 fl oz squeeze bottle	
K-23736-NA	Furniture Polish	9.50
	Cleans and polishes furniture, removing dust and other blemishes	
	Premium formula leaves a polished shine	
	Cream-based cleaner	
	8 fl oz squeeze bottle	











STERLINGPLUMBING.COM

